# LOPERAMIDE HYDROCHLORIDE AND SIMETHICONE - loperamide hydrochloride and simethicone tablet Aurohealth LLC

-----

#### **Drug Facts**

#### Active ingredients (in each caplet)

Loperamide HCl USP 2 mg Simethicone USP 125 mg

## **Purposes**

Anti-diarrheal Anti-gas

#### Uses

relieves symptoms of diarrhea plus bloating, pressure and cramps, commonly referred to as gas

#### Warnings

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Heart alert: Taking more than directed can cause serious heart problems or death

#### Do not use

- if you have bloody or black stool
- if you have difficulty swallowing

## Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

## Ask a doctor or pharmacist before use if you are

taking a prescription drug. Loperamide may interact with certain prescription drugs.

## When using this product

tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

## Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.
- you have difficulty swallowing the caplet

### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- take only on an empty stomach (1 hour before or 2 hours after a meal)
- take with a full (8 oz.) glass of water
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9 to 11 years (60 to 95	1 caplet after the first loose stool; $\frac{1}{2}$
lbs)	caplet
	after each subsequent loose stool; but
	no more than 3 caplets in 24 hours
children 6 to 8 years (48 to 59 lbs)	1 caplet after the first loose stool; $\frac{1}{2}$
_	caplet after each subsequent loose
	stool; but no more than 2 caplets in 24
	hours
children 2 to 5 years (34 to 47 lbs)	ask a doctor
children under 2 years (up to 33	do not use
lbs)	

#### Other information

- each caplet contains: calcium 165 mg, sodium 4 mg
- store between 20° to 25°C (68° to 77°F). Protect from light.
- do not use if carton is opened or if individual blister units are torn or opened

### Inactive ingredients

acesulfame potassium, croscarmellose sodium, dibasic calcium phosphate anhydrous, flavor, microcrystalline cellulose, stearic acid.

#### Questions or comments?

call 1-855-274-4122

(Monday - Friday 8:30 AM to 5:00 PM EST)

Distributed by:

#### **AUROHEALTH LLC**

279 Princeton-Hightstown Road East Windsor, NJ 08520

Made in India

Code: AP/DRUGS/04/2016

# PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 2 mg/125mg (24 Caplets) Blister Carton Label

Healthy Living<sup>™</sup>

# LOPERAMIDE HCI AND SIMETHICONE tablets 2 mg/125 mg


Multi-Sympton Relief
Caplet
Loperamide HCI 2 mg - Antidiarrheal
Simethicone 125 mg - Anti-gas
\*\* Compare
to the active
ingridients of
Imodium®
Multi-Sympton
Relief
Relieves symptoms of diarrhea plus

Cramps & Pressure
 Bloating
 Gas

T 79

24 Caplets\*

<sup>\*</sup>capsule-shaped tablets



# **LOPERAMIDE HYDROCHLORIDE AND SIMETHICONE**

loperamide hydrochloride and simethicone tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58602-868
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg	
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	125 mg	

Inactive Ingredients			
Ingredient Name	Strength		
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)			
MICROCRYSTALLINE CELLULOSE 101 (UNII: 7T9FYH5QMK)			
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

Product Characteristics			
Color	WHITE (off-white)	Score	2 pieces
Shape	CAPSULE	Size	17mm
Flavor	VANILLA	Imprint Code	T;79
Contains			

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58602-868- 76	4 in 1 CARTON	02/24/2021	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211059	02/24/2021	

# Labeler - Aurohealth LLC (078728447)

Establishment			
Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650918514	ANALYSIS(58602-868), MANUFACTURE(58602-868)

Revised: 12/2023 Aurohealth LLC