

BACTIMICINA FOR SORE THROAT- benzocaine lozenge
DLC Laboratories, Inc.

Bactimicina Lozenge

Drug Fact

Active Ingredient (in each lozenge)

Benzocaine 15 mg

Purpose

Oral anesthetic/Analgesic

Use

temporarily relieve:

- occasional minor irritation, pain, sore mouth and sore throat

Warnings

Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- shortness of breath
- headache
- dizziness or lightheadedness
- rapid heart rate
- fatigue or lack of energy

Allergy Alert

Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or any other "caine" anesthetics. If skin reaction occurs, stop use and seek medical help right away.

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.

Do not use

- for teething
- in children under 5 years of age

When using this product

- do not exceed recommended dosage

Stop use and ask a doctor if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding

ask a health professional before use

Keep out of reach of children

In case of overdose, or if more than used for pain relief is accidentally swallowed, get medical help or contact a Poison COntrol Center immediately

Directions

- **adults and children 5 years of age and older:**

Dissolve 1 lozenge slowly in the mouth. May be repeated every 2 hours as needed or as directed by a doctor or dentist.

- **children under 5 years of age:** do not use.

Other information

- protect from moisture
- store at room temperature
- check expiration date before using

Inactive Ingredients

dextrose, FD&C yellow #6, FD&C red #40, corn syrup, hydrogenated cottonseed oil, natural and artificial flavor, propylene glycol, sucrose

Question

1-800-858-3889

Distributed by

De La Cruz Products

A Division of DLC Laboratories, Inc.

Paramount, CA 90723 USA

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)		BENZOCAINE	15 mg	
Inactive Ingredients				
Ingredient Name			Strength	
FD&C RED NO. 40 (UNII: WZB9127XOA)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SUCROSE (UNII: C151H8M554)				
HYDROGENATED COTTONSEED OIL (UNII: Z82Y2C65EA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
DEXTROSE (UNII: IY9XDZ35W2)				
CORN SYRUP (UNII: 9G5L16BK6N)				
Product Characteristics				
Color	orange	Score	no score	
Shape	OVAL	Size	20mm	
Flavor	ORANGE	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24286-1577-1	3 in 1 BOX	12/21/2021	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		12/21/2021	10/31/2026

Labeler - DLC Laboratories, Inc. (093351930)

Revised: 7/2024

DLC Laboratories, Inc.