

**OXYGEN- oxygen gas**  
**Gallup Welders Supply, Inc.**

-----  
**Oxygen Labels**

OXYGEN

REFRIGERATED LIQUID, USP

UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

**WARNING**

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**DANGER**

**MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.**

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

NO SMOKING

NO VAPING

**FIRST AID**

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot Number:

Contents:

Expiration Date:

FOUR CORNERS WELDING & GAS SUPPLY

606 East Highway 66 Gallup, NM 87301

505-722-3845

www.fourcornerswelding.com

DO NOT REMOVE THIS PRODUCT LABEL

# OXYGEN

## REFRIGERATED LIQUID, USP UN 1073



**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

### WARNING

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.  
CAS: 7782-44-7

### DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.



NO SMOKING  
NO FIRE

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.



Lot Number:

Contents:

Expiration Date:

**FOUR CORNERS  
WELDING & GAS SUPPLY**  
606 East Highway 66 ■ Gallup, NM 87301  
**505-722-3845**  
www.fourcornerswelding.com

**DO NOT REMOVE THIS PRODUCT LABEL**

PRINTED BY RATERMANN MFG., INC.  
www.rtrmfg.com

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

FOUR CORNERS WELDING & GAS SUPPLY

101 NORTH BROADWAY CORTEZ, CO 81321

970-565-6547 WWW.FOURCORNERSWELDING.COM

CONTENTS: LTRS

CU. FT.

NO SMOKING

NO VAPING

**OXYGEN,  
COMPRESSED  
USP**  
**UN1072**  
PRODUCED BY AIR LIQUEFACTION



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **is required.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

**FOUR CORNERS WELDING & GAS SUPPLY**  
101 NORTH BROADWAY • CORTEZ, CO 81321  
970-565-6547 • WWW.FOURCORNERSWELDING.COM

CONTENTS: LTRS  **NO SMOKING**  
CU. FT.  **NO VAPING**

## OXYGEN

oxygen gas

### Product Information

**Product Type**

HUMAN PRESCRIPTION  
DRUG

**Item Code  
(Source)**

NDC:13826-001(NDC:10018-  
8999)

**Route of Administration**

RESPIRATORY  
(INHALATION)

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13826-001-01	9344 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
2	NDC:13826-001-02	8495 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
3	NDC:13826-001-03	6230 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
4	NDC:13826-001-04	4247 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
5	NDC:13826-001-05	3454 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
6	NDC:13826-001-06	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
7	NDC:13826-001-07	1132 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
8	NDC:13826-001-08	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
9	NDC:13826-001-09	639 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
10	NDC:13826-001-10	424 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
11	NDC:13826-001-11	254 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
12	NDC:13826-001-12	169 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
13	NDC:13826-001-13	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	
14	NDC:13826-001-14	127425 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1985	
15	NDC:13826-001-15	155742 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1985	
16	NDC:13826-001-16	325926 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1985	
17	NDC:13826-001-17	387855 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1985	
18	NDC:13826-001-18	410 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1985	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205865	01/01/1985	

**Labeler** - Gallup Welders Supply, Inc. (097968531)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Gallup Welders Supply, Inc.		097968531	manufacture(13826-001)

## **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Gallup Welders Supply, Inc.		619216591	manufacture(13826-001)

## **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Gallup Welders Supply, Inc.		807672449	repack(13826-001)

Revised: 10/2025

Gallup Welders Supply, Inc.