# CHLORASEPTIC WARMING HONEY LEMON- benzocaine lozenge Prestige Brands Holdings, Inc.

-----

# **Chloraseptic Warming Honey Lemon Lozenge**

# **Drug Facts**

# **Active ingredient**

(in each lozenge)

Benzocaine 15 mg

### **Purpose**

Oral pain reliever

#### Uses

Temporarily relieves occasional minor irritation, pain, sore throat and sore mouth.

# Warnings

**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy Alert**: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

**Sore Throat Warning**: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 6 years of age unless directed by a doctor.

#### Do not use

- for teething
- in children under 6 years

### When using this product

do not exceed recommended dosage.

# Stop use and ask a dentist or doctor if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

### If pregnant or breast-feeding,

ask a health professional before use.

### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- Adults and children 6 years of age and older: Take 1 lozenge every 2 hours as needed. Allow lozenges to dissolve slowly in the mouth.
- Children under 6 years: Do not use.

### Other information

- store between 15°-30°C (59°-86°F)
- protect from moisture
- check expiration date before using
- contains FD&C yellow no. 5 (tartrazine) as a color additive

# **Inactive ingredients**

corn syrup, FD&C yellow no. 5, flavor, glycerin, honey, propylene glycol, soy lecithin, sucrose, water

# Questions?

1-800-552-7932 Chloraseptic.com

### PRINCIPAL DISPLAY PANEL

Chloraseptic©
warming
Benzocaine Oral Pain Reliever Lozenges
SORE THROAT
HONEY LEMON
18 lozenges



# **Drug Facts**

Active ingredient (in each lozenge) Purpose Benzocaine 15 mg . Drall pain reliever

Uses Temporarily relieves occasional minor irritation pain, sore throat and sore mouth.

#### Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

 pale, gray, or blue colored skin (cyanosis)
 headache rapid heart rate
 shortness of breath
 dizziness or lightheadedness \*fatigue or lack of energy

Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days unless directed by a doctor.

### Drug Facts (continued)

Do not use \* for teething \* in children under 6 years of age

When using this product do not exceed recommended dosage

#### Stop use and ask a dentist or doctor if

- \* sore mouth symptoms do not improve in 7 days.
- · irritation, pain or redness persists or worsens
- · swelling, rash or fever develops

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-808-222-1222) right away.

#### Directions

- . Adults and children 6 years of age and older: Take 1 lozenge every 2 hours as needed. Allow lozenges to dissolve slowly in the mouth.
- . Children under 6 years of age: Do not use.

#### Other information

- store between 15"-30"C (59"-86"F)
- protect from moisture
- check expiration date before using
   contains FD&C yellow no. 5 (tartrazine) as a color additive

Dist. by Medtech Products Inc. Tarrytown, NY 10591 A Prestige Consumer Healthcare company



© 2020 Trade dress is owned by Medtech Products Inc. All rights reserved. CHUS088103 Made in India.

Drug Facts (continued)

Inactive ingredients com syrup, FD&C yellow no. 5, flavor, glycerin, honey, propylene glycol, soy lecithin, sucrose, water

Questions? 1-800-552-7932 Chloraseptic.com

\*as lozenge dissolves

LIKE US ON



# CHLORASEPTIC WARMING HONEY LEMON

# **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:67172-019

Route of Administration ORAL

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
PENTOCANIE (INIII LIDECVANIAE) (PENTOCANIE LINIII LIDECVANIAE)	DENIZOCAINE	1

**BENZOCAINE** (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) BENZOCAINE 15 mg

# **Inactive Ingredients**

mactive migreateries		
Ingredient Name	Strength	
CORN SYRUP (UNII: 9G5L16BK6N)		
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
WATER (UNII: 059QF0KO0R)		
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
HONEY (UNII: Y9H1V576FH)		
GLYCERIN (UNII: PDC6A3C0OX)		

### **Product Characteristics**

Color	yellow	Score	no score
Shape	OVAL	Size	4mm
Flavor	HONEY	Imprint Code	С
Contains			

# **Packaging**

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l		NDC:67172-019- 02	18 in 1 CARTON; Type 0: Not a Combination Product	01/01/2012	

# **Marketing Information**

Marketing	Application Number or Monograph Citation	Marketing Start	Marketing End
Category		Date	Date
Export only		01/01/2012	

# Labeler - Prestige Brands Holdings, Inc. (159655021)