

RAPID RELIEF HEMORRHOID- 14.4% glycerin, 0.25% phenylephrine hcl, 5% lidocaine, 15% petrolatum cream

Target Corporation

Drug Fact

Active ingredients

Glycerin 14.4%

Lidocaine 5%

Phenylephrine HCl 0.25%

White petrolatum 15%

Purpose

Protectant

Local anesthetic

Vasoconstrictor

Protectant

Uses

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only

Ask a Doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying this cream.
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

Other information

Store at controlled room temperature 20-25°C (68-77°F)

Inactive ingredients

Aloe Barbadensis Leaf, Cellulose Gum, Cetyl Alcohol, Citric Acid , Citric Acid Anhydrous, Disodium EDTA, Glyceryl Stearate SE, Methylparaben, Mineral Oil, Panthenol, Propyl Gallate, Propylene Glycol, Sodium Benzoate, Steareth-2, Steareth-21, Stearyl Alcohol, Tocopherol, Tocopheryl Acetate, Water (purified), Xanthan Gum

Other information

store controlled room temperature at 20-25°C (68-77°F)

Principal Display Panel

Target up & up NDC 82442-030-28

Rapid Relief

Hemorroidal Cream

NET WT 1 OZ (28g)

Drug Facts

Active Ingredients

Glycerin 14.5%
Lidocaine 5%
Phenylephrine HCl 0.25%
White petrolatum 15%

Purpose
Protectant
Local anesthetic
Vasoconstrictor
Protectant

Uses • for temporary relief of pain, soreness and burning • helps relieve the local itching and discomfort associated with hemorrhoids • temporarily shrinks hemorrhoidal tissue

• temporarily provides a coating for relief of anal discomfort • temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings For external use only

Drug Facts (continued)

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product • do not exceed the recommended daily dosage unless directed by a doctor • do not put into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if • bleeding occurs • condition worsens or does not improve within 7 days • an allergic reaction develops • the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase



NET WT 1 OZ (28 g)

Compare to active ingredients
in Preparation H® Rapid
Relief Hemorrhoid Cream
with Lidocaine*

Rapid Relief Hemorrhoidal Cream with 5% Lidocaine

- Rapid numbing relief of pain, burning and itching
- Reduces swelling and provides a soothing protective layer

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • adults: when practical, cleanse the affected area by patting or bathing with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream • apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement • children under 12 years of age: ask a doctor

Other information Store at controlled room temperature 20°-25°C (68°-77°F)

Drug Facts (continued)

Inactive ingredients Aloe Barbadensis Leaf, Cellulose Gum, Cetyl Alcohol, Citric Acid, Citric Acid Anhydrous, Disodium EDTA, Glycerol Stearate SE, Methylparaben, Mineral Oil, Parthenol, Propyl Gallate, Propylene Glycol, Sodium Benzoate, Steareth-2, Steareth-21, Stearyl Alcohol, Tocopherol, Tocopheryl Acetate, Water (purified), Xanthan Gum

Questions or comments? Call 1-800-910-6874

DO NOT USE IF TUBE SEAL UNDER CAP IS BROKEN OR MISSING.

**Rapid Relief
Hemorrhoidal
Cream with
5% Lidocaine**

*This product is not manufactured or distributed by
Haleon group of companies, owner of the registered
trademark Preparation H® Cream

**Satisfaction guaranteed –
Love it or your money back.**

Distributed by Target Corporation
Minneapolis, MN 55403
**Made in U.S.A. with U.S.
and imported ingredients and components**
TM & ©2024 Target Brands, Inc.
NDC 82442-030-28

245 05 0293 R00
C-002262-01-073-0000



LOT

EXP

557110

TO OPEN: PUSH DOWN ON CAP WHILE TURNING COUNTERCLOCKWISE.

CHILD-RESISTANT CAP

up&upTM

NET WT 1 OZ (28 g)

Rapid Relief Hemorrhoidal Cream with 5% Lidocaine

- Rapid numbing relief of pain, burning and itching
- Reduces swelling and provides a soothing protective layer

NDC 82442-030-28

Active ingredients

Glycerin 14.4%..... Protectant

Lidocaine 5%..... Local anesthetic

Phenylephrine HCl 0.25%..... Vasoconstrictor

White petrolatum 15%..... Protectant

Purpose

using fingers or any mechanical device or applicator

Uses

▪ for temporary relief of pain, soreness and burning ▪ helps relieve the local itching and discomfort associated with hemorrhoids ▪ temporarily shrinks hemorrhoidal tissue ▪ temporarily provides a coating for relief of anorectal discomforts ▪ temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only

Ask a doctor before use if you have

▪ heart disease ▪ high blood pressure ▪ thyroid disease ▪ diabetes ▪ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

When using this product

▪ do not exceed the recommended daily dosage unless directed by a doctor ▪ do not put into the rectum by

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

▪ adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream ▪ apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement ▪ children under 12 years of age: ask a doctor

Other information

Store at controlled room temperature 20°-25°C (68°-77°F).

Questions or comments?

Call 1-800-910-6874

Distributed by

Target Corporation, Minneapolis, MN 55403

Made in U.S.A. with U.S. and imported ingredients and components

TM & ©2024 Target Brands, Inc.

DO NOT USE IF TUBE SEAL UNDER CAP IS BROKEN OR MISSING.

RAPID RELIEF HEMORRHOID			
14.4% glycerin, 0.25% phenylephrine hcl, 5% lidocaine, 15% petrolatum cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82442-030
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)		GLYCERIN	144 mg in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	50 mg in 1 g
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)		PETROLATUM	150 mg in 1 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE	2.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KOOR)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82442-030-28	1 in 1 CARTON	08/15/2024	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	08/15/2024	

Labeler - Target Corporation (006961700)

Revised: 8/2024

Target Corporation