

**LBEL LEDERM 55 PLUS JOUR FACIAL AGAINST ADVANCED SIGNS OF AGING-
avobenzone, octisalate, octocrylene, and oxybenzone lotion
Ventura Corporation LTD**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL LEDERM 55 + JOUR Facial lotion against advanced signs of aging

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Avobenzone 3%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 3%	Sunscreen
Oxybenzone 5%	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

water, glycerin, c12-15 alkyl benzoate, dimethicone, dicaprylyl carbonate, phenethyl benzoate, cyclopentasiloxane, potassium cetyl phosphate, cetearyl alcohol, cyclohexasiloxane, pentylene glycol, trilaureth-4 phosphate, caprylic/capric triglyceride, hydrogenated palm glycerides, methyl methacrylate crosspolymer, phenoxyethanol, cetyl alcohol, glyceryl stearate, albizia julibrissin bark extract, bis-vinyl

dimethicone/dimethicone copolymer, peg-75 stearate, xanthan gum, cetareth-20, chlorphenesin, fragrance, acrylates/c10-30 alkyl acrylate crosspolymer, ceteth-20, steareth-20, tetrasodium edta, acacia senegal gum, sodium hydroxide, cichorium intybus (chicory) root extract, alaria esculenta extract, alcohol, lecithin, hydrolyzed soybean fiber, hydroxypropyl cyclodextrin, folic acid, hydrolyzed corn protein, palmitoyl tripeptide-38.

Dist. by Ventura Corp, Ltd., San Juan,
Puerto Rico 00926.

PRINCIPAL DISPLAY PANEL - 50 ml Bottle Box

• FORMULA CREATED BY FRENCH DERMATOLOGISTS

SKIN

EXPERTS

LEDERM

55+ JOUR

facial lotion

against advanced

signs of aging

day lotion SPF 15

all skin types

50 ml e (1.6 fl.oz.)

Pump with double seal protection preventing waste and air contact. Besides, it does not contain metallic pieces to prevent formula oxidization.

Dispensador con doble sello de protección: evita el desperdicio y el contacto con el aire. Además, no contiene piezas metálicas para impedir la oxidación de la fórmula.



LEDERM

55+ | JOUR

facial lotion
against advanced
signs of aging

Drug Facts

Active Ingredients	Purpose
Avobenzene 3%.....	Sunscreen
Octisalate 5%.....	Sunscreen
Octocrylene 3%.....	Sunscreen
Oxybenzone 5%.....	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

day lotion SPF 15
all skin types

50 ml e (1.6 fl.oz.)

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

www.lbel.com





LEDERM

55+ JOUR

loción facial
contra signos
avanzados de la edad
loción día FPS 15
todo tipo de cutis

50 ml e (1.6 fl.oz.)

Drug Facts (continued)

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, glycerin, c12-15 alkyl benzoate, dimethicone, dicaprylyl carbonate, phenethyl benzoate, cyclopentasiloxane, potassium cetyl phosphate, cetearyl alcohol, cyclohexasiloxane, pentylene glycol, triaureth-4 phosphate, caprylyl/capric triglyceride, hydrogenated palm glycerides, methyl methacrylate crosspolymer, phenoxyethanol, cetyl alcohol, glyceryl stearate, albizia julibrissin bark extract, bis-vinyl dimethicone/dimethicone copolymer, peg-75 stearate, xanthan gum, cetareth-20, chlorphenesin, fragrance, acrylates/c10-30 alkyl acrylate crosspolymer, ceteth-20, steareth-20, tetrasodium edta, acacia senegal gum, sodium hydroxide, chlorium intybus (chicory) root extract, alaria esculenta extract, alcohol, lecithin, hydrolyzed soybean fiber, hydroxypropyl cyclodextrin, folic acid, hydrolyzed corn protein, palmitoyl tripeptide-38.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia

Formulado en Francia / Formulated in France



Descubre más sobre LEDERM. Discover more about LEDERM.





LBEL LEDERM 55 PLUS JOUR FACIAL AGAINST ADVANCED SIGNS OF AGING

avobenzone, octisalate, octocrylene, and oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-754
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.03 g in 1 mL
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.05 g in 1 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.03 g in 1 mL
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.05 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
glycerin (UNII: PDC6A3C0OX)	
alkyl (c12-15) benzoate (UNII: A9EJ3J61HQ)	
dimethicone (UNII: 92RU3N3Y1O)	
dicaprylyl carbonate (UNII: 609A3V1SUA)	
phenethyl benzoate (UNII: 0C143929GK)	
cyclomethicone 5 (UNII: 0THT5PCI0R)	
potassium cetyl phosphate (UNII: 03KCY6P7UT)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cyclomethicone 6 (UNII: XHK3U310BA)	
pentylene glycol (UNII: 50C1307PZG)	
trilaureth-4 phosphate (UNII: M96W2OLL2V)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
hydrogenated palm glycerides (UNII: YCZ8EM144Q)	
phenoxyethanol (UNII: HIE492ZZ3T)	
cetyl alcohol (UNII: 936JST6JCN)	
glyceryl monostearate (UNII: 230OU9XXE4)	
albizia julibrissin bark (UNII: 0J9G6W44DV)	
peg-75 stearate (UNII: OT38R0N74H)	
xanthan gum (UNII: TTV12P4NEE)	
polyoxyl 20 cetostearyl ether (UNII: YRC528SWUY)	
chlorphenesin (UNII: I670DAL4SZ)	

carbomer interpolymers type a (allyl sucrose crosslinked) (UNII: 59TL3WG5CO)	
ceteth-20 (UNII: I835H2IHHX)	
steareth-20 (UNII: L0Q8IK9E08)	
edetate sodium (UNII: MP1J8420LU)	
acacia (UNII: 5C5403N26O)	
sodium hydroxide (UNII: 55X04QC32I)	
chicory root (UNII: 090CTY533N)	
alaria esculenta (UNII: EJ9JK8J58D)	
alcohol (UNII: 3K9958V90M)	
folic acid (UNII: 935E97BOY8)	
palmitoyl lysyldioxymethionyllysine (UNII: T7A529FB8O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-754-02	1 in 1 BOX	10/24/2016	
1	NDC:13537-754-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	10/24/2016	

Labeler - Ventura Corporation LTD (602751344)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-754)

Revised: 11/2019

Ventura Corporation LTD