

**BACTIMICINA CHILDRENS COUGH AND COLD- chlorpheniramine maleate,
dextromethorphan hydrobromide liquid
DLC Laboratories, Inc.**

Bactimicina Liquid Children's Cough and Cold

Drug Facts

<i>Active ingredients (in each 5 mL = 1 teaspoon)</i>	<i>Purposes</i>
Chlorpheniramine maleate, USP 1 mg	Antihistamine
Dextromethorphan HBr, USP 7.5 mg	Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- **do not use more than directed**
- marked drowsiness may occur

- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 4 doses in any 24-hour period
- mL=milliliter; tsp=teaspoonful

Age (years)	Dose
Under 6	do not use
6-11	2 teaspoons (10 mL) every 6 hours
12 and over	4 teaspoons (20 mL) every 6 hours

Other information

- **each teaspoon (5 mL) contains:** sodium 1 mg
- store at 15-30°C (59-86°F)
- measure only with dosage cup provided
- **do not use if printed bottle wrap is missing or broken.**

Inactive ingredients

citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions

1-800-858-3889

Manufactured by:
DLC Laboratories, Inc.
Paramount, CA 90723 USA

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Label

Long Acting

Voltee Para

Espanol

TRUSTED SINCE 1978

Children's

Bactimicina®

Ages 6+ Years

Milti-Symptom • Liquid

Cough & Cold

Dextromethorphan HBr (Cough Suppressant)

Chlorpheniramine Maleate (Antihistamine)

Relieves Cough up to 8hrs

Sneezing • Runny Nose

Alcohol Free • Sugar Free

Natural Strawberry Flavor

4 FL OZ (118 mL) Dosing Cup Included



BACTIMICINA CHILDRENS COUGH AND COLD

chlorpheniramine maleate, dextromethorphan hydrobromide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24286-1551
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	1 mg in 5 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH)	DEXTROMETHORPHAN	7.5 mg

(DEXTROMETHORPHAN - UNII:7355X3ROTS)

HYDROBROMIDE

in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color	red (Red)	Score	
Shape		Size	
Flavor	STRAWBERRY (Natural Strawberry flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24286-1551-4	1 in 1 BOX	10/23/2009	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/23/2009	

Labeler - DLC Laboratories, Inc. (093351930)**Establishment**

Name	Address	ID/FEI	Business Operations
DLC Laboratories, Inc.		093351930	manufacture(24286-1551) , label(24286-1551)

Revised: 5/2025

DLC Laboratories, Inc.