COVER II PART B- sodium chlorite liquid ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Cover II Part B

Cover II Part B

Cover ∥ Part B™

For Use Only With Cover II Part ATM Activator And Skin Conditioning Package FOR FARM OR INDUSTRIAL USE ONLY - KEEP OUT OF REACH OF CHILDREN FOR CHEMICAL EMERGENCIES:

CALL CHEMTREC 1-800-424-9300

Sodium Chlorite

Caution:

Hazard statement(s): May be harmful if swallowed. May be irritating in contact with skin. Causes eye irritation.

Precautionary statement(s): Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

Storage and Disposal: Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with licensed collector's sorting instructions. First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Immediately move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any:

Emergency treatment if irritation or redness occurs to the skin.

ProActive Solutions ® USA, LLC • 301 Bridge Street • Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com

Cover II[™] is a two part stabilized chlorine dioxide sanitizing teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover II[™] keep teats soft and smooth. Cover II[™] contains alpha hydroxy acids to aid in the exfoliation of teats and the prevention of teat end hyperkeratosis. USE INSTRUCTIONS:

Mix enough Cover II[™] to last up to five days. Keep container closed and store in a cool, dry area. Let stand for a minimum of 30 minutes before using.

Add 1 part of Cover II[™] Part A into a pre-measured container.

Add 1 part of Cover II[™] Part B to this. Mix gently until color is uniform. Tightly close

container.

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover II[™] chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover II[™] chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Cover II Part B



Cover II Part B™ Sodium Chlorite For Use Only With Cover II Part A™ Activator And Skin Conditioning Package

FOR FARM OR INDUSTRIAL USE ONLY - KEEP OUT OF REACH OF CHILDREN

Cover II™ is a two part stabilized chlorine dioxide sanitizing teat dip that will aid in the prevention of the spread of mastilis causing organisms. Ample amounts of skin conditioners in Cover II™ keep teats soft and smooth. Cov II™ contains alpha hydroxy acids to aid in the extoliation of teats and the prevention of teat end hyperkreatosis.

USE INSTRUCTIONS: Mix enough Cover II™ to last up to five days. Keep container closed and store in a cool, dry area. Let stand for a minimum of 30 minutes before using. Add 1 part of Cover II™ Part A into a pre-measured container. Add 1 part of Cover II[™] Part B to this. Mix gently until color is uniform. Tightly close container.

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover II™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover II™ chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com

Caution: Hazard statement(s): May be harmful if swallowed. May be irritating in contact with skin. Causes eye irritation.

irritation. Precautionary statement(s): Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Hazards not otherwise classified: None Known Hazards not otherwise classified: None Known

Storage and Disposal: Store in a well-ventilated place. Keep cool. Dispose of contents/ container in accordance with licensed collector's sorting instructions.

First Aid: External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated ciothing and shoes. Wash clothing before reuse.

before reuse. Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Internat: Cail a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person. Inhalation of vapors: Immediately move to fresh air. Get medical attention immediately. Most important symptoms/effects, acute and delayed: None known Immediate medical attention and special treatment needed, if any: Emergency treatment if irritation or redness occurs to the skin.



RC



Cover II Part B™

Sodium Chlorite For Use Only With Cover II Part A™ Activator And Skin Conditioning Package

FOR FARM OR INDUSTRIAL USE ONLY - KEEP OUT OF REACH OF CHILDREN

Cover II[™] is a two part stabilized chlorine dioxide sanitizing teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover II™ keep teats soft and smooth. Cover II™ contains alpha hydroxy acids to aid in the exfoliation of teats and the prevention of teat end hyperkreatosis.

USE INSTRUCTIONS: Mix enough Cover II™ to last up to five days. Keep container closed and store in a cool, dry area. Let stand for a minimum of 30 minutes before using. Add 1 part of Cover II™ Part A into a pre-measured container.

Add 1 part of Cover II TM Part B to this. Mix gently until color is uniform. Tightly close container.

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover II[™] chloring dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover II™ chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Caution

Caution: Hazard statement(s): May be harmful if swallowed. May be irritating in contact with skin. Causes eye irritation. Precautionary statement(s): Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Hazards not otherwise classified: None Known

Storage and Disposal: Store in a well-ventilated place. Keep cool. Dispose of contents/ container in accordance with licensed collector's sorting instructions.

First Aid: External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Internal: Call a physician immediately. If swallowed, do not induce vorniting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person. Inhalation of vapors: Immediately. Get medical attention immediately.

Get medical attention immediately. Most important symptoms/effects, acute and delayed: None known Immediate medical attention and special treatment needed, if any: Emergency treatment if irritation or redness occurs to the skin.



NDC:63927-4112

R

FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300

ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com

COVER II PART B

sodium chlorite liquid		
Product Information		
Product Type	OTC ANIMAL DRUG	Item Code (Source)
Route of Administration	TOPICAL	

Active Ingredient/Active Moiety Basis of Strength Ingredient Name Strength SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6) SODIUM CHLORITE 1.1 kg in 100 kg

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927- 4112-2	18.88 kg in 1 JUG		
2	NDC:63927- 4112-1	15.10 kg in 1 CASE		
3	NDC:63927- 4112-3	56.63 kg in 1 DRUM		
4	NDC:63927- 4112-4	207.65 kg in 1 DRUM		
5	NDC:63927- 4112-5	1038.23 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		01/28/2025		

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment				
Name	Address	ID/FEI	Business Operations	
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack	

Revised: 1/2025

ProActive Solutions USA, LLC