

COVER II PART B- sodium chlorite liquid
ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Cover II Part B

Cover II Part B

Cover II Part B™

For Use Only With Cover II Part ATM Activator And Skin Conditioning Package

FOR FARM OR INDUSTRIAL USE ONLY - KEEP OUT OF REACH OF CHILDREN

FOR CHEMICAL EMERGENCIES:

CALL CHEMTREC 1-800-424-9300

Sodium Chlorite

Caution:

Hazard statement(s): May be harmful if swallowed. May be irritating in contact with skin. Causes eye irritation.

Precautionary statement(s): Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

Storage and Disposal: Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with licensed collector's sorting instructions.

First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Immediately move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any:

Emergency treatment if irritation or redness occurs to the skin.

ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303

800.279.7761 www.proactivesolutionsusa.com

Cover II™ is a two part stabilized chlorine dioxide sanitizing teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover II™ keep teats soft and smooth. Cover II™ contains alpha hydroxy acids to aid in the exfoliation of teats and the prevention of teat end hyperkeratosis.

USE INSTRUCTIONS:

Mix enough Cover II™ to last up to five days. Keep container closed and store in a cool, dry area. Let stand for a minimum of 30 minutes before using.

Add 1 part of Cover II™ Part A into a pre-measured container.

Add 1 part of Cover II™ Part B to this. Mix gently until color is uniform. Tightly close

container.

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover II™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover II™ chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:

Sodium Chlorite: 0.28%

Cover II Part B



Cover II Part B™

Sodium Chlorite

For Use Only With Cover II Part A™ and Cover II Barrier Part A™

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN



CAUTION

Hazard statement(s):

May be harmful if swallowed.
May be irritating in contact with skin.

Causes eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

Storage and Disposal: Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with licensed collector's sorting instructions.

First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Immediately move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any:

Emergency treatment if irritation or redness occurs to the skin.



Cover II™ is a two part stabilized chlorine dioxide sanitizing teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover II™ keep teats soft and smooth. Cover II™ contains alpha hydroxy acids to aid in the exfoliation of teats and the prevention of teat end hyperkeratosis.

USE INSTRUCTIONS:

Mix enough Cover II™ to last up to five days. Keep container closed and store in a cool, dry area. Let stand for a minimum of 30 minutes before using.
Add 1 part of Cover II™ Part A into a pre-measured container.
Add 1 part of Cover II™ Part B to this. Mix gently until color is uniform. Tightly close container.

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover II™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover II™ chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:

Sodium Chlorite: 0.28%

Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
Case Contents: 4x1 gal (total: 4 gal.)

FOR CHEMICAL EMERGENCIES:


CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



**DO NOT
FREEZE**



REV Date: 2/9/2026

Cover II Part B™

Sodium Chlorite

For Use Only With Cover II Part A™ and Cover II Barrier Part A™

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN



CAUTION

Hazard statement(s):
May be harmful if swallowed.
May be irritating in contact with skin.
Causes eye irritation.


Precautionary statement(s):
Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

Storage and Disposal: Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with licensed collector's sorting instructions.

First Aid:
External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.
Inhalation of vapors: Immediately move to fresh air.
Get medical attention immediately.

Most important symptoms/effects, acute and delayed: None known
Immediate medical attention and special treatment needed, if any:
Emergency treatment if irritation or redness occurs to the skin.



Cover II™ is a two part stabilized chlorine dioxide sanitizing teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover II™ keep teats soft and smooth. Cover II™ contains alpha hydroxy acids to aid in the exfoliation of teats and the prevention of teat end hyperkeratosis.

USE INSTRUCTIONS:
Mix enough Cover II™ to last up to five days. Keep container closed and store in a cool, dry area. Let stand for a minimum of 30 minutes before using.
Add 1 part of Cover II™ Part A into a pre-measured container.
Add 1 part of Cover II™ Part B to this. Mix gently until color is uniform. Tightly close container.

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover II™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover II™ chlorine dioxide teat dip. Allow to air dry.
Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
Sodium Chlorite: 0.28%

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



REV Date: 2/9/2026

Cover II Part B™

Sodium Chlorite

For Use Only With Cover II Part A™ and Cover II Barrier Part A™

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN



CAUTION

Hazard statement(s):
May be harmful if swallowed.
May be irritating in contact with skin.
Causes eye irritation.


Precautionary statement(s):
Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

Storage and Disposal: Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with licensed collector's sorting instructions.

First Aid:
External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.
Inhalation of vapors: Immediately move to fresh air.
Get medical attention immediately.

Most important symptoms/effects, acute and delayed: None known
Immediate medical attention and special treatment needed, if any:
Emergency treatment if irritation or redness occurs to the skin.



Cover II™ is a two part stabilized chlorine dioxide sanitizing teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover II™ keep teats soft and smooth. Cover II™ contains alpha hydroxy acids to aid in the exfoliation of teats and the prevention of teat end hyperkeratosis.

USE INSTRUCTIONS:
Mix enough Cover II™ to last up to five days. Keep container closed and store in a cool, dry area. Let stand for a minimum of 30 minutes before using.
Add 1 part of Cover II™ Part A into a pre-measured container.
Add 1 part of Cover II™ Part B to this. Mix gently until color is uniform. Tightly close container.

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover II™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover II™ chlorine dioxide teat dip. Allow to air dry.
Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.
If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
Sodium Chlorite: 0.28%

**FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300**



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com



REV Date: 2/9/2026

COVER II PART B

sodium chlorite liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:63927-4112
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H3745B6)	SODIUM CHLORITE	1.1 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927-4112-2	18.88 kg in 1 JUG		
2	NDC:63927-4112-1	15.10 kg in 1 CASE		
3	NDC:63927-4112-3	56.63 kg in 1 DRUM		
4	NDC:63927-4112-4	207.65 kg in 1 DRUM		
5	NDC:63927-4112-5	1038.23 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/28/2025	

Labeler - ProActive Solutions USA, LLC (029368225)**Registrant** - ProActive Solutions USA, LLC (029368225)**Establishment**

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack

Revised: 2/2026

ProActive Solutions USA, LLC