

EXTRA STRENGTH GAS RELIEF- simethicone liquid
KRAMER LABORATORIES

KAOPECTATE Extra Strength Gas Relief Liquid

Active Ingredient (in each 5 mL)

Simethicone 125 mg

Purpose

Antigas

Uses

for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any sign or symptoms.

Directions

- **shake well before using**
- do not take more than 20 mL in any 24-hour period except under the advice and supervision of a physician
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL = milliliter
- **adults:** 5 mL or 10 mL in dosing cup provided as needed after meals and at bedtime.

Other information

- **Each 5 mL contains:** sodium 2 mg
- store at 20° - 25°C (68° - 77°F)
- do not refrigerate
- protect from light, heat, and moisture

Inactive ingredients

carboxymethylcellulose sodium, citric acid anhydrous, flavor, glycerin, microcrystalline cellulose, polysorbate 60, potassium sorbate, purified water, sodium benzoate, sorbitan monostearate, sorbitol, sucralose, xanthan gum.

Questions or comments?

Call **1-800-824-4894**

Principal Display Panel

SAFE AND EFFECTIVE RELIEF

RELIEVES GAS FAST

NDC# 55505-225-36

Kaopectate®

Simethicone 125mg Anti-gas

Extra Strength

Gas Relief Liquid

- ✓ Pressure
- ✓ Bloating
- ✓ Discomfort

Starts to work in minutes

- Dye-free
- Sugar-free

Berry Flavor

48 DOSES

Dosage cup inside

8 FL OZ (237 mL)

IMPORTANT: Keep this carton for future reference on full labeling.

Distributed by

Kramer Laboratories, Inc.,

Bridgewater, NJ, 08807

1-800-824-4894

TAMPER EVIDENT: Do not use if foil seal under cap, printed with "SEALED

FOR YOUR PROTECTION” is missing, open or broken.



EXTRA STRENGTH GAS RELIEF

simethicone liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55505-225 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | | Basis of Strength | Strength | |
|--|--|---|----------------------|--------------------|
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | | DIMETHICONE | 125 mg in 5 mL | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311) | | | | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | | | | |
| POLYSORBATE 60 (UNII: CAL22UVI4M) | | | | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | | |
| SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X) | | | | |
| SORBITOL (UNII: 506T60A25R) | | | | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | | | |
| XANTHAN GUM (UNII: TTV12P4NEE) | | | | |
| Product Characteristics | | | | |
| Color | RED | Score | | |
| Shape | | Size | | |
| Flavor | BERRY | Imprint Code | | |
| Contains | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:55505-225-36 | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product | 11/03/2023 | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M002 | 08/26/2020 | | |

Labeler - KRAMER LABORATORIES (122720675)

Revised: 11/2023

KRAMER LABORATORIES