

COPPERTONE SPORT SUNSCREEN SPF 15- avobenzene 2%, octisalate 4.5%, octocrylene 7% aerosol, spray
Beiersdorf Inc

Sport Spray SPF 15

Drugs Facts

Active ingredients

(To Deliver) Avobenzene 2%, Octisalate 4.5%, Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable:Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (48.93% v/v), isobutane, neopentyl glycol diheptanoate, dimethicone, polyester-27, fragrance

Questions?

1-866-288-3330

Coppertone® Sunscreen Spray

Sport 15

4-in-1 Performance

Protects against UVA/UVB Rays

+Resists

Sweat + Heat + Water

Free of Oxybenzone, Octinoxate,

PABA, Phthalates & Dyes
 Water Resistant (80 Minutes)
 Broad Spectrum SPF 15
 NET WT 5.5 OZ (156 g)



15
4-IN-1
PERFORMANCE

Protects against UVA/UVB Rays

RESISTS

Sweat + Heat + Water

Free of Oxybenzone, Octinoxate,
 PABA, Phthalates & Dyes

Water Resistant (80 Minutes)
 Broad Spectrum SPF 15

NET WT 5.5 OZ (156 g)

Broad spectrum UVA/UVB protection in a durable formula to keep up with your active lifestyle. Feels light & breathable. High performance formula.

Drug Facts

Active ingredients **Purpose**
 (To Deliver) Avobenzone 2%, Octisalate 4.5%, Octocrylene 7% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (48.93% v/v), isobutane, neopentyl glycol diheptanoate, dimethicone, polyester-27, fragrance

Questions? 1-866-288-3330

www.coppertone.com

Beiersdorf

Beiersdorf Inc. Stamford, CT 06901
 ©=reg. TM. of Beiersdorf AG, Germany



DOT-2P M5655



10013056

COPPERTONE SPORT SUNSCREEN SPF 15

avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-2074
---------------------	----------------	---------------------------	----------------

Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g	
	OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g	
	AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g	
Inactive Ingredients				
	Ingredient Name	Strength		
	FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)			
	POLYESTER-7 (UNII: 0841698D2F)			
	ALCOHOL (UNII: 3K9958V90M)			
	NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)			
	ISOBUTANE (UNII: BXR49TP611)			
	DIMETHICONE (UNII: 92RU3N3Y1O)			
Product Characteristics				
Color	yellow (Yellow to Pale Yellow)	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-2074-5	156 g in 1 CAN; Type 0: Not a Combination Product	03/02/2020	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	03/02/2020		

Labeler - Beiersdorf Inc (001177906)