

**COPPERTONE COMPLETE SUNSCREEN SPF 30- avobenzene 3%, homosalate 9%, octisalate 4.5%, octocrylene 8% lotion**  
**Beiersdorf Inc**

-----  
**Complete Lotion SPF 30**

***Drug Facts***

***Active ingredients***

Avobenzene 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 8%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, SD alcohol 40-B, diethylhexyl carbonate, butyloctyl salicylate, diisopropyl adipate, glycereth-26, butylene glycol, dimethicone, polyamide-8, isododecane, styrene/acrylates copolymer, 1,2-hexanediol, ammonium acryloyldimethyltaurate/beheneth-25 methacrylate crosspolymer, glycerin, hydroxyacetophenone, tocopherol, ethylhexyl methoxycrylene, arachidyl alcohol, fragrance, xanthan gum, behenyl alcohol, arachidyl glucoside, disodium EDTA, sodium ascorbyl phosphate

### ***Questions?***

1-866-288-3330

Coppertone® Sunscreen Lotion

Complete 30

Proven UVA/UVB Protection

+ Moisturizes All Day\*

+ Feels Lightweight

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 30

**Coppertone**  
SUNSCREEN LOTION



**COMPLETE**  
**30**

Proven UVA/UVB Protection

- + Moisturizes All Day\*
- + Feels Lightweight

Free of Oxybenzone,  
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)  
Broad Spectrum SPF 30

7 FL OZ (207 mL)

Broad Spectrum UVA/UVB protection that stops up to 97% of damaging UV rays, feels lightweight - good for the whole family.

**Drug Facts**

**Active ingredients** **Purpose**  
Avobenzene 3%, Homosalate 9%,  
Octisalate 4.5%, Octocrylene 8% ..... Sunscreen

**Use**  
■ helps prevent sunburn

**Warnings**  
**For external use only**  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs  
**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ apply liberally 15 minutes before sun exposure  
■ reapply:  
■ after 80 minutes of swimming or sweating  
■ immediately after towel drying  
■ at least every 2 hours  
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
■ limit time in the sun, especially from 10 a.m. – 2 p.m.  
■ wear long-sleeve shirts, pants, hats, and sunglasses  
■ children under 6 months: Ask a doctor

**Other information**  
■ protect this product from excessive heat and direct sun  
■ may stain or damage some fabrics or surfaces

**Inactive ingredients** water, SD alcohol 40-B, diethylhexyl carbonate, butyloctyl salicylate, diisopropyl adipate, glycereth-26, butylene glycol, dimethicone, polyamide-8, isododecane, styrene/acrylates copolymer, 1,2-hexanediol, ammonium acryloyldimethyltaurate/beheneth-25 methacrylate crosspolymer, glycerin, hydroxyacetophenone, tocopherol, ethylhexyl methoxycrylene, arachidyl alcohol, fragrance, xanthan gum, behenyl alcohol, arachidyl glucoside, disodium EDTA, sodium ascorbyl phosphate

**Questions?** 1-866-288-3330

\*For sun protection, use as directed.

www.coppertone.com

**Beiersdorf**

Beiersdorf Inc. Stamford, CT 06901  
©-reg. TM. of Beiersdorf AG, Germany



C00021030

**COPPERTONE COMPLETE SUNSCREEN SPF 30**

avobenzene 3%, homosalate 9%, octisalate 4.5%, octocrylene 8% lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-0026
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	8 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>GLYCERETH-26</b> (UNII: NNE56F2N14)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYAMIDE-8 (4500 MW)</b> (UNII: 77723GV81A)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>FRAGRANCE FRESH CITRUS FLORAL ORC1501495</b> (UNII: OU4GI2R2WB)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J0OJ)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S)</b> (UNII: LZ291VH90H)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>DIETHYLHEXYL CARBONATE</b> (UNII: YCD5000Z6L)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Product Characteristics**

<b>Color</b>	white (white to off-white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:66800-0026-7	207 g in 1 TUBE; Type 0: Not a Combination Product	11/02/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2021	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc