COPPERTONE COMPLETE SUNSCREEN SPF 30- avobenzone 2%, homosalate 8%, octisalate 4.5%, octocrylene 7% aerosol, spray Beiersdorf Inc

Complete Spray SPF 30

Drug Facts

Active ingredients

(To Deliver) Avobenzone 2%, Homosalate 8%, Octisalate 4.5%, Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ spray liberally and spread evenly by hand 15 minutes before sun exposure

- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (44.5% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, fragrance, ascorbyl palmitate

Questions?

1-866-288-3330

Coppertone® Sunscreen Lotion

Complete 30

Proven UVA/UVB Protection

- + Moisturizes All Day*
- + Feels Lightweight

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 30





COMPLETE

Proven UVA/UVB Protection

- Moisturizes All Day*
- Feels Lightweight

Broad Spectrum UVA/UVB protection that stops up to 97% of damaging UV rays, feels lightweight - good for the whole family.

Drug Facts

Active ingredients

(To Deliver) Avobenzone 2%, Homosalate 8%, Octisalate 4.5%, Octocrylene 7%

Purpose

Use ■ helps prevent sunburn

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure hold container 4 to 6
- spray holerally and spread evenly by halfo 15 minutes before sun exposure flood container 4 to 5 minutes from the skin to apply do not spray directly into face. Spray on hands then apply to face.
 do not apply in windy conditions use in a well-ventilated area reapply: after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin size. To describe 10 minutes of swimming to the sun the sun of section 10 minutes of swimming to the sun of skin cancer and early skin. aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients SD alcohol 40-B (44.5% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, acrylates/octylacrylamide copolymer, fragrance, ascorbyl

Questions? 1-866-288-3330

*For sun protection, use as directed.

www.coppertone.com



mpty Before Recycling

METAL

DOT-2P-M5655



Beiersdorf

Beiersdorf Inc. Stamford, CT 06901 ®=reg. TM. of Beiersdorf AG,

COPPERTONE COMPLETE SUNSCREEN SPF 30

avobenzone 2%, homosalate 8%, octisalate 4.5%, octocrylene 7% aerosol, spray

Product Information

Route of Administration

HUMAN OTC DRUG Item Code (Source) NDC:66800-0100 **Product Type**

Active Ingredient/Active Moiety

Ingredient Name

TOPICAL

Basis of Strength

Strength

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	2 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g

Inactive Ingredients		
Ingredient Name	Strength	
ISOBUTANE (UNII: BXR49TP611)		
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)		
POLYESTER-7 (UNII: 0841698D2F)		
ASCORBYL PALMITATE (UNII: QN83US2B0N)		
ALCOHOL (UNII: 3K9958V90M)		
FRAGRANCE FRESH CITRUS FLORAL ORC1501495 (UNII: OU4GI2R2WB)		
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: U3XHR8VWK)		

Product Characteristics			
Color	white (White to clear)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:66800- 0100-5	156 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	11/01/2021		

Labeler - Beiersdorf Inc (001177906)

Revised: 12/2024 Beiersdorf Inc