

EPSOM SALTS RELIEF- magnesium sulfate heptahydrate granule
Blue Cross Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Relief Epsom Salt

Active Ingredients Purpose

Magnesium Sulfate [heptahydrate]100% Saline Laxative

- For relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

Keep out of reach of children

- For relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor is you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor of pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

If pregnant or breast-feeding, as a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 2 doses per day
- drink a full glass (8 ounces) of liquid with each dose
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste.
- adults and children 12 years and over: 2 to 4 level teaspoons (10 to 20 grams) daily
- children 6 to under 12 years: 1 to 2 level teaspoons (5 to 10 grams) daily
- children under 6 years: consult a doctor

Other information

Magnesium content: 495 mg per teaspoon

Relief

Epsom Salt

Magnesium Sulfate

A Soaking aid for minor sprains & bruises

Use as a saline laxative

NET WT 16 Oz (1 LB) 454 g

Resealable Pouch

Tamper resistant packaging. Caution: Do not use if heat sealed pouch is improperly sealed

BATH FOR CALMING MOODS

Natural magnesium, a key ingredient in **RELIEF** Epsom Salt, is a stress reliever. Add 2 cups to your bath and soak away your worries.

FOOT SOAK FOR SORE FEET

Epsom Salt is famous for rejuvenating tired feet. Simply add 1 cup to about a gallon of warm water, and soak for at least 5 minutes at a time.

RELIEF FOR OVEREXERTION & STIFFNESS

For soothing relief from overexertion and stiffness, draw a bath and add 2 cups of **RELIEF** Epsom Salt. Soak for 15 minutes and let our natural epsom salt do its job. Use in baths, soaks or a whirlpool for those natural benefits. Gentle enough for the whole family.

For External Use As a Soaking Aid

For Minor Sprains and Bruises:

Dissolve 2 cups of **RELIEF** Epsom Salt per gallon of water. Apply in conjunction with bandages or taweling or use in bath. Use with warm water for best results.

Warning:

Where prompt relief is not obtained or where there is evidence of infection, discontinue use and consult physician. Hot or warm soaks should not be used by individuals with diabetes except on advice of physician.

Caution:

Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately. Package sold by weight not volume. Some settling of content may occur during shipment. If caking occurs, tap pouch gently to free granules.

BLUE CROSS LABORATORIES
Santa Clarita, CA 91350
USA



Drug Facts

Active Ingredients	Purpose						
Magnesium sulfate (heptahydrate) 100%	Saline laxative						
Uses							
<ul style="list-style-type: none"> for relief of occasional constipation (irregularity) this product generally produces bowel movement in 1/2 to 6 hours 							
Warnings							
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> kidney disease a magnesium restricted diet abdominal pain, nausea, or vomiting noticed a sudden change in bowel habits that persists over a period of 2 weeks already used a laxative for a period longer than 1 week <p>Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>							
Directions							
<ul style="list-style-type: none"> do not exceed more than 2 doses per day drink a full glass (8 ounces) of liquid with each dose dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste <table border="1"> <tr> <td>adults and children 12 years and over</td> <td>2 to 4 level teaspoons (10 to 20 grams) daily</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>1 to 2 level teaspoons (5 to 10 grams) daily</td> </tr> <tr> <td>children under 6 years</td> <td>consult a doctor</td> </tr> </table>		adults and children 12 years and over	2 to 4 level teaspoons (10 to 20 grams) daily	children 6 to under 12 years	1 to 2 level teaspoons (5 to 10 grams) daily	children under 6 years	consult a doctor
adults and children 12 years and over	2 to 4 level teaspoons (10 to 20 grams) daily						
children 6 to under 12 years	1 to 2 level teaspoons (5 to 10 grams) daily						
children under 6 years	consult a doctor						
Other information							
<ul style="list-style-type: none"> magnesium content 495 mg per teaspoon (5 grams) 							

Fertilizer uses

Guaranteed Analysis	
Magnesium (Mg)	9.87%
[9.87% Water Soluble Magnesium (Mg)]	
Sulfur (S)	12.98%
[12.98% Combined Sulfur (S)]	

Directions for use (fertilizer)

Lawns: Apply at a rate of 1/2 pound per one thousand square feet of lawn.

Garden Plants and Shrubbery: Sprinkle 2 tablespoons around the base of each plant.

Tomatoes One teaspoon per foot plant height every 2 weeks.

Lawns Three pounds per 1250 sq. ft.

Evergreen, Azaleas, Rhododendrons Apply one tablespoon per 9 sq. ft. (3'X3') over the root zone every 2-4 weeks.

Trees Apply 2 tablespoons per 9 sq. ft. (3'X3') over the root zone once every 4 months.

Garden Startup Sprinkle approximately one cup per 100 sq. ft. (10'X10') and mix into soil prior to planting.

Houseplants Mix one teaspoon per gallon of water and feed to plants every 1-4 weeks.

For quicker results, water plants after applying this product.

CUT TO OPEN

Resealable Pouch

Tamper resistant packaging. Caution: Do not use if heat sealed pouch is improperly sealed

RELIEF

EPSOM SALT

MAGNESIUM SULFATE

- *A soaking aid for minor sprains & bruises*
- *Use as a saline laxative*
- *Great for gardening*

NET WT 1 LB (454g)

145

EPSOM SALTS RELIEF

magnesium sulfate heptahydrate granule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:22431-124
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE HEPTAHYDRATE	100 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22431-124-01	1810 g in 1 BAG; Type 0: Not a Combination Product	04/24/2015	
2	NDC:22431-124-02	454 g in 1 BAG; Type 0: Not a Combination Product	04/24/2015	
3	NDC:22431-124-03	454 g in 1 CARTON; Type 0: Not a Combination Product	04/24/2015	
4	NDC:22431-124-04	907 g in 1 BAG; Type 0: Not a Combination Product	04/24/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	07/09/2010	

Labeler - Blue Cross Laboratories, Inc. (008298879)**Registrant** - Blue Cross Laboratories, Inc. (008298879)**Establishment**

Name	Address	ID/FEI	Business Operations
Hefei Yatai Daily Chemical Products Co., Ltd.		654641724	manufacture(22431-124)

Revised: 12/2019

Blue Cross Laboratories, Inc.