

**PREMIER VALUE CHEST AND SINUS CONGESTION RELIEF-  
guaifenesin/phenylephrine tablet  
Chain Drug Consortium, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**DRUG FACTS**

Guaifenesin	400 mg
Phenylephrine HCl	10 mg
Guaifenesin	Expectorant
Phenylephrine HCl	Nasal decongestant

temporarily relieves symptoms associated with a cough ,the common cold,hay fever or other upper respiratory allergies.

helps loosen phlegm;mucus

clear nasal passageways

loosens nasal congestion

drain bronchial tubes

shrinks swollen membranes

clears stuffy nose

makes coughs more productive

do not exceed recommended dosage

Do not use this product if you are now taking a prescription Monoamine Oxidase inhibitor ; MAIO,

certain drugs for depression,psychiatric or emotional conditions, or Parkinsons Disease or for 2 weeks

after stopping the MAIO drug,if you are uncertain whether your prescription contains an MAIO ,

ask a health professional.

ask a doctor before use if you have

heart disease

high blood pressure

thyroid disease

diabetes

excessive phlegm;mucus

difficulty in urination due to an enlarged prostate gland

persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema  
stop use and ask a doctor if

nervousness, dizziness or sleeplessness occurs

symptoms are accompanied by fever, rash, persistent headache or excessive phlegm; mucus.

cough and congestion do not improve within 7 days or tend to recur

these could be signs of a serious condition

ask a health professional before use.

in case of overdose, get medical help or contact a Poison Control Center immediately.

directions

Adults and Children 12 years of age and over take 1 caplet every 4 hours as needed

children 6 to under 12 years of age consult a doctor

do not exceed 6 doses in a 24 hour period or as directed by a doctor.

croscarmellose sodium, hypromellose, lactose, magnesium silicate,

magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, povidone,

silica, sodium lauryl sulfate, stearic acid, titanium oxide and triacetin.

Retain carton for complete product information

**Drug Facts**

**Active Ingredients (in each caplet)**

Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal Decongestant

**Uses** associated with a cough, the common cold, hay fever, or other upper respiratory allergies

- helps loosen phlegm (mucus)
- shrinks swollen membranes
- thin bronchial secretions
- clear nasal passageways
- loosens nasal congestion
- drain bronchial tubes
- make coughs more productive
- clears stuffy nose

**Warnings** Do Not Exceed Recommended Dosage

**Do Not Use** if you are now taking a prescription Monoamine Oxidase Inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's Disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription drug contains an MAOI, ask a health professional.

**Ask a Doctor Before Use If You Have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- excessive phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms are accompanied by fever, rash, persistent headache, or excessive phlegm (mucus)
- cough and congestion do not improve within 7 days or tend to recur. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

**Drug Facts (continued)**

**Directions**

- Adults and Children 12 years of age and over: take 1 caplet every 4 hours as needed.
- Children 6 to under 12 years of age: take 1/2 caplet every 4 hours as needed.
- Children under 6 years of age: consult a doctor.

Do not exceed 6 doses in a 24 hour period or as directed by a doctor.

**Other information** ■ store at 15°-30°C (59°-86°F)  
 ■ Caution: do not use if imprinted seal under cap is broken or missing

**Inactive ingredients** croscarmellose sodium, hypromellose, lactose, magnesium silicate, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, povidone, silica, sodium lauryl sulfate, stearic acid, titanium dioxide and triacetin REV 2/06

**PREMIER VALUE GUARANTEE** If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

DISTRIBUTED BY:  
 CHAIN DRUG CONSORTIUM, LLC.  
 BOCA RATON, FL 33431



8 40986 02107 7



**CHEST AND SINUS CONGESTION RELIEF**

**NASAL DECONGESTANT**  
**Phenylephrine HCl 10mg**

**EXPECTORANT**  
**Guaifenesin 400mg**

- Immediate Release Caplets
- Relieves Chest & Sinus Congestion
- Thins and Loosens Mucus
- Dye-Free

**50 Caplets**



**Provides up to 2400mg Guaifenesin and 60mg Phenylephrine HCl daily**

**PREMIER VALUE GUARANTEE**

Retain carton for complete product information

**Drug Facts**

**Active ingredients (per caplet)**

Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses** temporarily relieves symptoms associated with a cough, the common cold, hay fever or other upper respiratory allergies

- helps loosen phlegm (mucus)
- thin bronchial secretions
- drain bronchial tubes
- make coughs more productive
- nasal congestion
- stuffy nose
- clear nasal passageways
- shrinks swollen membranes

**Warnings** See carton for complete warnings

**If pregnant or breast-feeding**, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

NDC 68016-0021-07



**CHEST AND SINUS CONGESTION RELIEF**

**NASAL DECONGESTANT**  
**Phenylephrine HCl 10mg**

**EXPECTORANT**  
**Guaifenesin 400mg**

**50 Caplets**

**Provides up to 2400mg Guaifenesin and 60mg Phenylephrine HCl daily**

**PREMIER VALUE GUARANTEE**

**Drug Facts (continued)**

**Directions** ■ Adults and children 12 years of age and over: take 1 caplet every 4 hours as needed ■ Children 6 to under 12 years of age: take 1/2 caplet every 4 hours as needed ■ Children under 6: consult a doctor

Do not exceed 6 doses in a 24 hour period or as directed by a doctor

**Other information** ■ store between 15°-30°C (59°-86°F) ■ caution: do not use if imprinted seal under cap is broken or missing

**Inactive ingredients** croscarmellose sodium, hypromellose, lactose, magnesium silicate, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, povidone, silica, sodium lauryl sulfate, stearic acid, titanium dioxide and triacetin Rev. 11/09 RPEPV

Distributed By: Chain Drug Consortium, LLC.  
 2300 NW Corporate Blvd., Suite 115  
 Boca Raton, FL 33431 • www.chaindrugconsortium.com

PREMIER VALUE CHEST AND SINUS CONGESTION RELIEF			
guaifenesin/phenylephrine tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-021
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	400 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg	
Inactive Ingredients			
Ingredient Name	Strength		

<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>MAGNESIUM SILICATE</b> (UNII: 9B9691B2N9)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	RCCGPE;C27
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-021-01	1 in 1 CARTON		
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/01/2006	

**Labeler** - Chain Drug Consortium, LLC (101668460)

**Registrant** - Reese Pharmaceutical Co (004172052)

### Establishment

Name	Address	ID/FEI	Business Operations
Reese Pharmaceutical Co		004172052	relabel(68016-021) , repack(68016-021)

Revised: 10/2015

Chain Drug Consortium, LLC