MOISTURIZER- zinc oxide lotion Oxygen Development LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

H2O+ Hydration Sensitive Sunscreen Lotion SPF 30 Broad Spectrum SPF 30 Sunscreen

Active ingredient

Zinc Oxide 17%

Purpose

Sunscreen

Uses

helps prevent sunburn protection. Higher SPF gives more sunburn protection. If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

Do not use on damage or broken skin.

When using

When using this product keep out of eyes. Rinse with water to remove.

Stop use

Stop use and ask a dosctor if rash occurs.

Keep out the reach of children

Keep out the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply generously and evenly 15 minutes before sun exposure.

Children under 6 months of age: Ask a doctor.

Reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease thsi risk, regulary use a sunscreen with a Board Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m - 2 p.m. wear long - sleeved shirts, pants, hats, and sunglasses

Other information

Protect the protect in this container from excessive heat and direct sun

Inactive ingredients


Water, Caprylic/Capric Triglyceride, Coco-Caprylate/Caprate, Cetearyl Olivate, Glyceryl Stearate Citrate, Stearyl/Octyldodecyl Citrate Crosspolymer, Dimethicone, Camellia Japonica Seed Oil, Glycolipids, Trehalose, Pullulan, Agastache Mexicana Flower/Leaf/Stem Extract, Camellia Oleifera Leaf Extract, Glycine, Alanine, Serine, Threonine, Chamomilla Recutita (Matricaria) Flower Extract, Leuconostoc/Radish Root Ferment Filtrate, Polylysine, Lecithin, Isostearic Acid, Polyglyceryl-3 Polyricinoleate, Hydrogenated Lecithin, Silica, Xanthan Gum, Cetearyl Alcohol, Tocopheryl Acetate, Mica, Tocopheryl, Sclerotium Gum, Glycerin, Caprylhydroxamic Acid, Titanium Dioxide (CI 77891) (090-50132-000)




In-Mold Label Artwork Template


Tube size: D30 x 105 mm

H2O+*		DIMENSIONS FLAT: 95.2 mm X 105 mm	COLORS: SPOT COLOR
RELEASE DATE: 06/30/21	PART NUMBER: 400-50132-000	SUBSTRATE: EVOH COLD FOIL	PMS 7893 C EVOH Cold Foll
VENDOR: Viva	JOB NAME: Hydration Sensitive Sunscreen Lotion SPF 30		PMS 531 C
DESIGNER: JV	LOCATION:	ADDITIONAL FINISHES: MATTE	THIS SOLIC



H2O+** Job Name: HYDRATION SENSITIVE SUNSCREEN LOTION SPF 30		Fonts: Source Serif Pro, Karla Reg.,Karla Bold	
Process: Carton - 50 mL / 1.7 U.S. Fl oz		NOTES: US VERSION	
Part Number: 083-50132-000	Colors Used: CMYK+1 Spot color	PMS 7693 C	
Release Date: 08/27/21	Finishes: Matte + UV Spot Gloss	Custom match Hologrpshic Foil	
Vendor: Westrock	Substrate:	Metallic PMS 10209 C	





WestRock

Indianapolis, IN - MPS

Customer: H2O + Beauty

Project: 21IN0070 Date: Mar 16, 2021 Last Mod.: Mar 16, 2021 CAD File: 21IN0070.01

Cust. Item No.:

Description: FRT w/feet

Size: 1+7/16 x 1+7/16 x Blank Size: 9+9/32 x 6+11/32

5+1/32 **Philip Miller** Designer:

Julie Eaton Sales Rep:

.018 PrintKote® Board:

Horizontal Grain Dir: Rule Length: 65.9 in View: **Outside** Drawing is full scale.

© WESTROCK COMPANY 2021 - WESTROCK CONFIDENTIAL AND PROPRIETARY ALL RIGHTS RESERVED - MAY NOT BE REPRODUCED OR DISCLOSED WITHOUT PERMISSION


H2O+*	Job Name: HYDRATION SENSITIVE SUNSCREEN LOTION SPF 30 OVL	Fonts: Source Serif Pro, Karla Reg, Karla Bold
пиот	Process: Multi-Layer Label	NOTES: US VERSION
Part Number: 060-50132-000	Colors Used:	
Release Date: 08/27/21	Finishes:	4-Color
Vendor: Master Tape Printers	Substrate:	Process

TR10990

TEMPLATE # 2 7/21/21 WITH LARGER PRINT AREA ON **BACK OF TOP PLY**

NOTE: DOCUMENT RASTER EFFECTS SETTINGS SHOULD BE SET AT 300 RESOLUTION





Drug Facts (continued) Directions

Apply generously and evenly 15 minutes before su
Children under 6 months of age: Ask a doctor.
Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sw To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Use a water-resistant sunscreen if swimming or sweating.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging

- Imit time in the sun, especially from 10 a.m. - 2 p.m. - 2

Other Information
Protect the product in this container from excessive heat and direct sun

Back of Top Ply

Base



NOTE: Please do not modify template

DK AWING	OF 13 Outslue Fuller	& OUTLINE YOUR FONTS
KEYS	IP is "Inside Panel"	Some Notes to the Designer:
Cut/Fold Lines		1. Hold all text 1/8" from Cut Marks. (Also critical graphic elements.)
1/8" Bleed Lines		2. Bleed full coverage background graphics 1/8" beyond Cut Marks. 3. PEEL HERE verbage recommended for upper right corner of OP1.
Text Limit Lines		4. If OP1 has full coverage graphics, bleed 1/16" to 3/32" onto OP2. 5. This Template is provided in 2 layers. Simply turn off the text layer
OP1 Bleed Line	***************************************	to use the layout only as a placed image in your document.

Die Number: NEW

Die Cut Size: 1.300" x 4.900"

Corner Radius: .016"

Hinge: .250"

Hold Down Area: .250"

Tech: akd

MOISTURIZER

zinc oxide lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61354-042	
Route of Administration	TOPICAL			

ı	Active Ingredient/Active Moiety				
ı	Ingredient Name	Basis of Strength	Strength		
ı	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17.68 mg in 100 mg		

Inactive Ingredients			
Ingredient Name	Strength		
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	5 mg in 100 mg		
SORBITAN OLIVATE (UNII: MDL271E3GR)	1.52 mg in 100 mg		
POLYGLYCERYL-3 STEARATE (UNII: 8FDA8C98S3)	1.2 mg in 100 mg		
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	0.6 mg in 100 mg		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	0.51 mg in 100 mg		
DIMETHICONE (UNII: 92RU3N3Y1O)	1 mg in 100 mg		
ISOSTEARIC ACID (UNII: X33R8U0062)	0.78 mg in 100 mg		
PROPANEDIOL (UNII: 5965N8W85T)	1.6 mg in 100 mg		
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5D0T4)	0.78 mg in 100 mg		
GLYCERIN (UNII: PDC6A3C0OX)	0.65 mg in 100 mg		
WATER (UNII: 059QF0KO0R)	51.72 mg in 100 mg		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	5.2 mg in 100 mg		
STEARYL/OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: PN88NW0KPK)	2 mg in 100 mg		
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	1.78 mg in 100 mg		
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	2.19 mg in 100 mg		

LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	0.88 mg in 100 mg
CETEARYL OLIVATE (UNII: 58B69Q84JO)	2.28 mg in 100 mg
GLYCERYL CAPRYLATE (UNII: TM2TZ D4G4A)	1.12 mg in 100 mg

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:61354-042- 02	1 in 1 CARTON	01/04/2022		
1	NDC:61354-042- 01	100 mg in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/04/2022	

Labeler - Oxygen Development LLC (137098492)

Establishment					
Name	Address	ID/FEI	Business Operations		
Oxygen Development LLC		137098492	manufacture(61354-042)		

Revised: 1/2022 Oxygen Development LLC