

TOPCARE PAIN RELIEF PATCH- lidocaine, menthol patch
Topco Associates LLC

TopCare Pain Relief Patch Lidocaine plus Menthol

Active ingredients

Lidocaine 4%

Menthol 1%

Purposes

Topical anesthetic

Topical analgesic

Use

for the temporary relief of pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time
- On cut, irritated, or swollen skin
- on puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- if pouch is damaged or opened

When using this product

- use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center 800-222-1222 right away.

Directions**adults and children 12 years of age and over:**

- clean and dry affected area
- carefully remove backing from patch starting at a corner.
- Apply sticky side of patch to affected area.
- Use one patch for up to 12 hours
- Dispatch patch after a single use.
- **children under 12 years of age:** consult a physician

Inactive ingredients

aluminum glycinat, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water.

Package/Label Principal Display Panel



Drug Facts

Active Ingredients: Lidocaine 4.0%, Menthol 1.0%
Fluorocholine
Topical analgesic
Topical anesthetic

Uses: Temporarily relieves minor pain.

Warnings:
 For external use only.
 Do not use in More than one patch on your body at a time or On wet, irritated or sunburned skin or On puncture wounds or For more than one week without consulting a doctor. If you are allergic to any active or inactive ingredients in it, patch is contraindicated or avoided.
 When using this product: Use only on affected area and follow all directions and warnings on this section. Do not use other ointment with the area. Do not use of the area that is other topical medication. Do not breathe, ingest or apply local heat (such as heating pad) to the area of use. Do not reinsert or reuse of used patch. It is normal that always keep product away from children and pets. Used patches will contain the drug product that can produce certain adverse effects if a child or pet chews or ingests this patch.
 Stop use and consult a doctor if: Condition worsens or Redness is present. If Irritation develops. If Symptoms persist for more than 7 days or does not clear up and does not improve within a few days. If you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.
 If pregnant or breastfeeding, seek health professional before use.
 Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 800-235-1223 right away.

Directions:
 Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age consult a physician.

Other Information:
 Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Inactive Ingredients:
 aluminum glycidate, glycerin, isobutylmethacrylate, polyacrylic acid, polyacrylate G2, propylene glycol, polyisobutylene, PVP, sodium polyacrylate, butylacrylate, butyl methacrylate, urethane.

DISTRIBUTED BY TOPCARE ASSOCIATES LLC
 1155 BRIDGE WILLOW, EL MONTE, CA 91734
 CONTACT NUMBER: 1-800-425-8138
 topcare.com www.topcare.com
 MADE IN CHINA

Scan here for more information
 or call 1-800-425-8138

0 36800 49585 2

TopCare health

MAXIMUM STRENGTH LIDOCAINE
Pain Relief Patch
 4% Lidocaine • 1 % Menthol

NDC 76162-007-05

TopCare health

COMPARE TO KY-HOT® LIDOCAINE PATCH PLUS MENTHOL ACTIVE INGREDIENTS*


MAXIMUM STRENGTH LIDOCAINE
Pain Relief Patch
 4% Lidocaine • 1 % Menthol

- Desensitizes Aggravated Nerves & Relieves Pain
- No-Mess, Single-Use Application
- Stay-Put Flexible Patch

LASTS UP TO
12 HOURS

BACK, NECK,
 LEG & SHOULDER

5 PATCHES
 3.53" X 5.6" (10 cm X 14 cm) EACH



MAXIMUM STRENGTH LIDOCAINE
Pain Relief Patch
 4% Lidocaine • 1 % Menthol

*KY-HOT® is a registered trademark of Chullian, Inc. Chullian, Inc. is not affiliated with TopCare or this product.

Child-Resistant Packaging
 Model 23-912
 92-52018 01/22 VCS10046



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

LOT
 EXP

TOPCARE PAIN RELIEF PATCH

lidocaine, menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76162-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	

GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
KAOLIN (UNII: 24H4NWX5CO)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-007-05	5 in 1 CARTON	01/01/2022	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/01/2022	

Labeler - Topco Associates LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co., Ltd		529128763	manufacture(76162-007)

Revised: 12/2025

Topco Associates LLC