

SENNA S- docusate sodium sennosides tablet

Hy-Vee

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

†Compare to the Active Ingredients of Senokot-S®

Dual action

Senna Plus

Docusate Sodium, 50 mg - Stool Softener

Sennosides 8.6 mg - Laxative

- Effective, comfortable
- Overnight relief
- Gentle, dependable

Natural Vegetable Laxative

Ingredient plus Stool Softener

TABLETS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

†This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Senokot-S®.

DISTRIBUTED BY: HY-VEE, INC.

WEST DES MOINES, IA 50266

Product Labeling

Exp. Date: _____
Lot No.: _____
P.D.-4699A F0009622
0 75450184109 1

*Compare to
the Active Ingredients
of Senokot-S®

Dual Action

Senna Plus

Docosate Sodium, 50 mg – Stool Softener
Sennosides, 8.6 mg – Laxative

NDC 42507-883-12

Actual Size

120

TABLETS

**Natural Vegetable Laxative
Ingredient plus Stool Softener**

- Effective, Comfortable
- Overnight Relief
- Gentle, Dependable

DISTRIBUTED BY HY-VEE, INC.
WEST DES MOINES, IA 50266
PLVA0825

smartlabel®

Scan here for more information
or call 1-800-289-8343

SATISFACTION GUARANTEED
CALL 1-800-289-8343 www.hy-vee.com

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Senokot-S®.

Drug Facts (continued)

Other Information

- each tablet contains calcium 30 mg
- each tablet contains sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients
croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Drug Facts

Active ingredients (in each tablet)
Docosate sodium 50 mg
Sennosides 8.6 mg
Stool softener Laxative

Uses
■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6-12 hours

Warnings
Do not use ■ if you are now taking mineral oil, unless directed by a doctor
■ laxative products for longer than 1 week unless directed by a doctor
Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that continues over a period of 2 weeks
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

HY VEE Senna Plus

SENNA S

docusate sodium sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42507-883
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	PSD22
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42507-883-12	1 in 1 BOX	12/01/2025	
1		120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	505G(a)(3)	10/10/2025	

Labeler - Hy-Vee (006925671)

Revised: 10/2025

Hy-Vee