

**COPPERTONE SPORT SUNSCREEN SPF 40- avobenzene 3%, homosalate 15%, octisalate 5%, octocrylene 10% stick**  
**Beiersdorf Inc**

-----  
**Sport Stick Sunscreen SPF 40**

***Drugs Facts***

***Active ingredients***

Avobenzene 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

C13-15 alkane, ozokerite, tapioca starch, stearyl alcohol, cetyl alcohol, caprylic/capric triglyceride, synthetic beeswax, behenyl behenate, styrene/acrylates copolymer, tocopherol, aloe barbadensis leaf extract, sodium ascorbyl phosphate

### ***Questions?***

1-866-288-3330

4-IN-1 Performance

Stops up to 98% UV Rays

+ Resists

Sweat + Heat + Water

Coppertone® Sunscreen Stick

Sport

40 Face + Body

Water Resistant (80 Minutes)

Broad Spectrum SPF 40

NET WT 1.5 OZ (42.5 g)

**4-IN-1**  
**PERFORMANCE**

**Stops up to 98% UV Rays**

5-4

**+RESISTS**  
**Sweat + Heat + Water**

LAB-2045



**Coppertone**<sup>®</sup>  
SUNSCREEN STICK



---

**40** FACE + BODY

**Water Resistant (80 Minutes)  
Broad Spectrum SPF 40**

**NET WT 1.5 OZ (42.5 g)**

**LAB-2045-4**

**Drug Facts** (cont.)**Inactive ingredients**

C13-15 alkane, ozokerite, tapioca starch, stearyl alcohol, cetyl alcohol, caprylic/capric triglyceride, synthetic beeswax, behenyl behenate, styrene/acrylates copolymer, tocopherol, aloe barbadensis leaf extract, sodium ascorbyl phosphate

**Questions?**

1-866-288-3330

www.coppertone.com

Peel for Full Labeling ▶

**Drug Facts****Active Ingredients**

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10% Sunscreen

**Purpose****Beiersdorf**

Beiersdorf Inc.  
Shamford, CT 06901  
© reg. TM, of Beiersdorf  
AG, Germany



LAB-2046-4

**Drug Facts** (cont.)

with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

**Drug Facts** (cont.)**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings****For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Drug Facts** (cont.)**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen

**COPPERTONE SPORT SUNSCREEN SPF 40**

avobenzone 3%, homosalate 15%, octisalate 5%, octocrylene 10% stick

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-4118
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>STARCH, TAPIOCA</b> (UNII: 24SC3U704I)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>BEHENYL BEHENATE</b> (UNII: K8NU647RJ0)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>C13-15 ALKANE</b> (UNII: 114P5I43UJ)	
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJJG51DR)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4118-2	42.5 g in 1 CONTAINER; Type 0: Not a Combination Product	11/02/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/02/2021	

