JANITEX ALCOHOL WET WIPES 70% - ethyl alcohol cloth Pacific Health Systems Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

JANITEX 70% ALCOHOL WET WIPES

Drug Facts

Active Ingredient

Ethyl Alcohol 67%

Purpose

Antiseptic

Inactive Ingredients Isopropyl Alcohol 3%, Aqua, Glycerin, Parfum

Uses

- For hand sanitizing to decrease bacteria and germs on skin.
- Apply topically to the skin to help prevent cross contamination.
- Dries in seconds.

Warnings

- For external use only. Harmful if swallowed.
- Do not use as baby wipes.
- Do not flush down the toilet. Highly flammable.
- Keep away from fire or flame. Do not use in or contact the eyes. Avoid contact with open or exposed wounds.

Do not Use

- Do not use as baby wipes.
- Do not flush down the toilet.
- Highly flammable. Keep away from fire or flame.
- Do not eat or drink when handling.
- Avoid contact with open or exposed

When Using

Keep out of eyes, ears, and mouth.

In case of contact with eyes, rinse eyes thoroughly with water

Stop Use

Stop use if too much skin irritation and sensitivity develops or increases

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- Lift the tab on the top of the lid to open.
- Open moisture seal film package before use.
- Pull out first wipe through the dispensing center of the canister. Next sheets pops up automatically
- Close the lid to retain moisture.
- Wipe dean with this product. Let air dry

Other Informations

- Store at room temperature 15-30°C (59-86°F).
- Lot No. Manufacture date and expiration date can be found on package.

+ ANTIBACTERIAL + ANTI - FUNGAL

BLEACH FREE

Dry Wipes Size: 15*18 cm 5,9 x 7,1 inch

Suitable for sensitive skin

Kills 99.9% Bacteria & Germs

ALCOHOL WIPES

Alcohol Concentration

Efficient Sterilization

Non-Woven Skin

Moisturizes and Does Not Dry

Distributed by Pacific Health Inc. 19 Commerce

Road Unit E Fairfield, NJ 07004

info@janitexus.com www.janitexus.com

Packaging

(burnion uni) (www Q0'0'44) D-59-28 FOR SYD SINGLECOVED YNCOV: equivalent equivalent (burnion uni) (www Q0'0'44) D-59-28 FOR SYD SINGLECOVED YNCOV: equivalent equiva	.cobten ru a ettuanos, altasion niuptus, acidinos ile .uuga etinahuda nos etinematalainniicottasega otottiinia ituginii aconoco as ofi .isbhaupeti inbiammotni la otottiini.	
Programme and Contraction of Programme of Pr	Section 2. See that the control as amounts as denoted the bits sold to the control of the contro	
boode to directiful Jabberde see agil dischelon nationaries. The agency of the commencer is a commencer of the commencer of t	To Topic of Production Companies (Comman Production Comman Production Comman Production Comman Production Comman Production Comman Production Command Production Comm	



DRUG FACTS LABEL

- · Apply topically to the skin to help prevent cross contamination.
- Dries in seconds.

Warnings

- · For external use only. Harmful if swallowed.
- · Do not use as baby wipes.
- Do not flush down the toilet. Highly flammable.
- Keep away from fire or flame. Do not use in or contact the eyes. Avoid contact with open or exposed wounds.

Drug Facts (continued)

When Using

Keep out of eyes, ears, and mouth.

In case of contact with eyes, rinse eyes thoroughly with water

Stop Use

Stop use if too much skin irritation and sensitivity develops or increases

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- · Lift the tab on the top of the lid to open.
- Open moisture seal film package before use.
- Pull out first wipe through the dispensing center of the canister.
 Next sheets pops up automatically
- Close the lid to retain moisture.
- · Wipe dean with this product. Let air dry

Do Not Ilea

שט וזטנ טשכ

- · Do not use as baby wipes.
- · Do not flush down the toilet.
- · Highly flammable. Keep away from fire or flame.
- · Do not eat or drink when handling.
- · Avoid contact with open or exposed

Other Informations

- · Store at room temperature 15-30°C (59-86°F).
- · Lot No. Manufacture date and expiration date can be found on package.

JANITEX ALCOHOL WET WIPES 70%

ethyl alcohol cloth

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:79519-030

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:79519-030-01	40 in 1 PACKET	08/19/2020	
1	3 mL in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	08/19/2020	

Labeler - Pacific Health Systems Inc. (080638960)

Revised: 8/2020 Pacific Health Systems Inc.