

EQUATE PAIN RELIEVER- acetaminophen tablet
Wal-Mart Stores Inc

Wal-Mart Pain Reliever Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- muscular aches
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene

glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-888-287-1915

Principal Display Panel

equate™

Compare to Tylenol® Caplets active ingredient

EXTRA STRENGTH

Pain Reliever

Acetaminophen

500 mg

Pain Reliever/Fever Reducer

For Adults

Actual Size

500 mg

500 CAPLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

NDC 49035-308-90

equate™

EXTRA STRENGTH

Pain Reliever
Acetaminophen
500 mg

Compare to Tylenol® Caplets active ingredient**

Pain Reliever/Fever Reducer
For Adults

Actual Size

500 mg

500 CAPLETS

Drug Facts

Active ingredient (in each caplet)
Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - muscular aches
 - temporarily reduces fever
- headache
- backache
- toothache
- minor pain of arthritis
- premenstrual and menstrual cramps

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you:

- take more than 4,000 mg of acetaminophen in 24 hours
- take more than 3 caplets in 24 hours
- with other drugs containing acetaminophen
- use 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- skin rash
- skin redness
- blisters
- itching

 If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

ask a doctor

Children under 12 years

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients camphor wax, corn starch*, croscarmellose sodium*, hydroxyethylcellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid. *may contain one or more of these ingredients

Questions or comments? 1-888-287-1915

EXP. LOT

48490 2E F18

16452

81131-28010 5

6

DISTRIBUTED BY: Wal-Mart Inc., Bentonville, AR 72716
 *This product is not manufactured or distributed by Kenwood Inc.
 **Compare to Tylenol® Caplets, a registered trademark of the registered trademark owner.

Satisfaction guaranteed - Or we'll make it or give you your money back. For questions or concerns, call 1-888-287-1915. Void where prohibited. See package for complete terms and conditions. Please call 1-888-287-1915.

how2recycle.info

PLASTIC BOTTLE

EQUATE PAIN RELIEVER

acetaminophen tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:49035-308

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	L484
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-308-82	200 in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2019	
2	NDC:49035-308-02	2 in 1 CARTON	02/25/2019	12/01/2022
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:49035-308-85	250 in 1 BOTTLE; Type 0: Not a Combination Product	03/13/2019	03/13/2019
4	NDC:49035-308-90	500 in 1 BOTTLE; Type 0: Not a Combination Product	04/08/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/23/2019	

Labeler - Wal-Mart Stores Inc (051957769)

