X-RAY- alcohol, x-ray exposed (1000 rad) pellet
Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

X-RAY 12C

X-RAY 12C
(**contains 0.443 mg of the active ingredient per pellet)

Itching or skin rash aggravated at night and in bed*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.
Contains approx 80 pellets.
How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.
*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661),
BoironUSA.com Info@boiron.com
Distributed by Boiron, Inc. Newtown Square, PA 19073

Principle Display Panel - X-ray HPUS 12C



HOMEOPATHIC MEDICINE Made in France

-ray 12 c

DITIONAL HOMEOPATHIC PRACTICE,
L EVIDENCE. NOT FDA EVALUATED.

Itching or skin rash aggravated at night and in bed.*

Lot: **Exp:**

3 06961 00511 6

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: **Stop use and ask a doctor if** symptoms persist for more than 3 days or worsen. **If pregnant or breastfeeding,** ask a health professional before use. **Keep out of reach of children.**

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ **Do not use if** pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)
**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to dispense pellets?

1. Turn tube upside down.
2. Twist until 5 pellets are dispensed into cap.
3. Carefully remove cap and use it to pour pellets under the tongue.

X-RAY

alcohol, x-ray exposed (1000 rad) pellet

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:0220-5343
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
ALCOHOL, X-RAY EXPOSED (1000 RAD) (UNII: 6PRJ93602P) (ALCOHOL, X-RAY EXPOSED (1000 RAD) - UNII:6PRJ93602P)	ALCOHOL, X-RAY EXPOSED (1000 RAD)	12 [hp_C]

Inactive Ingredients	
Ingredient Name	**Strength**
SUCROSE (UNII: C151H8M554)	
LACTOSE (UNII: J2B2A4N98G)	

Product Characteristics

Color	white	**Score**	
Shape	ROUND	**Size**	4mm
Flavor		**Imprint Code**	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-5343-41	80 in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-5343)

Revised: 11/2023 Boiron