

SALICYLIC ACID- wart remover liquid liquid
Harris Teeter, LLC

Harris Teeter Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Use

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts footprint pattern.

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel**Harris Teeter****MAXIMUM STRENGTH****Liquid Wart Remover
Salicylic Acid**

Removes common & plantar wart

Convenient brush applicator

Safe & effective

NET 0.31 FL OZ (9 mL)

DO NOT USE IF NECKBAND IS BROKEN

Active ingredient: Salicylic acid (17% w/w) **Purpose:** Wart remover **Use:** For the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat.



MAXIMUM STRENGTH
LIQUID
**wart
remover**
Salicylic Acid

Removes common
warts & plantar warts
safely & easily

CLOSE CAP TIGHTLY
AFTER USE

NET 0.31 FL. OZ. (9 mL)



Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. Do not use on irritated, infected or reddened skin or on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face and mucous membranes. **When using this product** avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. **Stop use and ask a doctor** if discomfort persists. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Apply small amount of wart remover with applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. **Other information:** Store between 20° - 25°C (68° - 77°F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Questions? Call 1-866-964-0939** **Keep packaging for complete drug facts information.**

PROUDLY DISTRIBUTED BY:

HARRIS TEETER, LLC
MATTHEWS, NC 28105

1-800-432-6111 or harrisiteeter.com

MADE IN USA WITH U.S.
AND IMPORTED PARTS

NO VARNISH AREA
0.5315"

50-012HT-01



COMPARE TO THE ACTIVE INGREDIENT IN COMPOUND W[®]

MAXIMUM STRENGTH

LIQUID

wart remover

Salicylic Acid

NET 0.31 FL OZ (9 mL)



Removes common & plantar wart
Convenient brush applicator
Safe & effective

53-012HT-01

MAXIMUM STRENGTH
LIQUID
wart remover
Salicylic Acid



MAXIMUM STRENGTH

LIQUID

wart remover

Salicylic Acid

NET 0.31 FL OZ (9 mL)



NO VARNISH AREA

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W[®].

PROUDLY DISTRIBUTED BY:
HARRIS TEETER, LLC
MATTHEWS, NC 28105
1-800-432-6111 or harristeeter.com
MADE IN USA WITH U.S. AND IMPORTED PARTS



IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts

Active Ingredient
Salicylic acid 17% w/w
Wart remover

Purpose
Wart remover

Use
For the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings
For external use only.

Flammable
Keep away from fire or flame

Do not use

If you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

on genital warts and warts on the face

on mucous membranes

When using this product

avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor if discomfort persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

wash affected area, may soak wart in warm water for 5 minutes

dry area thoroughly

apply small amount of wart remover with applicator to sufficiently cover each wart

let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks.

Other information

store between 20°-25°C (68°-77°F)

close tightly to prevent solidification

store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-800-984-0839

Care

Wipe tip of brush applicator after each use

For optimal use, discard when 5 gm of wart or long or appear

SALICYLIC ACID

wart remover liquid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69256-035
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69256-035-09	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/21/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	12/21/2017	

Labeler - Harris Teeter, LLC (048463103)

Revised: 12/2024

Harris Teeter, LLC