

**COPPERTONE WATERBABIES SUNSCREEN SPF 50- avobenzene 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray  
Beiersdorf Inc**

-----  
**Waterbabies Lotion Spray SPF 50**

***Drug Facts***

***Active ingredients***

(To Deliver) Avobenzene 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9%

***Purpose***

Sunscreen

***Use***

- helps prevent sunburn

***Warnings***

**For external use only**

**Flammable:**Do not use near heat, flame, or while smoking

**Do not use** on damaged or broken skin

**When using this product**

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.**If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before each use
- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### ***Other information***

- protect this product from excessive heat and direct sun
- store between 20° to 25° C (68° to 77° F)
- may stain or damage some fabrics or surfaces

### ***Inactive ingredients***

water, dimethyl ether, aloe barbadensis leaf juice, C12-15 alkyl benzoate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, VP/eicosene copolymer, 1,2-hexanediol, hydroxyacetophenone, fragrance, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, potassium hydroxide, disodium EDTA

### ***Questions?***

1-866-288-3330

Coppertone ® Sunscreen Lotion Spray

#1 Pediatrician Recommended Sunscreen Brand

### **water babies**

50

Hypoallergenic

With Aloe and Nourishing Vitamin E

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

# Broad Spectrum SPF 50

**Coppertone**<sup>®</sup>  
SUNSCREEN LOTION SPRAY



water  
babies

50

**HYPOALLERGENIC  
WITH ALOE AND  
NOURISHING VITAMIN E**

Free of Oxybenzone,  
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)  
Broad Spectrum SPF 50

NET WT 6 OZ (170 g)

Broad Spectrum UVA/UVB protection that is specially formulated to be gentle on baby's delicate skin. #1 Pediatrician Recommended Sunscreen Brand  
• Dermatologist Tested

<b>Drug Facts</b>	
<b>Active ingredients</b> (To Deliver) Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 9% .....	<b>Purpose</b> Sunscreen
<b>Use</b> ■ helps prevent sunburn	
<b>Warnings</b>	
<b>For external use only</b>	
<b>Flammable:</b> Do not use near heat, flame, or while smoking	
<b>Do not use</b> on damaged or broken skin	
<b>When using this product</b>	
■ keep away from face to avoid breathing it	
■ keep out of eyes. Rinse with water to remove.	
■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.	
■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.	
<b>Stop use and ask a doctor if rash occurs</b>	
<b>Keep out of reach of children.</b> If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
<b>Other information</b> ■ protect this product from excessive heat and direct sun ■ store between 20° to 25°C (68° to 77°F) ■ may stain or damage some fabrics or surfaces	
<b>Inactive ingredients</b> water, dimethyl ether, aloe barbadensis leaf juice, C12-15 alkyl benzoate, neopentyl glycol diheptanoate, butylene glycol, styrene/acrylates copolymer, VP/eicosene copolymer, 1,2-hexanediol, hydroxyacetophenone, fragrance, tocopherol, acrylates/C10-30 alkyl acrylate crosspolymer, potassium hydroxide, disodium EDTA	
<b>Questions?</b> 1-866-288-3330	

www.coppertone.com



**Beiersdorf**

Beiersdorf Inc. Stamford, CT 06901  
©=reg. TM. of Beiersdorf AG,  
Germany



20006595

## COPPERTONE WATERBABIES SUNSCREEN SPF 50

avobenzone 3%, homosalate 9%, octisalate 4.5%, octocrylene 9% aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66800-4232
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	9 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHYL ETHER</b> (UNII: AM13FS69BX)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>CARBOMER INTERPOLYMER TYPE C (ALLYL SUCROSE CROSSLINKED)</b> (UNII: U990QE4LKP)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-4232-6	170 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	
2	NDC:66800-4232-9	269 g in 1 CAN; Type 0: Not a Combination Product	11/01/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/01/2021	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc