# MAXIMUM STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide, dimethicone suspension CVS PHARMACY

-----

cvs max antacid vanilla

## Active ingredients (in each 10 mL dose)

Aluminum hydroxide 800 mg (equivalent to dried gel, USP)

Magnesium hydroxide 800 mg

Simethicone 80 mg

## **Purposes**

**Antacid** 

**Antigas** 

### Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

## **Warnings**

**Do not take** more than 60 mL (6 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks.

## Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

## **Directions**

- shake well before use
- adults and children 12 years of age and older: 10 mL to 20 mL (1 to 2 doses) as needed, between or after meals, at bedtime, or as directed by a doctor
- children under 12 years of age: ask a doctor
- measure with dosing cup provided
- mL = milliliter

## Other information

- each 10 mL teaspoonful contains: magnesium 340 mg, sodium 10 mg
- do not freeze
- store at room temperature tightly closed

## **Inactive ingredients**

benzyl alcohol, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, purified water, saccharin sodium, sorbitol solution

## package Label



Compare to the active ingredients in Mylanta® Maximum Strength\*

## MAXIMUM STRENGTH

## **Antacid Liquid** & Anti-Gas

ALUMINA, MAGNESIA & SIMETHICONE ORAL SUSPENSION, USP

## Fast-Acting

## Soothing relief of:

- Acid indigestion
- Sour stomach
- Pressure & bloating
- Heartburn

Plus a smooth, creamy taste



Vanilla Caramel Flavor

12 FL 0Z (355 mL)

205-06142-0 REV GC1121

## Drug Facts

TAMPER-EVIDENT: Do not use if imprinted neckband is missing or broken.

## Active ingredients (in each 10 mL dose)

Purposes

Àluminum hydroxide (equivalent to dried gel, USP) 800 mg......Antacid Magnesium hydroxide 800 mg......Antacid Simethicone 80 mg.....

- Uses relieves heartburn sour stomach
- acid indigestion
   the symptoms referred to as gas

### Warnings

Do not take more than 60 mL (6 doses) in a 24 hour period or use the maximum dosage for more than 2 weeks.

### Ask a doctor before use if you have

kidney disease
 a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

### Directions • shake well before use

- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) between meals as needed, at bedtime, or as directed by a doctor

  • children under 12 years of age: ask a doctor

  • measure with dosing cup provided

- mL = milliliter

## Other information

Inactive ingredients benzyl alcohol, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, purified water, saccharin sodium, sorbitol solution

#### Questions or comments? 1-800-540-3765

\*This product is not manufactured or distributed by the owner of the registered trademark Mylanta® Maximum Strength.

#### Distributed by: CVS Pharmacy, Inc.

One CVS Drive Woonsocket, RI 02895 © 2022 V-13966

#381810 905-06142-0 REV GC1121

#### MAXIMUM STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

#### **Product Information**

**HUMAN OTC DRUG** NDC:51316-142 **Product Type** Item Code (Source)

ORAL **Route of Administration** 

## **Active Ingredient/Active Moiety**

Basis of Ingredient Name Strength Strength ALUMINUM HYDROXIDE (UNII: 50B0T2IUN0) (ALUMINUM HYDROXIDE -ALUMINUM 800 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 10 mL
	MAGNESIUM HYDROXIDE	800 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	80 mg in 10 mL

Inactive Ingredients				
Ingredient Name	Strength			
HYPROMELLOSES (UNII: 3NXW29V3WO)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
WATER (UNII: 059QF0KO0R)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
SORBITOL SOLUTION (UNII: 8KW3E207O2)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)				

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	VANILLA (Vanilla Caramel)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-142- 12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2021	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M001	11/01/2021		

## Labeler - CVS PHARMACY (062312574)

## **Registrant -** GCP Laboratories (965480861)

Establishment				
Name	Address	ID/FEI	Business Operations	
GCP Laboratories		965480861	manufacture(51316-142)	

Revised: 10/2023 CVS PHARMACY