

MAGNESIUM CITRATE SALINE LAXATIVE- magnesium citrate liquid
AKRON PHARMA INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

OneLAX (Magnesium Citrate)
Sugar Free / Dye Free
Relief of occasional Constipation

Drug Facts

Active ingredient (30ml (approx. 1 Fl. oz))

Magnesium citrate 1.745g

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use

laxative products for longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

Ask a doctor or pharmacist before use if you

are presently taking a prescription drug.

When using this product

do not exceed the maximum recommended daily dosage in a 24 hour period.

Stop use and ask a doctor if

you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose.
- may be taken as a single daily dose or in divided doses.

adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
children 6 to 11 years of age	1/3 bottle to 1/2 bottle
children under 6 years of age	consult a doctor

Other information

- **each fluid ounce contains:** magnesium 280 mg, sodium 6.7 mg
- store between 46°-86°F (8°-30°C). Do not refrigerate.
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

Inactive ingredients

Purified water, citric acid, lemon flavor, sodium benzoate, saccharin sodium, sorbic acid, disodium edetate

Questions or comments?


Call toll-free 1-877-225-6999

Manufactured for:

Akron Pharma Inc.,

Fairfield, NJ-07004

www.akronpharma.com



NDC 71399-7889-1

QUALITY
GUARANTEED

MAGNESIUM CITRATE


SALINE LAXATIVE ORAL SOLUTION


Sugar Free / Dye Free

Relief of occasional constipation


Lemon
Flavor

10 Fl oz (296 mL)



Drug Facts		Drug Facts (continued)	
Active ingredient (30ml (approx. 1 Fl.oz)) Magnesium citrate 1.745g		Purpose Saline laxative	
Uses ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 1/2 to 6 hours.		adults and children 12 years of age and over	1/2 bottle to 1 bottle (10 fl oz)
Warnings Do not use laxative products for longer than 1 week unless directed by a doctor.		children 6 to 11 years of age	1/3 bottle to 1/2 bottle
Ask a doctor before use if you have ■ kidney disease ■ a magnesium restricted diet ■ a sodium restricted diet ■ stomach pain, nausea or vomiting ■ noticed a sudden change in bowel habits that lasts more than 1 week.		children under 6 years of age	consult a doctor
Ask a doctor or pharmacist before use if you are presently taking a prescription drug.		Other information ■ each fluid ounce contains: magnesium 280 mg, sodium 6.7 mg. ■ store between 46°-86° F (8°-30°C). Do not refrigerate. ■ protect from excessive heat and freezing. ■ discard unused product within 24 hours of opening bottle.	
When using this product , do not exceed the maximum recommended daily dosage in a 24 hour period.		Inactive ingredients purified water, citric acid, lemon flavor, sodium benzoate, saccharin sodium, sorbic acid, disodium edetate	
Stop use and ask a doctor if you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.		Questions or comments? Call toll-free 1-877-225-6999.	
If pregnant or breast-feeding , ask a health professional before use.		Lot No. :	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		Exp. Dt. :	
Directions ■ drink a full glass (8 ounces) of liquid with each dose. ■ may be taken as a single daily dose or in divided doses.		 Manufactured for: Akron Pharma Inc., Fairfield, NJ-07004 www.akronpharma.com	
Tamper Evident: Do Not Use If Seal Around Bottle or Under Cap is Broken or Missing.			

Rev.: 11/22



3 71399 78891 7

MAGNESIUM CITRATE SALINE LAXATIVE			
magnesium citrate liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71399-7889
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SORBIC ACID (UNII: X045WJ989B)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
Product Characteristics			
Color		Score	
Shape		Size	
Flavor	LEMON	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71399-7889-1	296 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/02/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	01/02/2023	

Labeler - AKRON PHARMA INC (067878881)

Revised: 2/2023

AKRON PHARMA INC