

SANITEX 60- sanitex 60 liquid
Solutex, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).
- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

SANITEX 60

Instant Hand Sanitizer

60% Alcohol Gel

Kills 99.9% of Most Common Germs
Evaporates Quickly
Leaves Hands Soft

Mata El 99.9% de los Gérmenes Más Comunes
Se Evapora Rápidamente
Deja las Manos Suaves

WARNING / ADVERTENCIA
FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL CAUTIONS ON SIDE PANEL
INFLAMABLE
NO SE DEJE AL ALCANCE DE LOS NIÑOS
VEA PRECAUCIONES ADICIONALES A LADO

NET CONTENTS: 8 FL. OZ.

Manufactured for:
SOLUTEX, INC.
 Solutions for a Clean and Healthy Planet
 22635 Davis Drive , Suite #110 • Sterling, VA 20164
 To Reorder Call: 1-800-SOLUTEX
 www.solutex.com

SOLUTEX, INC.®

NDC
 82488-693-02

Drug Facts	
Active ingredient	Purpose
Ethyl Alcohol 60%	Antiseptic
Uses	
• Handwash to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only.	
Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions	
Place a "palmful" (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Datos Médicos	
Ingrediente Activo	Propósito
Alcohol etílico 60%	Antiséptico
Usos	
• Lave con las manos para disminuir la bacteria en la piel • Recomendado para uso repetitivo	
Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente.	
No use • En los ojos	
Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.	
Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños.	
Direcciones	
Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.	
Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación.	
Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero.	

Made in USA

60004644

Drug Facts	
Active ingredient Ethyl Alcohol 60%	Purpose Antiseptic
Uses • Handwash to help decrease bacteria on the skin. • Recommended for repeated use.	
Warnings • Flammable. Keep away from fire or flame. • For external use only. Do not use • In the eyes.	
When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.	
Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.	
Directions Place a "palmful" (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds.	
Other information Store below 95°F. • Close spout to avoid evaporation.	
Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer.	

Manufactured for:
SOLUTEX, INC.
Solutions for a Clean and Healthy Planet
22635 Davis Drive, Suite #110 • Sterling, MA 01564
To Reorder Call: 1-800-SOLUTEX
www.solutex.com

SOLUTEX, INC.®

SANITEX 60

Instant Hand Sanitizer
60% Alcohol Gel

Kills 99.9% of Most Common Germs
Evaporates Quickly
Leaves Hands Soft

Mata El 99.9% de los Gérmenes Más Comunes
Se Evapora Rápidamente
Deja las Manos Suaves

WARNING / ADVERTENCIA
FLAMMABLE. KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL CAUTIONS ON SIDE PANEL
INFLAMABLE. NO SE DEJE AL ALCANCE DE LOS NIÑOS
VEA PRECAUCIONES ADICIONALES A LADO

NET CONTENTS: 1 GALLON

Datos Médicos	
Ingrediente Activo Alcohol etílico 60%	Propósito Antiséptico
Usos • Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo.	
Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente. No use • En los ojos.	
Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un médico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente.	
Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños.	
Direcciones Coloque 5 gramos del producto en la palma de una mano. • Diluir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos.	
Otra Información Almacene bajo 95°F. • Cierre el pico para evitar evaporación.	
Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero.	

Made in USA

NDC
82488-693-03

600004620

SANITEX 60

sanitex 60 liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82488-693
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 940 (UNII: 4Q93RCW27E)	
TROLAMINE (UNII: 903K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82488-693-03	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/08/2020	
2	NDC:82488-693-02	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/08/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	04/08/2020	

Labeler - Solutex, Inc. (836086058)

Establishment

Name	Address	ID/FEI	Business Operations
QuestSpecialty Corporation		103840377	manufacture(82488-693)

Revised: 1/2022

Solutex, Inc.