

SANITEX 60- sanitex 60 liquid
Solutex, Inc.

Hand Sanitizer PLD template II

Active Ingredient

Ethyl Alcohol 60%.....Antiseptic

purpose

Antiseptic

Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

Warnings

- Flammable. Keep away from fire or flame.
- For external use only.

do not use

- In the eyes

When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

Directions for Use

- Place a palmful (5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).

- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

SANITEX 60

Instant Hand Sanitizer

60% Alcohol Gel

*Kills 99.9% of Most Common Germs
Evaporates Quickly
Leaves Hands Soft*

*Mata El 99.9% de los Gérmenes Más Comunes
Se Evapora Rápidamente
Deja las Manos Suaves*

**WARNING / ADVERTENCIA
FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL CAUTIONS ON SIDE PANEL
INFLAMABLE
NO SE DEJE AL ALCANCE DE LOS NIÑOS
VEA PRECAUCIONES ADICIONALES A LADO**

NET CONTENTS: 8 FL. OZ.

Manufactured for:

SOLUTEX, INC.

Solutions for a Clean and Healthy Planet
22635 Davis Drive , Suite #110 • Sterling, VA 20164
To Reorder Call: 1-800-SOLUTEX
www.solutex.com

SOLUTEX, INC.®

NDC
82488-693-02

| Drug Facts | |
|--|------------------------------|
| Active ingredient Ethyl Alcohol 60% | Purpose Antiseptic |
| Uses • Handwash to help decrease bacteria on the skin. • Recommended for repeated use. | |
| Warnings • Flammable. Keep away from fire or flame. • For external use only. Do not use • In the eyes. | |
| When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately. | |
| Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children. | |
| Directions Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds. | |
| Other information Store below 95°F. • Close spout to avoid evaporation. | |
| Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer. | |

| Datos Médicos | |
|---|---------------------------------|
| Ingrediente Activo Alcohol etílico 60% | Propósito Antiséptico |
| Usos • Lave con las manos para disminuir la bacteria en la piel • Recomendado para uso repetitivo | |
| Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente. No use • En los ojos | |
| Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente. | |
| Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños. | |
| Direcciones Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos. | |
| Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación. | |
| Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero. | |

Made in USA

600004644

| Drug Facts | |
|--|------------------------------|
| Active ingredient Ethyl Alcohol 60% | Purpose Antiseptic |
| Uses • Handwash to help decrease bacteria on the skin. • Recommended for repeated use. | |
| Warnings • Flammable. Keep away from fire or flame. • For external use only. Do not use • In the eyes. | |
| When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately. | |
| Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children. | |
| Directions Place a 'palmful' (5 grams) of product in one hand. • Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes). • Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds). • Will air dry in 15 seconds. | |
| Other information Store below 95°F. • Close spout to avoid evaporation. | |
| Inactive ingredients Water, Triethanolamine, Fragrance, Acrylic Polymer. | |

Manufactured for:
SOLUTEX, INC.
Solutions for a Clean and Healthy Planet
22635 Davis Drive , Suite #110 • Sterling, VA 20164
To Reorder Call: 1-800-SOLUTEX
www.solutex.com

SOLUTEX, INC.®

SANITEX 60

Instant Hand Sanitizer

60% Alcohol Gel

*Kills 99.9% of Most Common Germs
Evaporates Quickly
Leaves Hands Soft*

*Mata El 99.9% de los Gérmenes Más Comunes
Se Evapora Rápidamente
Deja las Manos Suaves*

**WARNING / ADVERTENCIA
FLAMMABLE. KEEP OUT OF REACH OF CHILDREN
SEE ADDITIONAL CAUTIONS ON SIDE PANEL
INFLAMABLE. NO SE DEJE AL ALCANCE DE LOS NIÑOS
VEA PRECAUCIONES ADICIONALES A LADO**

NET CONTENTS: 1 GALLON

| Datos Médicos | |
|---|---------------------------------|
| Ingrediente Activo Alcohol etílico 60% | Propósito Antiséptico |
| Usos • Lave con las manos para disminuir la bacteria en la piel. • Recomendado para uso repetitivo. | |
| Advertencia • Inflamable. Mantenga alejado del fuego. • Para uso externo solamente. No use • En los ojos. | |
| Cuando usando este producto • No use cerca los ojos. Si contacto ocurre, lave los ojos con agua por 15 minutos. Consulte con un medico si persiste la irritación. • Si se ingiere, busque asistencia médica o consulte con el control venenos inmediatamente. | |
| Pare el uso y pregúntele a un doctor • Si la irritación se desarrolla. Si la condición persiste por más de 72 horas, consulta con un doctor. • Mantenga lejos de los niños. | |
| Direcciones Coloque 5 gramos del producto en la palma de una mano. • Difundir en ambas manos y frotar dentro de la piel hasta que se seque. • Coloque una cantidad mas pequeña (2.5 gramos) en una mano, difundir sobre las dos manos hasta la muñeca, y frote en la piel hasta que se seque (aproximadamente 30 segundos). • Se seca con el aire en 15 segundos. | |
| Otra Información Almacene bajo de 95°F. • Cierre el pico para evitar evaporación. | |
| Ingredientes inactivo Agua, Trietanolamina, Fragancia, Acrílico Polímero. | |

Made in USA

NDC
82488-693-03

600004620

SANITEX 60
sanitex 60 liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:82488-693 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) | ALCOHOL | 67 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|-----------------|
| CARBOMER 940 (UNII: 4Q93RCW27E) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:82488-693-03 | 3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/08/2020 | |
| 2 | NDC:82488-693-02 | 236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/08/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | 505G(a)(3) | 04/08/2020 | |

Labeler - Solutex, Inc. (836086058)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------------|----------------|---------------|----------------------------|
| QuestSpecialty Corporation | | 103840377 | manufacture(82488-693) |

Revised: 12/2024

Solutex, Inc.