

**OKCHEONWON- trichosanthes kirilowii root, pueraria lobata root, liriop  
muscari root, ophiopogon japonicus root, prunus mume fruit, astragalus  
mongholicus root, asian ginseng, licorice pill  
Chunwoo Pharmaceutical Co., Ltd.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug  
Administration for safety or efficacy. FDA is not aware of scientific evidence to support  
homeopathy as effective.*

-----

## **Okcheonwon**

### **Active ingredients**

Trichosanthes Kirilowii Root }

Pueraria Lobata Root }

Liriop  
Muscari Root }

Ophiopogon japonicus Root } ----- Diabetes

Prunus Mume Fruit }

Astragalus Mongholicus Root }

Asian Ginseng }

Licorice }

### **Purpose**

Diabetes

### **Directions**

For adults, take 1 case (15 pills) a day, before or between meals

### **Inactive ingredients**

Corn Starch, Animal originated ingredients: Lactose Hydrate/Cow Milk

### **Keep out of reach of children**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control  
Center (1-800-222-1222) right away.

### **Warnings**

Warnings

Do not use if you have

- galactose intolerance
- lapp lactase deficiency
- glucose-galactose malabsorption (this medicine contains lactose)

Ask a doctor before use if you are

- a hypertensive
- a heart or kidney patient
- an edema patient
- a patient who is being treated by a doctor or taking other medications.
- an elderly person (in general, elderly people should take with care, such as reducing their dosage, as their physiological function has deteriorated.)
- a child (the safety of children's use is not established. (Less experience in use))

Stop use and ask a doctor, pharmacist or health professionals and bring this if you have following symptoms after use:

- Pseudohyperaldosteronism: Reduced urine volume, swollen face, swollen hands and feet, heavy eyelids, firm hands, increased blood pressure, headache, and etc. (Mediciness with a maximum daily dose of 1g or more may develop hypoglycemia, blood pressure rise, low sodium body fluid, edema, weight gain, and etc. caused by psepdohyperaldosteronism if taken continuously for a long time. Therefore, make sufficient observations (measurement of serum potassium levels) and stop taking if there is any abnormality.)
- Myopathy: Myopathy (muscle disease) may occur as a result of hypokalemia, so take sufficient observation and stop taking if you find any abnormalities such as feeling helplessness, limb cramps, paralysis, and etc.
- Skin trouble: a rash, itch, bloodshot, and etc.
- Digestive system disorder: anorexia, stomach discomfort, nausea, vomiting, and etc.
- Liver disorder: jaundice, fatigue, and etc.
- Interstitial lung disease: difficult to breathe, fever, and etc. accompanied by a cough.
- Urinary system disorder: dysuria
- The autonomic system disorder: insomnia, excessive sweating, fast pulse, frequent urination, palpitations, feeling helplessness, excitement, and etc.
- If there is no improvement in symptoms after taking it for one month

Other Warnings

- do not take more than directed
- when taken with potassium-containing agents, licorice-containing agents, glycirizinic acid or other related agents, loop diuretics (furosemide, ethacrynic acid), or thiazide diuretics (trichlormethiazide) and myopathy, it is likely to appear due to gastric aldosterone (pseudohyperaldosteronism) or hypokalemia
- if taken with other herbal medicines, be careful of overlapping of the crude medicines.
- in principle, you should not to take it continuously for a long time, but if it is necessary, consult with a doctor, herb doctor, dentist, pharmacist, or other health care professionals.
- it is easy to experience symptoms such as insomnia, hyperhidrosis, rapid pulse, frequent urination, palpitations, general fatigue, and mental excitement when use with Ephedra Sinica Stem or ephedrine-containing agents, MAO inhibitors, thyroid agents (thyroxine, liothyronine), catecholamine (epinephrine, isoprenaline) and xanthine

agents (theophylline, diprophylline) so take it carefully, such as reducing the dose.

## Uses

Thirst from diabetes

## Okcheonwon



## OKCHEONWON

trichosanthes kirilowii root, pueraria lobata root, liriopie muscari root, ophiopogon japonicus root, prunus mume fruit, astragalus mongholicus root, asian ginseng, licorice pill

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72850-0008
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LICORICE</b> (UNII: 61ZBX54883) (LICORICE - UNII:61ZBX54883)	LICORICE	13.9 mg in 10 g
<b>TRICHOSANTHES KIRILOWII ROOT</b> (UNII: V409XGE0TS) (TRICHOSANTHES KIRILOWII ROOT - UNII:V409XGE0TS)	TRICHOSANTHES KIRILOWII ROOT	20.8 mg in 10 g
<b>PUERARIA MONTANA VAR. LOBATA ROOT</b> (UNII: PET93F4I3C) (PUERARIA MONTANA VAR. LOBATA ROOT - UNII:PET93F4I3C)	PUERARIA MONTANA VAR. LOBATA ROOT	20.8 mg in 10 g
<b>LIRIOPE MUSCARI ROOT</b> (UNII: 8PHD8TA00Q) (LIRIOPE MUSCARI ROOT - UNII:8PHD8TA00Q)	LIRIOPE MUSCARI ROOT	13.9 mg in 10 g
<b>PRUNUS MUME FRUIT</b> (UNII: 639190I8CU) (PRUNUS MUME FRUIT - UNII:639190I8CU)	PRUNUS MUME FRUIT	13.9 mg in 10 g
<b>ASTRAGALUS MONGHOLICUS ROOT</b> (UNII: 59DK50719X) (ASTRAGALUS MONGHOLICUS ROOT - UNII:59DK50719X)	ASTRAGALUS MONGHOLICUS ROOT	13.9 mg in 10 g

<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI) (ASIAN GINSENG - UNII:CUQ3A77YXI)	ASIAN GINSENG	13.9 mg in 10 g
<b>OPHIOPOGON JAPONICUS ROOT</b> (UNII: 90PS6JV9GZ) (OPHIOPOGON JAPONICUS ROOT - UNII:90PS6JV9GZ)	OPHIOPOGON JAPONICUS ROOT	13.9 mg in 10 g

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	

### Product Characteristics

<b>Color</b>	brown	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	5mm
<b>Flavor</b>		<b>Imprint Code</b>	None
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72850-0008-3	1 in 1 BOX	01/12/2022	
1	NDC:72850-0008-2	30 in 1 CASE		
1	NDC:72850-0008-1	15 g in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/12/2022	

**Labeler** - Chunwoo Pharmaceutical Co., Ltd. (688729065)

**Registrant** - Chunwoo Pharmaceutical Co., Ltd. (688729065)

### Establishment

Name	Address	ID/FEI	Business Operations
Chunwoo Pharmaceutical Co., Ltd.		688729065	manufacture(72850-0008)

Revised: 1/2022

Chunwoo Pharmaceutical Co., Ltd.