SECOND 20 Y-ZONE SERUM- propanediol liquid ACE PHARMACEUTICAL CO LTD

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

PROPANEDIOL

Water

Butylene Glycol

Dipropylene Glycol

1,2-Hexanediol

Hydroxyethylcellulose

Alcohol

Sodium Hyaluronate

Allantoin

Betaine

Streptococcus Thermophilus Ferment

Bifida Ferment Lysate

Lactobacillus Ferment Lysate

Hydrogenated Lecithin

Ceramide NP

Heptasodium Hexacarboxymethyl Dipeptide-12

Plantago Asiatica Extract

Angelica Archangelica Root Extract

Chamomilla Recutita (Matricaria) Extract

Sophora Angustifolia Root Extract

Artemisia Vulgaris Extract

Punica Granatum Fruit Extract

Leonurus Sibiricus Flower/Leaf/Stem Extract

Usnea Barbata (Lichen) Extract

Pulsatilla Koreana Extract

Zanthoxylum Piperitum Fruit Extract

Hydrogenated Polyisobutene

Anemarrhena Asphodeloides Root Extract

Panax Ginseng Callus Culture Extract

Sophora Japonica Callus Culture Extract

Oryza Sativa (Rice) Callus Culture Extract

Camellia Sinensis Callus Culture Extract

Menthol

Chlorphenesin

Citric Acid

Methylpropanediol

Caprylyl Glycol

Ethylhexylglycerin

Steareth-30

Chlorhexidine Digluconate

Disodium EDTA
Polyglyceryl-10 Laurate
Diethylhexyl Sodium Sulfosuccinate

- 1. Take off the plastic bag with a clean hands.
- 2. Apply it to your skin after remove a cap

KEEP OUT OF REACH OF THE CHILDREN

apply proper amount to the skin and gently massage

1. In case of having side effects such as red rash, swollenness and/or itching while using this cosmetic, or in case such symptoms appear by direct sunlight after using it, consult a dermatologist immediately. 2. Do not apply it on the part where you have a scar, eczema or dermatitis. 3. Precautions for treatment and storage (1) Keep it out of the reach of children (2) Avoid the place where the direct sunlight is. 4. (1) Observe the prescribed usage and dosage (2) Do not use for children under three years of age (3) Do not use during pregnancy, and do not use around the vulva just before childbirth.

for external use only



Product Information Product Type HUMAN OTC DRUG Item Code (Source) Route of Administration Product Type TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength PROPANEDIOL (UNII: 5965N8W85T) (PROPANEDIOL - UNII:5965N8W85T) PROPANEDIOL 2 g in 100 g

Inactive Ingredients					
Ingredient Name	Strength				
WATER (UNII: 059QF0KO0R)					
ALLANTOIN (UNII: 344S277G0Z)					

ı	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:74196- 0006-1	1.5 g in 1 APPLICATOR; Type 0: Not a Combination Product	01/13/2022		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved drug other		01/13/2022				
		01/13/2022				

Labeler - ACE PHARMACEUTICAL CO LTD (689058677)

Registrant - ACE PHARMACEUTICAL CO LTD (689058677)

Establishment							
Name	Address	ID/FEI	Business Operations				
ACE PHARMACEUTICAL CO LTD		689058677	manufacture(74196-0006)				

Revised: 1/2022 ACE PHARMACEUTICAL CO LTD