

**70% ISOPROPYL ALCOHOL- isopropyl alcohol liquid
IDO PHARM**

IDO PHARM - 70% Isopropyl Alcohol (Topical antiseptic & sanitizer)

Isopropyl Alcohol 70% v/v

Water

First aid to help prevent the risk of infection in minor cuts, scrapes or burns.

Keep out of reach of children

For the external use only

For external use only

- If taken internally, serious gastric disturbances will result
- flammable, keep away from heat or flame

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product

- do not use in or near eyes. In case of contact with eyes, rinse eyes thoroughly with water
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if irritation or rash appears

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center 1-800-222-1222 or dial 911 immediately

Clean affected area

Apply small amount of this product on the affected area 1-3 times daily

May be covered with a sterile bandage. If bandaged, let dry first

children under 6 years of age should be supervised when using this product

70% Isopropyl Alcohol

Topical antiseptic & sanitizer



Drug Facts

Active Ingredients

Isopropyl Alcohol 70% v/v First aid antiseptic

Purpose

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes or burns
- consumer antiseptic rub to help reduce pathogens that potentially can cause disease

Warnings

For external use only

- if taken internally, serious gastric disturbances will result
- **flammable, keep away from heat or flame.**

Ask a doctor before use if you have ■ deep or puncture wounds, animal bites or serious burns

When using this product ■ do not use in or near eyes. In case of contact with eyes, rinse eyes thoroughly with water

- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor

- if irritation or rash appears

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center (1-800-222-1222) or dial 911 immediately.

Directions

- clean affected area
- apply small amount of this product on the affected area 1-3 times daily
- may be covered with a sterile bandage. If bandaged, let dry first
- children under 6 years of age should be supervised when using this product

Other Information

- store between 15-30°C (59-86°F). Avoid freezing and excessive heat above 40°C (104°F)

Inactive Ingredients purified water

Questions or comments? Call 1-671-649-6978 Monday-Friday 8AM-5PM (CHST)

MADE IN KOREA
Manufactured by IDO Pharm
Distributed by
Pacific Grocers
196 Juan C Fejeran St.,
Barrigada, GU 96913



1 Liter (33.81 FL OZ)

70% ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:77039-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)		ISOPROPYL ALCOHOL	70 g in 100 mL	
Inactive Ingredients				
Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77039-010-01	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/12/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	01/12/2022		

Labeler - IDO PHARM (694853523)

Registrant - IDO PHARM (694853523)

Establishment

Name	Address	ID/FEI	Business Operations
IDO PHARM		694853523	manufacture(77039-010)

Revised: 1/2025

IDO PHARM