

**PREVENTAGE FIRMING DEFENSE CREME NORMAL/ OILY BROAD SPECTRUM  
SPF 15- avobenzone, octocrylene cream  
Merle Norman Cosmetics**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Preventage Firming Defense Creme Normal/ Oily Broad Spectrum SPF 15**

Active Ingredients (w/w): Purpose

Avobenzone 1.9% Sunscreen

Octocrylene 9.4% Sunscreen

**Uses**

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**When using this product**, keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**Directions**

- For sunscreen use:
- apply liberally and evenly 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inactive (non-medicinal) ingredients: Aqua/Water/Eau, Butylene Glycol, Cyclopentasiloxane, Cyclohexasiloxane, Hamamelis Virginiana (Witch Hazel) Bark/leaf/ twig Extract, Glyceryl Polymethacrylate, Dipalmitoyl hydroxyproline, octyldodecyl Neopentanoate, Phenyl Trimethicone, PPG-20 Methyl Glucose Ether, Hydrolyzed Malt Extract, Propylene Glycol, Myristyl Lactate, Sorbitan Stearate, Stearic Acid, Stearyl Alcohol, Alcohol, Triethanolamine, Phenoxyethanol, Biosaccharide Gum-1, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Bisabolol, Carbomer, Dimethicone, Hydrolyzed Elastin, PEG-100 Stearate, Glycerin, PEG-8, Sorbitol, Caprylyl Glycol, Myristyl Alcohol, Tocopheryl Acetate, Calluna Vulgaris Flower Extract, Collagen Amino Acids, PEG-7M, Polysorbate 60, Ethylhexylglycerin, Phospholipids, Silica, Cucumis Sativus

(Cucumber) Fruit Extract, Ginkgo Biloba Leaf Extract, Glycyrrhetic Acid, Ruscus Aculeatus Root Extract, Hexylene Glycol, Lectithin, Tetrasodium EDTA, Hydrolyzed Rice Protein, Disodium EDTA, Camellia Sinensis Leaf Extract, PVP, Echinacea Angustifolia Extract, Chlorphenesin, Hyaluronic Acid, Polyquaternium-24, Ilex Aquifolium (Holly) Leaf Extract, Sodium Oleanolate, Sodium Ursolate, Ascorbyl Palmitate, Euphrasia Officinalis Extract, Retinyl Palmitate, Palmitoyl Hexapeptide-12.

Precentage Firming Defense Creme


Normal / Oily


Broad Spectrum SPF 15

Merle Norman

Established in Los Angeles Since 1931

56 g Net Wt. 2 OZ





**Dermatologist tested.**  
**Directions:** Apply liberally 15 minutes before sun exposure.  
 Children under 6 months: Ask a doctor.  
**Active Ingredients (w/w):** Avobenzone 1.9%, Octocrylene 9.4%.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

MANUFACTURED BY: MERLE NORMAN COSMETICS  
 LOS ANGELES, CA 90046 MADE IN USA

PREVENTAGE  
 FIRMING DEFENSE CREME  
 NORMAL/OILY BROAD SPECTRUM SPF 15

MERLE NORMAN

56 g e NET WT. 2 OZ.

# PREVENTAGE FIRMING DEFENSE CREME NORMAL/ OILY BROAD SPECTRUM SPF 15

avobenzone, octocrylene cream

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:57627-186 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 1.9 g in 100 g |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 9.4 g in 100 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)        |          |
| <b>SORBITOL</b> (UNII: 506T60A25R)                       |          |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)                |          |
| <b>MYRISTYL ALCOHOL</b> (UNII: V42034O9PU)               |          |
| <b>CALLUNA VULGARIS FLOWERING TOP</b> (UNII: D9PC510CQV) |          |
| <b>POLYETHYLENE OXIDE 300000</b> (UNII: 4QIB4U4CQR)      |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)               |          |
| <b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)              |          |
| <b>ILEX AQUIFOLIUM LEAF</b> (UNII: 9Z32IEA9F7)           |          |
| <b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)             |          |
| <b>EUPHRASIA STRICTA</b> (UNII: C9642I91WL)              |          |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)            |          |
| <b>TROLAMINE</b> (UNII: 9O3K93S3TK)                      |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)     |          |
| <b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)                 |          |
| <b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)                |          |

|   |
|---|
| <b>ALCOHOL</b> (UNII: 3K9958V90M)                                   |
| <b>LEVOMENOL</b> (UNII: 24WE03BX2T)                                 |
| <b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)                |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)                          |
| <b>OMEGA-3 FATTY ACIDS</b> (UNII: 71M78END5S)                       |
| <b>SODIUM URSOLATE</b> (UNII: NV5D25VL1O)                           |
| <b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)                          |
| <b>HAMAMELIS VIRGINIANA TOP</b> (UNII: UDA30A2JJY)                  |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)                          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                           |
| <b>PPG-20 METHYL GLUCOSE ETHER</b> (UNII: 3W1T97D3K)                |
| <b>MYRISTYL LACTATE</b> (UNII: 1D822OC34X)                          |
| <b>BIOSACCHARIDE GUM-1</b> (UNII: BB4PU4V09H)                       |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                               |
| <b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)                       |
| <b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)                     |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                                  |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                              |
| <b>HYDROLYZED BOVINE ELASTIN (BASE; 1000 MW)</b> (UNII: ZR28QKN0WT) |
| <b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)    |
| <b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)                           |
| <b>WATER</b> (UNII: 059QF0KO0R)                                     |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                           |
| <b>GINKGO</b> (UNII: 19FUJ2C58T)                                    |
| <b>ENOXOLONE</b> (UNII: P540XA09DR)                                 |
| <b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)                            |
| <b>RUSCUS ACULEATUS ROOT</b> (UNII: ZWL2V95I1Q)                     |
| <b>POVIDONE</b> (UNII: FZ989GH94E)                                  |
| <b>ECHINACEA ANGUSTIFOLIA WHOLE</b> (UNII: VB06AV5US8)              |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)                             |
| <b>HYALURONIC ACID</b> (UNII: S270N0TRQY)                           |
| <b>EDETATE SODIUM</b> (UNII: MP1J8420LU)                            |
| <b>CUCUMBER</b> (UNII: YY7C30VXJT)                                  |
| <b>PALMITOYL HEXAPEPTIDE-12</b> (UNII: HO4ZT5S86C)                  |
| <b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)                          |
| <b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)                |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)                        |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                            |

## Packaging

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:57627-186-01 | 56 g in 1 CARTON; Type 0: Not a Combination Product | 01/17/2022           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|                    |  |                      |                    |

|                     |         |            |  |
|---------------------|---------|------------|--|
| OTC monograph final | part352 | 01/17/2022 |  |
|---------------------|---------|------------|--|

**Labeler** - Merle Norman Cosmetics (008479388)

**Registrant** - Merle Norman Cosmetics (008479388)

Revised: 1/2022

Merle Norman Cosmetics