# FIBER- psyllium husk capsule WinCo Foods, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Fiber Capsules

# Active ingredient (in each capsule)

Psyllium husk approx. 0.52 g

# Purpose

Bulk-forming laxative

#### Uses

#### relieves:

- occasional constipation
- helps restore regularity
- this product generally produces bowel movement in 12-72 hours

### **Warnings**

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Allergy alert:** this product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium

# Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- difficulty in swallowing
- a sudden change in bowel habits that persists over a period of 2 weeks

Stop use and ask a doctor if

- you fail to have a bowel movement after use or have rectal bleeding. These could be signs of a serious condition.
- symptoms persist more than 1 week

**Keep out of reach of children**. In case of overdose, get medical help or contact a Poison Control Center immediately

#### Directions

- take this product (child or adult dose) with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- swallow one capsule at a time
- daily maximum 3 doses
- dosage will vary according to diet, exercise, previous laxative use or severity of constipation.

adults and children 12 years and older	5 capsules, 1 to 3 times a day
children 6 to 11 years	consider use of powder form of product
children under 6 years	ask a doctor

Laxatives, including bulk fibers, may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine. As your body adjusts to increased fiber intake, you may experience changes in bowel habits or minor bloating.

#### Other information

- store at room temperature
- protect contents from moisture.

# **Inactive ingredients**

caramel color, gelatin, iron oxide, polysorbate 80, shellac

## **Fiber Supplement information**


**Uses:** An easy way to increase your daily fiber intake. Diets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product provides 2.4 grams of this soluble fiber. consult a doctor if you are considering use of this product as part of a cholesterol lowering program.

Warnings: Read entire label, including warnings in Drug Facts under peel-back

**Directions:** Adults 12 years and older: **2-6** capsules for increasing daily fiber intake; 6 capsules for cholesterol lowering use. Take this product 8oz. of liquid (swallow 1 capsule at a time) up to 3 times daily. NOTICE: Take this product atleast 8 oz . (a full glass) of liquid. Taking this product without enough liquid may cause choking. Do not take if you have difficulty swallowing. See choking warning.

#### **PDP**

\*Compare to the active ingredient in METAMUCIL® Capsules
Fiber Capsules
Dietary Fiber Supplement
Relieves Occasional Constipation
160 capsules



#### Fiber Supplement Information

Uses An easy way to increase your daily fiber intake. Diets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product provides 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as part of a cholesterol-lowering program.

#### Warnings

Read entire label, including warnings in Drug Facts Under Peel-back.

Directions Adults 12 yrs. & older: 2-6 capsules for increasing daily fiber intake; 6 capsules for cholesterol lowering use. Take this product with 8oz, of liquid (swallow 1 capsule at a time) up to 3 times daily. NOTICE: Take this product with at least 8 oz. (a full glass) of liquid. Taking this product without enough liquid may cause choking. Do not take if you have difficulty swallowing. See choking warning.

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 8370 4

'This product is not manufactured or distributed by PROCTER & GAMBLE INC.,
distributor of METAMUCIL® Capsules.

# 100% SATISFACTION GUARANTEE Comments & Questions?

Comments & Questions? 800-824-1706 · www.wincofoods.com

keep out of the reach of children. In case of overdose, get medical help or you fail to have a bowel movement after use or have rectal bleeding. These ould be signs of a serious condition. ■ symptoms persist more than 1 week

### Supplement Facts

Serving Size 6 Capsules Servings Per Container About 26

% DV†
5.51
1%
11%
#
2%
<1%

ont Daily Values (DV) are based on a 2,000 calorie diet. ‡ Daily Value not established INGREDIENTS: PSYLLIUM HUSK,

GELATIN, POLYSORBATE 80. CARAMEL COLOR, SHELLAC, IRON OXIDE.

MFR# 53041 REV0914 WF1410



NOTE NEW UNVARNISHED AREA OF 1 1/4"W x 1/2"



Ither information ■ store at room temperature ■ protect contents from moisture

nactive ingredients caramel color, gelatin, iron cicle, polysortate 80, shellar

Diffection(s) ■ take this product (shild or solut dose) with a full glass of water (so.) or other fuld. Taking this product without enough liquid may cause choking. See choking warning. ■ swallow one caguste at a time a featly maximum 3 doses to eage will vary according to diet, exercise, previous laxative use or severity of constitution. adults and children 12 years & older taking a prescription medicine by mouth, take this product at least 2 hours atives, including bulk fibers, may affect how well other medicines work. If you children 6 to 11 years consider use of powder form of product 5 capsules, 1 to 3 times a day

Choking: Taking this product without adequate fluid may cause it to swell and blook your fit roat or esophagus and may cause chiking. Do not lake this productif you have difficulty in swallowing. If you experience chest plan, yourling, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention. sk a doctor before use if you have liergy alert: this product may cause an allergic reaction in people sensitive to abdominal pain, nausea or vomiting difficulty in swallowing a sudden change in bowel habits that persists over a period of 2 weeks

Warnings
Choking: Taking this product without your throat or esophagus and may c Uses relieves: ■ occasional constipation
■ this product generally produces bowel my ■ helps restore regularity wement in 12 - 72 hours

Purpose

Active ingredient (in Psyllumhusk approx. 0.52 g.

each capsule)

Facts

#### **FIBER**

psyllium husk capsule

## **Product Information**

HUMAN OTC DRUG NDC:67091-222 Product Type Item Code (Source)

ORAL Route of Administration

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G)	PSYLLIUM HUSK	0.52 g

Inactive Ingredients		
Ingredient Name	Strength	
CARAMEL (UNII: T9D99G2B1R)		
GELATIN (UNII: 2G86QN327L)		

POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SHELLAC (UNII: 46 N10 7B710)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	

Product Characteristics				
Color	bro wn	Score	no score	
Shape	capsule	Size	20 mm	
Flavor		Imprint Code	G650	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:67091-222-16	160 in 1 BOTTLE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/12/2014	

# Labeler - WinCo Foods, LLC (056098817)

Revised: 11/2014 WinCo Foods, LLC