FLANAX PAIN RELIEVER- naproxen sodium tablet Belmora LLC ----Flanax ® Pain Reliever Drug Facts Active Ingredient (in each tablet) Naproxen Sodium USP 220 mg Naproxen 200 mg (NSAID) 1

1

Purpose

Pain reliever/fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - menstrual cramps
 - headache
 - toothache
 - the common cold
- Temporarily reduces fever

Warnings

Allergy alert

Naproxen sodium may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug

- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Heart attack and stroke warning:

NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

Ask a doctor before use if

- the stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease, asthma or had a stroke
- you are taking a diuretic
- you have problems or serious side effects from taking pain reliever or fever reducers

Ask a doctor or pharmacist before use if you are

- under a doctor's care for any serious condition
- taking any other drug

When using this product

• take with food or milk if stomach upset occurs

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- you have symptoms of heart problems or stroke:
- chest pain
- trouble breathing
- weakness in one part or side of body
- slurred speech
- leg swelling
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- you have difficulty swallowing
- it feels like the pill is stuck in your throat
- redness or swelling is present in the painful area
- any new symptoms appear

If pregnant or breast-feeding ask a health professional before use. It is especially important not to use naproxen sodium during the last 3 months of pregnancy unless definitely directed to do so by a doctor

because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

- do not take more than directed
- the smallest effective dose should be used
- drink a full glass of water with each dose

Adults and children 12 years and older	 take 1 tablet every 8 to 12 hours while symptoms last for the first dose you may take 2 tablets within the first hour do not exceed 2 tablets in any 8 to 12 hour period do not exceed 3 tablets in 24-hour period
Children under 12 years	■ ask a doctor

Other Information

- each tablet contains: sodium 20 mg
- store at 20-25°C (68-77°F).
- Avoid high humidity and excessive heat above 40°C (104°F)
- tamper evident sealed packets
- do not use any open or torn packets

Inactive ingredients

croscarmellose sodium, FD&C Blue #2, macrogol, magnesium stearate, polyvinyl alcohol, povidone, pregelatinized starch, talc, titanium dioxide

Questions or comments?

Call 1-888-779-2877 M-F, 9AM-5PM EST Belmora LLC, 2011 Crystal Dr. Suite 400, Arlington, VA 22202

Belmora LLC FLANAX® Label

Belmora LLC Flanax®

Pain Reliever/Fever Reducer

NDC27854-103-07

Longer Lasting Pain Relief

For temporary Relief of Minor Aches & Pains


- Headache
- Backache
- Arthritis
- Fever

- Menstrual Cramps
- Toothache
- Common Cold

20 Dual Packets

1 tablet Per Packet/ 40 Tablets

220 mg Tablets Naproxen Sodium USP (NSAID)



FLANAX PAIN RELIEVER

naproxen sodium tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:27854-103
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
NAPRO XEN SO DIUM (UNII: 9TN87S3A3C) (NAPRO XEN - UNII:57Y76R9ATQ)	NAPROXEN SODIUM	220 mg	

Inactive Ingredients				
Ingredient Name	Strength			
STARCH, CORN (UNII: O8232NY3SJ)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)				
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)				
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)				
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)				

Product Characteristics			
Color	blue	Score	2 pieces
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	I3
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:27854-103-01	24 in 1 BOTTLE; Type 0: Not a Combination Product	12/16/2008	10/22/2019	
2	NDC:27854-103-04	10 in 1 BOTTLE; Type 0: Not a Combination Product	12/16/2008	10/22/2019	
3	NDC:27854-103-06	1 in 1 POUCH; Type 0: Not a Combination Product	12/16/2008		
4	NDC:27854-103-07	40 in 1 BOX	11/0 4/20 19		
4		1 in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA079096	12/16/2008	

Labeler - Belmora LLC (112753244)

Registrant - Unifirst First Aid Corporation (832947092)

Establishment				
Name	Address	ID/FEI	Business Operations	
Prestige Packaging		170837962	relabel(27854-103), repack(27854-103)	

Revised: 4/2020 Belmora LLC