

CHLORASEPTIC SORE THROAT CITRUS- phenol spray
CHLORASEPTIC SORE THROAT CHERRY- phenol spray
CHLORASEPTIC SORE THROAT MENTHOL- phenol spray
Prestige Brands Holdings, Inc.

Chloraseptic Spray

Drug Facts

Active ingredient

Phenol 1.4%

Purpose

Oral pain reliever

Uses

for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 3 years of age unless directed by a doctor.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 3 years of age and older:

- Apply to the affected area (one spray).
- Allow to remain in place for at least 15 seconds, then spit out.
- Use every 2 hours or as directed by a doctor or dentist. **Children under 12 years of age** should be supervised in the use of this product. **Children under 3 years of age:** consult a doctor or dentist.

Other information

- store between 20-25°C (68-77 °F). Do not refrigerate.
- Check expiration date before using.

Inactive ingredients

Citric acid, FD&C Red #40, FD&C Yellow #6, flavor, glycerin, purified water, sodium saccharin, sodium citrate

Questions?

1-800-552-7932 Chloraseptic.com

Drug Facts

Active ingredient

Phenol 1.4%

Purpose

Oral pain reliever

Uses

for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 3 years of age unless directed by a doctor.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

fever, headache, swelling, rash, nausea or vomiting develops

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions**Adults and children 3 years of age and older:**

- Apply to the affected area (one spray).
- Allow to remain in place for at least 15 seconds, then **spit out**.
- Use every 2 hours or as directed by a doctor or dentist. **Children under 12 years of age** should be supervised in the use of this product. **Children under 3 years of age:** consult a doctor or dentist.

Other information

- store between 20-25°C (68-77 °F). Do not refrigerate.
- check expiration date before using.

Inactive ingredients

FD&C red no. 40, flavors, glycerin, purified water, sodium chloride, sodium citrate, sodium saccharin, sucralose

Questions?

1-800-552-7932 Chloraseptic.com

Drug Facts**Active ingredient**

Phenol 1.4%

Purpose

Oral pain reliever

Uses

for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 3 years of age unless directed by a doctor.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 3 years of age and older:

- Apply to the affected area (one spray).
- Allow to remain in place for at least 15 seconds, then spit out.
- Use every 2 hours or as directed by a doctor or dentist. **Children under 12 years of age** should be supervised in the use of this product. **Children under 3 years of age:** consult a doctor or dentist.

Other information

- store between 20-25°C (68-77 °F). Do not refrigerate.
- check expiration date before using

Inactive ingredients

D&C green no. 5, D&C yellow no. 10, FD&C green no. 3, flavor, glycerin, purified water, sodium saccharin, sucralose

Questions?

1-800-552-7932 Chloraseptic.com

PRINCIPAL DISPLAY PANEL

Chloraseptic®
Phenol/Oral Anesthetic

CITRUS
6 FL OZ (177 mL)

Phenol 1.4% / Oral Pain Reliever

Chloraseptic

SORE THROAT

FAST ACTING

Numbs throat in seconds

SAFE FOR THE FAMILY AGES 3+

CITRUS 6 FL OZ (177 mL) SPRAY

Drug Facts

Active ingredient	Purpose
Phenol 1.4%	Oral pain reliever

Uses for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 3 years of age unless directed by a doctor.

When using this product do not exceed recommended dosage. Stop use and ask a doctor or dentist if: ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children: If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 3 years of age and older:

- Apply to the affected area (one spray)
- Allow to remain in place for at least 15 seconds, then spit out
- Use every 2 hours or as directed by a doctor or dentist
- Children under 12 years of age should be supervised in the use of this product
- Children under 3 years of age: consult a doctor or dentist.

Other information ■ store at room temperature ■ check expiration date before using

Inactive ingredients citric acid, FD&C red no. 40, FD&C yellow no. 6, flavors, glycerin, purified water, sodium saccharin, sodium citrate

Questions? 1-800-552-7932 Chloraseptic.com

LINE US ON

PRINCIPAL DISPLAY PANEL

Chloraseptic® Phenol/Oral Anesthetic

CHERRY Flavor
6 FL OZ (177 mL)

Phenol 1.4% / Oral Pain Reliever

Tamper-Evident:
Do not use if seal around pump is broken or torn.
STORE UPRIGHT



Dist. by Medtech Products Inc. Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2025 Trade dress is owned by Medtech Products Inc. All rights reserved.
CHUS004A07
SE000900
PLD-CB74A
Made in USA with domestic and imported ingredients.
For Lot and Expiration Date, see bottom of bottle.

LIKE US ON 



Chloraseptic

SORE THROAT

FAST ACTING

Numbs throat in seconds

NEW BURST of CHERRY Flavor

SAFE FOR THE FAMILY AGES 3+

CHERRY 6 FL OZ (177 mL) SPRAY

Drug Facts

Active ingredient	Purpose
Phenol 1.4%	Oral pain reliever

Uses for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings
Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 3 years of age unless directed by a doctor.
When using this product do not exceed recommended dosage.
Stop use and ask a doctor or dentist if ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ fever, headache, swelling, rash, nausea or vomiting develops
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Adults and children 3 years of age and older:
■ Apply to the affected area (one spray) ■ Allow to remain in place for at least 15 seconds, then spit out ■ Use every 2 hours or as directed by a doctor or dentist. ■ Children under 12 years of age should be supervised in the use of this product. ■ Children under 3 years of age: consult a doctor or dentist.

Other information ■ store between 20°-25°C (68°-77°F). Do not refrigerate. ■ Check expiration date before using.

Inactive ingredients FD&C red #40, flavors, glycerin, purified water, sodium chloride, sodium citrate, sodium saccharin, sucralose

Questions? 1-800-552-7932 Chloraseptic.com

PRINCIPAL DISPLAY PANEL

Chloraseptic® Phenol/Oral Anesthetic

MENTHOL Flavor| 6 FL OZ (177 mL)

Phenol 1.4% / Oral Pain Reliever

Tamper-Evident:
Do not use if seal around pump is broken or torn.
STORE UPRIGHT



Dist. by Medtech Products Inc. Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2025 Trade dress is owned by Medtech Products Inc. All rights reserved.
CHUS005A06
SE000903
PLD-CB78A
Made in USA with domestic and imported ingredients.
For Lot and Expiration Date, see bottom of bottle.

LIKE US ON 



Chloraseptic

SORE THROAT

FAST ACTING

Numbs throat in seconds

SAFE FOR THE FAMILY AGES 3+

MENTHOL 6 FL OZ (177 mL) SPRAY

Drug Facts

Active ingredient	Purpose
Phenol 1.4%	Oral pain reliever

Uses for the temporary relief of occasional minor irritation, pain, sore mouth and sore throat.

Warnings
Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or give to children under 3 years of age unless directed by a doctor.
When using this product do not exceed recommended dosage.
Stop use and ask a doctor or dentist if ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Adults and children 3 years of age and older:
■ Apply to the affected area (one spray) ■ Allow to remain in place for at least 15 seconds, then spit out ■ Use every 2 hours or as directed by a doctor or dentist. ■ Children under 12 years of age should be supervised in the use of this product. ■ Children under 3 years of age: consult a doctor or dentist.

Other information ■ store between 20°-25°C (68°-77°F). Do not refrigerate. ■ Check expiration date before using.

Inactive ingredients D&C green no. 5, D&C yellow no. 10, FD&C green no. 3, flavors, glycerin, purified water, sodium saccharin anhydrous, sucralose

Questions? 1-800-552-7932 Chloraseptic.com

CHLORASEPTIC SORE THROAT CITRUS

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	orange	Score	
Shape		Size	
Flavor	CITRUS	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-112-31	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/01/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	09/01/2010	

CHLORASEPTIC SORE THROAT CHERRY

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-111
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C00X)	
WATER (UNII: 059QF0K00R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-111-31	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/01/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	09/01/2010	

CHLORASEPTIC SORE THROAT MENTHOL

phenol spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-113
---------------------	----------------	---------------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
D&C GREEN NO. 5 (UNII: 8J6RDU8L9X)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	green	Score	
Shape		Size	
Flavor	MENTHOL	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-113-31	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/01/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	09/01/2010	

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 9/2025

Prestige Brands Holdings, Inc.