

MURAD CORRECT AND PROTECT SERUM- zinc oxide emulsion
Beauty Manufacturing Solutions Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Murad Correct and Protect SPF45

Zinc Oxide 17.0%

Purpose: Sunscreen

Sunscreen

- Helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

on damaged or broken skin

keep out of eyes. Rinse with water to remove.

if rash occurs

If product is swallowed, get medical help or contact a Poison Control Center right away.

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.



Isododecane, Water (Aqua), Dimethicone,
Propanediol, Caprylic/Capric Triglyceride,
Polyglyceryl-6 Polyricinoleate,
Polymethylsilsesquioxane/
Trimethylsiloxysilicate, C12-15 Alkyl
Benzoate, Coco-Caprylate/Caprates, Ethylhexyl Palmitate, Polymethylsilsesquioxane,
Glycerin, Tapioca Starch, Polyglyceryl-10
Dioleate, Polyhydroxystearic Acid,
Fructooligosaccharides, Simmondsia
Chinensis (Jojoba) Seed Oil, Lecithin,
Butyrospermum Parkii (Shea) Butter, Beta
Vulgaris (Beet) Root Extract, Hedychium

Coronarium Root Extract, Solanum
Lycopersicum (Tomato) Fruit Extract,
Niacinamide, Squalane, Urea, Yeast
Amino Acids, Trehalose, Taurine, Inositol,
Betaine, Tocopheryl Acetate, Ascorbic
Acid, Retinyl Palmitate, Potassium
Lactate, Ethylhexylglycerin, Lactic Acid,
Leuconostoc/Radish Root Ferment Filtrate,
Polysilicone-11, Distearidimonium Hectorite,
Caprylyl/Capryl Glucoside, Decyl Glucoside,
Propylene Carbonate, Caprylyl Glycol,
Hexylene Glycol, Triethoxycaprylylsilane,
Chlorphenesin, Phenoxyethanol, Iron
Oxides (CI 77492)

- protect this product from excessive heat and direct sun

1.800.33.MURAD or Murad.com

VERSION N°	DESIGNER			INKS/VARNISH
2	Arlene Asuncion			■ PMS 2013 C ■ PMS Black 7 C ■ YELLOW = WHITE
	WF #	PART N°	VERSION DATE	
	127000	630194	07.02.21	
FILE NAME				
127000-630194_ES-Correct_And_Protect_Serum_SPF45_1oz_Bottle_LABEL_US				
DIMENSIONS				
#				
FORMULA N°				
1147-18A				
				SCALED: 100%
				Murad.



Dieline


 Bleed

 Safe Zone

DATE: 4-12-21

SIZE: 65mm x 91.5mm

CORDNER RADIUS:: .0156"





VERSION N°	DESIGNER	INKS/VARNISH	
2	Ariene Asuncion	■ PMS Black 70	■ PMS 2013 C
WF #	PART N°	■ Gold AQ (all over)	■ Silver Foil Hotstamp
162068	606345	■ Silver	■ Silver
VERSION DATE			
10.07.21			
FILE NAME	162068_606345_ES_Correct&Protect_Serum_SPF_45_1.0oz_LIC_US.ai		
DIMENSIONS	#		
FORMULA N°	1147-18A		

Murad.

Feels and corrects like a serum, protects with SPF! This clinically proven, 100% mineral sunscreen serum melts invisibly into skin to help protect against photo-damage. UV-responsive technology helps brighten and visibly correct skin tone. Beech root extract imparts fast-acting and long-lasting hydration.

TO USE: SHAKE WELL. AM. Apply liberally to face, neck and chest.

Drug Facts (continued)

Ethylhexyl Palmitate, Polymethylsiloxane, Glycerin, Tapaca Starch, Polyglyceryl-10 Diborate, Polyhydroxybutyrate, Fructooligosaccharides, Simmondsia Chinensis (Jojoba) Seed Oil, Lecithin, Butyrospermum Parkii (Shea) Butter, Beta Vulgaris (Beet) Root Extract, Hedysarum Coronarium Root Extract, Solanum Lycopersicum (Tomato) Fruit Extract, Nicotiana Glauca (Blue) Seed, Vitamin A, Retinol, Vitamin B5, Panthenol, Vitamin E, Tocopherol, Vitamin K, Ascorbic Acid, Retinyl Palmitate, Potassium Lactate, Ethylhexylglycerol, Lactic Acid, Leucosanthus/Pulsatilla Root Ferment Filtrate, Polyglutamic-11, Disteardimonium Hectorite, Caprylyl/Capryl Glucoside, Dicapryl Glucoside, Propylene Carbonate, Caprylyl Glycol, Hexylene Glycol, Triethoxypropylsilane, Chlorophyll, Phenylethylalcohol, Iron Oxides (CI 77492).

Other information • protect this product from excessive heat and direct sun

Questions or comments? 1.800.33.MURAD or Murad.com

STEP 3 | Moisturize | Protect

Murad.

ENVIRONMENTAL SHIELD™

Correct & Protect Serum Broad Spectrum SPF 45 | PA++++

mineral sunscreen water resistant (40 mins)

e 30 mL NET VOL 1 FL OZ



Made in USA | © MURAD
USA, Los Angeles, CA 90245
UK, London SE1 0LH
DE, Wiesbaden, PL 01-402682 Düsseldorf
AU, 151 Chumley St, Crown Point, NSW 2068



Drug Facts

Active ingredient
Zinc Oxide 17.0%
Purpose
Sunscreen

Use • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor • if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.


Directions • apply liberally 15 minutes before sun exposure • reapply • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m.; • wear long-sleeved shirts, pants, hats, and sunglasses.


Inactive ingredients
Isododecane, Water (Aqua), Dimethicone, Propylene Glycol, Caprylyl Glycol, Polyethylene, Polyglyceryl-3 Polyacrylate, Polymethylsiloxane, Triethylsiloxane, C12-15 Alkyl Benzoate, Coco-Caprylate/Caprate.



VERSION N°	2	DESIGNER	Andrea Antonson	INSTRUMENT	PKG 2013 C
FILE #	102417	PART N°	600346	VERSION DATE	09.27.21
FILE NAME	10417_600346_ES_Correct_and_Protect_Serum_SPF45_01_Kit_Diagram_V2				
DRAWING NO.	#				
FORMULA N°	1147-10A				

Murad.





VERSION N°	DESIGNER	INKS/VARNISH
2	Arlene Asuncion	<ul style="list-style-type: none"> ■ PMS Black 7C ■ PMS 2013 C ■ YELLOW = WHITE
WF #	PART N°	VERSION DATE
123043	101468	07.02.21
FILE NAME		
123043-101468_Correct_and_Protect_Serum_SPF_45_0.1oz_DLX_BTL_US		
DIMENSIONS		
#		
FORMULA N°		
1147-18A		

Murad.

MURAD CORRECT AND PROTECT SERUM

zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-264
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
GLYCERIN (UNII: PDC6A3C0OX)	
FRUCTOSYLNSTOSE (UNII: 0V2S93VI5J)	
JOJOBA OIL (UNII: 724GKU717M)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CAPRYLYL/CAPRYL OLIGOGLUCOSIDE (UNII: E00JL9G9K0)	
TOMATO (UNII: Z4KHF2C175)	
HEDYCHIUM CORONARIUM ROOT (UNII: 92A6N0IQN9)	
SQUALANE (UNII: GW89575KF9)	
NYSTOSE (UNII: U0MS6Z5RBK)	
BEET (UNII: N487KM8COK)	
STARCH, TAPIOCA (UNII: 24SC3U704I)	
SHEA BUTTER (UNII: K49155WL9Y)	
ISODODECANE (UNII: A8289P68Y2)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
BETAINE (UNII: 3SCV180C9W)	
NIACINAMIDE (UNII: 25X51I8RD4)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
POLYGLYCERYL-6 RICINOLEATE (UNII: 8X57R183N7)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TREHALOSE (UNII: B8WCK70T7I)	
TAURINE (UNII: 1EQV5MLY3D)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLYGLYCERYL-10 DIOLEATE (UNII: 598RES7AXX)	
1-KESTOSE (UNII: 02LN7O412C)	
PROPANEDIOL (UNII: 5965N8W85T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
UREA (UNII: 8W8T17847W)	
AMINO ACIDS, WHEAT (UNII: 0370GZL32F)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	

INOSITOL (UNII: 4L6452S749)

DECYL GLUCOSIDE (UNII: Z17H97EA6Y)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-264-02	1 in 1 BOX	02/01/2022	
1		30 g in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:11090-264-01	1 in 1 BOX	02/01/2022	
2		3 g in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/01/2022	

Labeler - Beauty Manufacturing Solutions Corp. (783200723)

Registrant - Beauty Manufacturing Solutions Corp. (783200723)

Establishment

Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp.		783200723	manufacture(11090-264)

Revised: 2/2022

Beauty Manufacturing Solutions Corp.