

CENTRUM SPECIALIST PRENATAL- dietary supplement
Wyeth Pharmaceutical Division of Wyeth Holdings LLC

Centrum®
SPECIALIST™
PRENATAL

SUGGESTED USE

Adults

Take one tablet and one DHA softgel daily with food. Not formulated for use in children. Do not exceed suggested use.

| Supplement Facts | |
|--|---|
| Serving Size 1 Tablet and 1 DHA Softgel | |
| Each Serving Contains | % Daily Value for Pregnant and Lactating Women |
| Calories 5 | |
| Calories from fat 5 | |
| Total Fat 0.5 g | * |
| Vitamin A 2,500 IU (60% as Beta-Carotene) | 31% |
| Vitamin C 90 mg | 150% |
| Vitamin D 400 IU | 100% |
| Vitamin E 35 IU | 116% |
| Vitamin K 30 mcg | * |
| Thiamin 1.4 mg | 82% |
| Riboflavin 1.4 mg | 70% |
| Niacin 18 mg | 90% |
| Vitamin B ₆ 1.9 mg | 76% |
| Folic Acid 800 mcg | 100% |
| Vitamin B ₁₂ 2.6 mcg | 32% |
| Biotin 30 mcg | 10% |
| Pantothenic Acid 6 mg | 60% |
| Calcium 250 mg | 19% |
| Iron 27 mg | 150% |
| Phosphorus 20 mg | 2% |
| Iodine 220 mcg | 147% |
| Magnesium 50 mg | 11% |
| Zinc 11 mg | 73% |
| Selenium 30 mcg | * |
| Copper 0.9 mg | 45% |
| Manganese 2 mg | * |
| Chromium 30 mcg | * |
| Molybdenum 50 mcg | * |
| Chloride 72 mg | * |
| Potassium 80 mg | * |

| | |
|-----------------------------------|---|
| DHA (Docosahexaenoic acid) 200 mg | * |
| EPA (Eicosapentaenoic acid) 15 mg | * |

* Daily Value not established.

Store at room temperature.

Avoid excessive heat above 40°C (104°F.)

Product inside sealed in plastic blister with foil backing.

Do Not Use if plastic blister or foil barrier is broken.

Marketed by: Pfizer, Madison, NJ 07940 USA

Made in Canada © 2011 Pfizer Inc.

For most recent product information, visit www.centrum.com

Questions? Comments?

Call 1-877-CENTRUM

Ingredients (Softgel)

Fish Oil Concentrate, Gelatin, Glycerin, Purified Water. **Contains < 2% of:** Medium-Chain Triglycerides, Sunflower Oil, Tocopherols (to retard oxidation).

Ingredients (Tablet)

Calcium Carbonate, Potassium Chloride, Dibasic Calcium Phosphate, Ascorbic Acid (Vit. C), Ferrous Fumarate, Magnesium Oxide, Microcrystalline Cellulose, Pregelatinized Corn Starch, dl-Alpha-Tocopheryl Acetate (Vit. E). **Contains < 2% of:** Acacia, Beta-Carotene, BHT (to retard oxidation), Biotin, Calcium Pantothenate, Calcium Stearate, Carmine (Color), Cholecalciferol (Vit. D₃), Chromic Chloride, Citric Acid, Corn Starch, Corn Syrup Solids, Crospovidone, Cupric Sulfate, Cyanocobalamin (Vit. B₁₂), Folic Acid, Gelatin, Hypromellose, Lecithin (Soy), Magnesium Stearate, Maltodextrin, Manganese Sulfate, Medium-Chain Triglycerides, Modified Corn Starch, Niacinamide, Phytonadione (Vit. K), Polyethylene Glycol, Polyvinyl Alcohol, Potassium Iodide, Pyridoxine Hydrochloride (Vit. B₆), Riboflavin (Vit. B₂), Silicon Dioxide, Sodium Ascorbate (to retard oxidation), Sodium Benzoate (preservative), Sodium Citrate, Sodium Molybdate, Sodium Selenate, Sorbic Acid (preservative), Sucrose, Talc, Thiamine Mononitrate, (Vit. B₁), Titanium Dioxide, Tocopherols (to retard oxidation), Vitamin A Acetate, Zinc Oxide.

May also contain < 2% of: Sodium Aluminosilicate. **Contains:** Soy.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

As with any supplement, if you are pregnant, nursing, or taking medication, consult your doctor before use.

The safe upper limit for daily intake of folic acid is 1000 mcg (1 mg).

Do not take Centrum Specialist Prenatal with other multivitamin formulas unless recommended by your doctor.

IMPORTANT INFORMATION

Long-term intake of high levels of vitamin A (excluding that sourced from beta-carotene) may increase the risk of osteoporosis in adults. Do not take this product if taking other vitamin A supplements.

PAA020400

PRINCIPAL DISPLAY PANEL - Kit Carton

New!

**COMPLETE
from A to
Zinc^{®†}**

**Centrum[®]
SPECIALIST[™]**

***Multivitamin/Multimineral Supplement
DHA Supplement***

***COMPLETE
MULTIVITAMIN***

PRENATAL

**Supports Baby's Healthy
Growth & Development
with DHA & Folic Acid***

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

**28 TABLETS +
28 DHA SOFTGELS**

Centrum
SPECIALIST™
 Multivitamin/Multimineral Supplement
 DHA Supplement
COMPLETE MULTIVITAMIN
 **PRENATAL**

Centrum
SPECIALIST™
 Multivitamin/Multimineral Supplement
COMPLETE MULTIVITAMIN

Centrum Specialist is a line of enhanced complete multivitamins from the superior science of Centrum that targets specific health priorities including:



Take the complete multivitamin that's right for you!

• for more information visit •
WWW.CENTRUM.COM



3 0005-4365-569

New!

COMPLETE
 from **A** to **Zinc** ^{®†}

Centrum
SPECIALIST™
 Multivitamin/Multimineral Supplement
 DHA Supplement



COMPLETE MULTIVITAMIN



PRENATAL

Supports Baby's Healthy Growth & Development with DHA & Folic Acid*

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

**28 TABLETS +
 28 DHA SOFTGELS**

1/4" x 1/4" CUT CREASE



Provides essential nutrients for women before, during, and after pregnancy while breastfeeding.

Before Pregnancy

DHA, iron, and iodine, important nutrients to optimize before conception. Healthful diets with adequate folic acid may help reduce baby's risk of brain or spinal cord defects.

During Pregnancy

With DHA to support healthy fetal brain and eye development.*

After Pregnancy

...of DHA and

SUGGESTED USE: Adults – Take one tablet and one DHA softgel daily with food. Not formulated for use in children. Do not exceed suggested use.

Supplement Facts

Serving Size 1 Tablet and 1 DHA Softgel


Each Serving Contains **% Daily Value for Pregnant and Lactating Women**

| | |
|---|------|
| Calories 5 | |
| Calories from fat 5 | |
| Total Fat 0.5 g | * |
| Vitamin A 2,500 IU (60% as Beta-Carotene) | 31% |
| Vitamin C 90 mg | 150% |
| Vitamin D 400 IU | 100% |
| Vitamin E 35 IU | 116% |
| Vitamin K 30 mcg | * |
| Thiamin 1.4 mg | 82% |
| Riboflavin 1.4 mg | 70% |
| Niacin 18 mg | 90% |
| Vitamin B ₆ 1.9 mg | 76% |
| Folic Acid 800 mcg | 100% |
| Vitamin B ₁₂ 2.6 mcg | 32% |
| Biotin 30 mcg | 10% |
| Pantothenic Acid 6 mg | 60% |
| Calcium 250 mg | 19% |
| Iron 27 mg | 150% |
| Phosphorus 20 mg | 2% |
| Iodine 220 mcg | 147% |
| Magnesium 50 mg | 11% |
| Zinc 11 mg | 73% |
| Selenium 30 mcg | * |
| Copper 0.9 mg | 45% |
| Manganese 2 mg | * |
| Chromium 30 mcg | * |
| Molybdenum 50 mcg | * |
| Chloride 72 mg | * |
| Potassium 80 mg | * |
| DHA (Docosahexaenoic acid) 300 mg | * |

Ingredients (Softgel): Fish Oil Concentrate, Gelatin, Glycerin, Purified Water. **Contains < 2% of:** Medium-Chain Triglycerides, Sunflower Oil, Tocopherols (to retard oxidation).

Ingredients (Tablet): Calcium Carbonate, Potassium Chloride, Dibasic Calcium Phosphate, Ascorbic Acid (Vit. C), Ferrous Fumarate, Magnesium Oxide, Microcrystalline Cellulose, Pregelatinized Corn Starch, dl-Alpha-Tocopheryl Acetate (Vit. E). **Contains < 2% of:** Acacia, Beta-Carotene, BHT (to retard oxidation), Biotin, Calcium Pantothenate, Calcium Stearate, Carmine (Color), Cholecalciferol (Vit. D₃), Chromic Chloride, Citric Acid, Corn Starch, Corn Syrup Solids, Crospovidone, Cupric Sulfate, Cyanocobalamin (Vit. B₁₂), Folic Acid, Gelatin, Hypromellose, Lecithin (Soy), Magnesium Stearate, Maltodextrin, Manganese Sulfate, Medium-Chain Triglycerides, Modified Corn Starch, Niacinamide, Phytanadione (Vit. K), Polyethylene Glycol, Polyvinyl Alcohol, Potassium Iodide, Pyridoxine Hydrochloride (Vit. B₆), Riboflavin (Vit. B₂), Silicon Dioxide, Sodium Ascorbate (to retard oxidation), Sodium Benzoate (preservative), Sodium Citrate, Sodium Molybdate, Sodium Selenate, Sorbic Acid (preservative), Sucrose, Tak, Thiamine Mononitrate (Vit. B₁), Titanium Dioxide, Tocopherols (to retard oxidation), Vitamin A Acetate, Zinc Oxide. **May also contain < 2% of:** Sodium Aluminosilicate. **Contains:** Soy.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.



CENTRUM SPECIALIST PRENATAL

dietary supplement kit

Product Information

| | | | |
|---------------------|--------------------|---------------------------|-----------------|
| Product Type | DIETARY SUPPLEMENT | Item Code (Source) | NHRIC:0005-4365 |
|---------------------|--------------------|---------------------------|-----------------|

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|--------------------|---------------------|----------------------|--------------------|
| 1 | NHRIC:0005-4365-56 | 1 in 1 CARTON | | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 0 BLISTER PACK | 1 |
| Part 2 | 1 BLISTER PACK | 7 |

Part 1 of 2

CENTRUM SPECIALIST PRENATAL MULTIVITAMIN

multivitamin/multimineral supplement tablet

Product Information**Route of Administration**

ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------------|-----------------|
| VITAMIN A ACETATE (UNII: 3LE3D9D6OY) (VITAMIN A - UNII:81G40H8B0T) | VITAMIN A | 1000 [iU] |
| BETA CAROTENE (UNII: 01YAE03M7J) (.BETA.-CAROTENE - UNII:01YAE03M7J) | BETA CAROTENE | 1500 [iU] |
| ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R) | ASCORBIC ACID | 90 mg |
| CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41) | CHOLECALCIFEROL | 400 [iU] |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1) | .ALPHA.-TOCOPHEROL | 35 [iU] |
| PHYTONADIONE (UNII: A034SE7857) (PHYTONADIONE - UNII:A034SE7857) | PHYTONADIONE | 30 ug |
| THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J) | THIAMINE | 1.4 mg |
| RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR) | RIBOFLAVIN | 1.4 mg |
| NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4) | NIACINAMIDE | 18 mg |
| PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1B16Z) | PYRIDOXINE | 1.9 mg |
| FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8) | FOLIC ACID | 800 ug |
| CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204) | CYANOCOBALAMIN | 2.6 mg |
| BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04) | BIOTIN | 30 ug |
| CALCIUM PANTOTHENATE (UNII: 568ET80C3D) (PANTOTHENIC ACID - UNII:19F5HK2737) | PANTOTHENIC ACID | 6 mg |
| ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J) (CALCIUM CATION - UNII:2M83C4R6ZB) | ANHYDROUS DIBASIC CALCIUM PHOSPHATE | 250 mg |
| FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW89581OWR) | FERROUS CATION | 27 mg |
| POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q) | IODIDE ION | 220 ug |
| MAGNESIUM (UNII: I38ZP9992A) (MAGNESIUM - UNII:I38ZP9992A) | MAGNESIUM | 50 mg |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 11 mg |
| SODIUM SELENATE (UNII: 5DQP25600A) (SELENATE ION - UNII:6X37R1DB70) | SELENIUM | 30 ug |
| CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L) | CUPRIC CATION | 0.9 mg |
| CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) | CHROMIC CATION | 30 ug |
| MANGANESE SULFATE ANHYDROUS (UNII: IGA15S9H40) (MANGANESE - UNII:42Z2K6ZL8P) | MANGANESE | 2 mg |
| SODIUM MOLYBDATE (UNII: 948QAQ081I) (MOLYBDATE ION - UNII:O0L10E6352) | MOLYBDATE ION | 50 ug |
| CHLORIDE ION (UNII: Q32ZN48698) (CHLORIDE ION - UNII:Q32ZN48698) | CHLORIDE ION | 72 mg |
| POTASSIUM CHLORIDE (UNII: 660YQ981I0) (POTASSIUM CATION - UNII:295O53K152) | POTASSIUM CATION | 80 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| PIGMENT RED 5 (UNII: 91OZU993LX) | |
| GELATIN, UNSPECIFIED (UNII: 2G86QN327L) | |
| CROSPVIDONE (15 MPAS AT 5%) (UNII: 68401960MK) | |

| | |
|---|--|
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
| 1 | | 4 in 1 PACKAGE | | |
| 1 | | 7 in 1 BLISTER PACK | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| DIETARY SUPPLEMENT | | 04/04/2011 | |

Part 2 of 2

CENTRUM SPECIALIST PRENATAL DHA SOFTGEL

dha supplement capsule, liquid filled

Product Information

| | |
|-------------------------|------|
| Route of Administration | ORAL |
|-------------------------|------|

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| DOCONEXENT (UNII: ZAD9OKH9JC) (DOCONEXENT - UNII:ZAD9OKH9JC) | DOCONEXENT | 200 mg |
| ICOSAPENT (UNII: AAN7QOV9EA) (ICOSAPENT - UNII:AAN7QOV9EA) | ICOSAPENT | 15 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| GELATIN, UNSPECIFIED (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| WATER (UNII: 059QF0K00R) | |
| SUNFLOWER OIL (UNII: 3W1JG795YI) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |

| Packaging | | | | |
|------------------|-----------|---------------------|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | | 4 in 1 PACKAGE | | |
| 1 | | 7 in 1 BLISTER PACK | | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| DIETARY SUPPLEMENT | | 04/04/2011 | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| DIETARY SUPPLEMENT | | 04/04/2011 | |

Labeler - Wyeth Pharmaceutical Division of Wyeth Holdings LLC (054065909)

| Establishment | | | |
|----------------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| Pfizer Canada Inc. | | 246770197 | ANALYSIS(0005-4365) , LABEL(0005-4365) , MANUFACTURE(0005-4365) , PACK(0005-4365) |

| Establishment | | | |
|-----------------------------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| PF Consumer Healthcare Canada ULC | | 203812479 | ANALYSIS(0005-4365) , LABEL(0005-4365) , MANUFACTURE(0005-4365) , PACK(0005-4365) |

Revised: 12/2019

Wyeth Pharmaceutical Division of Wyeth Holdings LLC