

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE MELA B3 UV DAILY  
SUNSCREEN BROAD SPECTRUM SPF 30- avobenzene, homosalate, octisalate  
and octocrylene lotion  
Cosmetique Active Production**

-----

**Drug Facts**

**Active ingredients**

Avobenzene 3%  
Homosalate 10%  
Octisalate 5%  
Octocrylene 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun
- store at 20° - 25° C (68° - 77° F)


### Inactive ingredients

water, c15-19 alkane, niacinamide, glycerin, butylene glycol, silica, titanium dioxide, butyrospermum parkii (shea) butter, tin oxide, potassium hydroxide, carbomer, arachidyl alcohol, arachidyl glucoside, behenyl alcohol, 2-mercaptocotinoyl glycine, sodium dilauramidoglutamide lysine, sodium thiosulfate, ammonium acryloyldimethyltaurate/VP copolymer, hydroxyacetophenone, capryloyl salicylic acid, caprylyl glycol, citric acid, trisodium ethylenediamine disuccinate, xanthan gum, pentylene glycol, poly c10-30 alkyl acrylate, polyglyceryl-4 caprate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, phenoxyethanol, red 4, mica, fragrance

### Questions or comments?

**1-888-LRP LABO 1-888-577-5226**

Monday - Friday (9 a.m. - 5 p.m. EST)



**LA ROCHE-POSAY**  
LABORATOIRE DERMATOLOGIQUE

**NEW**  
**30**  
**BROAD SPECTRUM**  
**SPF 30**

FOR VISIBLE:  
PERSISTENT DARK SPOTS  
POST-ACNE MARKS  
UNEVEN SKIN TONE

**MELA B3 UV**  
DAILY SUNSCREEN  
DARK SPOT CORRECTOR  
PROTECTING  
UNIFYING

**MELASYL™**

**NIACINAMIDE 5%**  
BLENDS ON ALL SKIN TONES  
WITH LA ROCHE-POSAY  
THERMAL SPRING WATER

40 ml - 1.35 FL.OZ.  
Made in France

**MELASYL™**  
MULTI-PATENTED

**BORN FROM 18 YEARS OF  
ADVANCED RESEARCH, MELASYL™**  
IS THE NEWEST, MULTI-PATENTED,  
LA ROCHE-POSAY INGREDIENT,  
LIKE NOTHING BEFORE. VISIBLY  
CORRECTS DARK SPOTS AND SKIN  
DISCOLORATION.  
MELASYL™ VISIBLY CLARIFIES THE  
LOOK OF DARK SPOTS, EVEN  
PERSISTENT ONES, AND UNIFIES  
SKIN TONE WHILE RESPECTING  
THE NATURAL COMPLEXION OF  
ALL SKIN TONES.

**INNOVATION:** This protective and  
corrective SPF 30 sunscreen lotion  
helps protect skin against visible signs  
of sun damage caused by UVA and  
UVB exposure. Powered by **MelasyL™**  
and **5% Niacinamide**, it also helps  
improve the appearance of dark spots.

**CLINICALLY PROVEN EFFICACY:**  
Used daily, Mela B3 UV helps prevent  
sunburn. If used as directed with other  
sun protection measures, decreases  
the risk of skin cancer and early skin  
aging caused by the sun.

Immediately after use, skin is left  
looking more radiant and with a more  
even-looking complexion.  
Suitable for all skin tones and skin  
types, including oily and sensitive skin.  
Also tested on hands.

**DIRECTIONS:** Apply in the morning  
on face and neck. Avoid contact with  
eyes.



Zone Braille



40 ml / 1.35 FLOZ

Distribution reserved to  
La Roche-Posay agreed distributors.  
La Roche-Posay LLC, 10 Hudson Yards,  
New York, NY 10001.  
La Roche-Posay  
Laboratoire Dermatologique  
CAJ 86270 La Roche-Posay, France  
TSA 75000 93584 ST OUEN CEDEX FR  
[www.laroche-posay.us](http://www.laroche-posay.us)

**Drug Facts**

**Active ingredients**

Avoberzone 3% ..... Sunscreen  
Homosalate 10% ..... Sunscreen  
Octisalate 5% ..... Sunscreen  
Octocrylene 7% ..... Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age. Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun
- store at 20° - 25°C (68° - 77°F)

**Inactive ingredients**

water, C15-19 alkane, niacinamide, glycerin, butylene glycol, silica, titanium dioxide, butyrospermum parkii (shea) butter, tin oxide, potassium hydroxide, carbomer, arachidyl alcohol, arachidyl glucoside, behenyl alcohol, 2-mercaptocotinyol glycine, sodium dilaurylamidoglutamide lysine, sodium thiosulfate, ammonium acryloyldimethyltaurate/VP copolymer, hydroxyacetophenone, capryloyl salicylic acid, caprylyl glycol, citric acid, trisodium ethylenediamine disuccinate, xanthan gum, pentylene glycol, poly C10-30 alkyl acrylate, polyglyceryl-4 caprate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, phenoxyethanol, red 4, mica, fragrance

**Questions or comments?**

1-888-LRP LABO 1-888-577-5226  
Monday - Friday (9 a.m. - 5 p.m. EST)

2039122 05

Code F.I.L. V70035830/1



All you need to know  
about Mela B3 UV

PARABEN-FREE  
ALLERGY TESTED  
NON-COMEDOGENIC  
DERMATOLOGIST TESTED  
FOR SAFETY



3



**FACING**



000000000000

R15

MELA B3 UV



15

165°

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

NEW  
**30**  
BROAD SPECTRUM  
SPF 30

FOR VISIBLE:  
PERSISTENT DARK SPOTS  
POST-ACNE MARKS  
UNEVEN SKIN TONE

MELA B3 UV  
DAILY SUNSCREEN  
DARK SPOT CORRECTOR  
PROTECTING  
UNIFYING



NIACINAMIDE 5%  
BLENDS ON ALL SKIN TONES  
WITH LA ROCHE-POSAY  
THERMAL SPRING WATER



**BORN FROM 18 YEARS OF  
ADVANCED RESEARCH, MELASYL™  
IS THE NEWEST, MULTI-PATENTED,  
LA ROCHE-POSAY INGREDIENT,  
LIKE NOTHING BEFORE. VISIBLY  
CORRECTS DARK SPOTS AND SKIN  
DISCOLORATION.  
MELASYL™ VISIBLY CLARIFIES THE  
LOOK OF DARK SPOTS, EVEN  
PERSISTENT ONES, AND UNIFIES  
SKIN TONE WHILE RESPECTING  
THE NATURAL COMPLEXION OF  
ALL SKIN TONES.**

**INNOVATION:** This protective and  
corrective SPF 30 sunscreen lotion  
helps protect skin against visible signs  
of sun damage caused by UVA and  
UVB exposure. Powered by Melasyll™  
and 5% Niacinamide, it also helps  
improve the appearance of dark spots.

**CLINICALLY PROVEN EFFICACY:**  
Used daily, Mela B3 UV helps prevent  
sunburn. If used as directed with other  
sun protection measures, decreases  
the risk of skin cancer and early skin  
aging caused by the sun.

Immediately after use, skin is left  
looking more radiant and with a more  
even-looking complexion.  
Suitable for all skin tones and skin  
types, including oily and sensitive skin.  
Also tested on hands.

**DIRECTIONS:** Apply in the morning  
on face and neck. Avoid contact with  
eyes.



40 mL / 1.35 FLOZ

Distribution reserved to  
La Roche-Posay agreed distributors.  
La Roche-Posay LLC, 10 Hudson Yards,  
New York, NY 10001.  
La Roche-Posay

**Drug Facts**

**Active ingredients**

Avoberzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age. Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun
- store at 20° - 25°C (68° - 77°F)

**Inactive ingredients**

water, C15-19 alkane, niacinamide, glycerin, butylene glycol, silica, titanium dioxide, butyrospermum parkii (shea) butter, tin oxide, potassium hydroxide, carbomer, arachidyl alcohol, arachidyl glucoside, behenyl alcohol, 2-mercaptosuccinyl glycine, sodium dilaurylamidoglutamate lysine, sodium thiosulfate, ammonium acryloyldimethyltaurate/VP copolymer, hydroxyacetophenone, capryloyl salicylic acid, caprylyl glycol, citric acid, trisodium ethylenediamine disuccinate, xanthan gum, pentylene glycol, poly C10-30 alkyl acrylate, polyglyceryl-4 caprate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, phenoxyethanol, red 4, mica, fragrance

**Questions or comments?**

1 800 100 1 800 1 900 577 522



All you need to know  
about Mela B3 UV

PARABEN-FREE  
ALLERGY TESTED  
NON-COMEDOGENIC  
DERMATOLOGIST TESTED  
FOR SAFETY





## LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE MELA B3 UV DAILY SUNSCREEN BROAD SPECTRUM SPF 30

avobenzone, homosalate, octisalate and octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69625-113
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>C15-19 ALKANE</b> (UNII: CI87N1IM01)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVVW3J0OJ)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>SODIUM DILAURAMIDOGlutAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>SODIUM THIOSULFATE</b> (UNII: HX1032V43M)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>CAPRYLOYL SALICYLIC ACID</b> (UNII: 5F7PJF6AA4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	

<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>BEHENYL ACRYLATE POLYMER</b> (UNII: D64PM5UT4U)	
<b>POLYGLYCERYL-4 CAPRATE</b> (UNII: 3N873UN885)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FD&amp;C RED NO. 4</b> (UNII: X3W0AM1JLX)	
<b>MICA</b> (UNII: V8A1AW0880)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69625-113-01	1 in 1 CARTON	10/15/2023	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69625-113-02	1 in 1 CARTON	10/15/2023	
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/15/2023	

**Labeler** - Cosmetique Active Production (282658798)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(69625-113) , pack(69625-113)

Revised: 10/2023

Cosmetique Active Production