PAIN RELIEF MAXIMUM STRENGTH - acetaminophen, as pirin, caffeine tablet, coated Select Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients Acetaminophen 250 mg Aspirin 250 mg Caffeine 65 mg

Pain Reliever, Fever Reducer

Directions: Adults and children 12 years of age and older: 2 tablets as needed for pain every 6 hours. Do not exceed 8 tablets in 24 hours or as directed by a doctor. Children under 12 years: Consult a doctor

Children and teenagers should not use this medicine for chicken pox or

Uses: temporarily relieves minor aches and pains associated with:

- backache headaches colds toothache minor arthritis pain
- muscular aches

Warnings: Reye's syndrome:

flu symptoms before a doctor is consulted about Reve's syndrome, a rare but serious illness reported to be associated with aspirin. Allergy Alert-Do not use: • if you are allergic to aspirin or any other salicylate • If you have ever had an allergic reaction to any other pain reliever/fever reducer Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take: • more than 8 tablets in 24 hours • with other drugs containing acetaminophen (prescription or nonprescription). Ask a doctor or pharmacist before using with other drugs if you are not sure. • 3 or more alcoholic drinks every day while using this product Stomach Bleeding Warning: This product contains nonsteroidal antiinflammatory dugs (NSAIDs), which may cause stomach bleeding. The chance is higher if you: • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing an NSAID (aspirin, ibuprofen, naproxen, or others). • Take more or for a longer time than directed Do not use: • if you are allergic to aspirin • with any other pain reliever/fever reducer • if you have ever had an allergic reaction to any other pain reliever/fever reducer • for pain for more than 10 days or for fever for more than 3 days unless directed by a doctor • with any other product containing acetaminophen Ask doctor before using if you have: • asthma • stomach problems (such as heartburn, upset stomach or stomach pain) • gastric ulcers • bleeding problems Ask a doctor or pharmacist before use if you are taking a prescription drug for: • anticoagulation (thinning of blood) • diabetes • gout • arthritis. When using this product do not exceed recommended dose. Stop use and ask a doctor if: • ringing in the ears or loss of hearing occurs

• pain or fever persists or gets worse • new symptoms occur • redness or swelling is present


If pregnant or breast-feeding baby, ask a health professional before use. IT IS ESPECIALLY IMPORTANT NOT TO USE ASPIRIN DURING THE LAST 3 MONTHS OF PREGNANCY UNLESS SPECIFICALLY DIRECTED TO DO SO BY A DOCTOR BECAUSE IT MAY CAUSE PROBLEMS IN THE UNBORN CHILD OR COMPLICATIONS DURING DELIVERY.

KEEP OUT OF REACH OF CHILDREN.

Ilnactive Ingredients: Hydroxypropyl Methylcellulose, Maltodextrin, Microcrystalline Cellulose, Polyethylene Glycol, Povidone, Sodium Starch Glycolate, Starch, Stearic Acid, Titanium Dioxide

MM1





acetaminophen, aspirin, caffeine tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52904-468
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	250 mg	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	250 mg	
CAFFEINE (UNII: 3G6 A5W338E) (CAFFEINE - UNII:3G6 A5W338E)	CAFFEINE	65 mg	

Inactive Ingredients	
Ingredient Name	Strength
PO VIDO NE K29/32 (UNII: 390 RMW2PEQ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9 Y8 AQ)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

Product Characteristics			
Color	white (snow white)	Score	no score
Shape	ROUND (FR9)	Size	12mm
Flavor		Imprint Code	FR9
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52904-468-02	2 in 1 PACKET		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	10/15/2012	

Labeler - Select Corporation (053805599)

Revised: 10/2012 Select Corporation