THE FACT-HFN COOLING ANTI-HAIR LOSS TONICGEL- menthol, salicylic acid, panthenol gel Interkos Co.,Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

menthol

salicylic acid

panthenol

Water

Alcohol

Glycerin

PEG-60 Hydrogenated Castor Oil

Tromethamine

Carbomer

Trideceth-10

Fragrance

Butylene Glycol

1,2-Hexanediol

Caprylyl Glycol

Brassica Oleracea Italica (Broccoli) Extract

Illicium Verum (Anise) Fruit Extract

Sodium Hyaluronate

Geraniol

Linalool

Citronellol

Hexyl Cinnamal

Limonene

Helps relieve and revitalizing scalp.

keep out of reach of the children


After shampooing and before drying, apply an appropriate am ount to the scalp in a wet state using your fingers and massage so that it is fully absorbed. It ries commended to use it at least 3 times a week.

- 1. If you have any of the following side effetsc while using, you should stop using, iatnd if you continue to use, iytour sympt oms will worsen, so consult your dermatologist.
- -If there are side effects such as red spots, swelling, itching, irrita tion during use.
- -If the application area has the above side efftesc due to direct sunlight
- 2. Do not use on areas with wounds, eczema or dermatitis.

- 3. Precautions for stoarge and handling
- Be sure to close the cap taefr use.
- Do not store where children may reach.
- Store in a place with high or low tempaeturre and out of dire ct sunlight.
- 4. In case of contact with eyes, rinse immediately and consult a physician.
- 5. People who have ever had allergies, please consult your dotc or or pharmacist before use
- 6. Do not use on children under 3 years ogfe a.
- 7. People with hypersensitivity to salicylic acid or who has a bdei tes, blood circulation disorders, renala filure, infection, redness, those who are pregnant or may become pregnant should av oid using the pdrouct as the current symptoms may worsen a fter use, such as skin or body hypersensitivity or skin adverse reatcions (edema, inflammation, etc.). So please avoid using it.
- Product Liability Act (PL Act): Before use, be sure to read the instructions for use and precautions.

for external use only





THE FACT-HFN COOLING ANTI-HAIR LOSS TONICGEL

menthol, salicylic acid, panthenol gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:77049-0011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PANTHENOL (UNII: WW9CM0O67Z) (PANTHENOL - UNII:WW9CM0O67Z)	PANTHENOL	0.3 g in 100 mL	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.04 g in 100 mL	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.25 g in 100 mL	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			

П	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:77049- 0011-1	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/21/2022	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	01/21/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Interkos Co.,Ltd. (689850314)

Registrant - Interkos Co.,Ltd. (689850314)

Establishment				
Name	Address	ID/FEI	Business Operations	
Interkos Co.,Ltd.		689850314	manufacture(77049-0011)	

Revised: 1/2022 Interkos Co.,Ltd.