UP AND UP NIGHTTIME COUGH CONTROL DM MAX- dextromethorphan hbr, doxylamine succinate solution Target Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Target Corporation Nighttime Cough Control DM MAX Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 30 mg

Doxylamine succinate, USP 12.5 mg

Purposes

Cough suppressant

Antihistamine

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- controls the impulse to cough to help you sleep

Warnings

Do not use

- to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- do not take more than 4 doses in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

| age | dose |
|---------------------------------------|---------------------|
| adults and children 12 years and over | 20 mL every 6 hours |
| children under 12 years | do not use |

Other information

- each 20 mL contains: sodium 11 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

anhydrous citric acid, benzoic acid, benzyl alcohol, carboxymethylcellulose sodium, FD&C blue #1, FD&C red #40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-888-547-7400

Package/Label Principal Display Panel

see new dosing

Compare to active ingredients in Robitussin® Maximum Strength Nighttime Cough DM maximum strength

nighttime cough control DM MAX

dextromethorphan HBr (cough suppressant)

doxylamine succinate (antihistamine)

relieves cough, itchy throat and runny nose

for adults

AGES 12 + YEARS

8 FL OZ (237 mL)



UP AND UP NIGHTTIME COUGH CONTROL DM MAX

dextromethorphan hbr, doxylamine succinate solution

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11673-719 |
| Route of Administration | ORAL | | |
| | | | |

| Active Ingredient/Active Moiety | | | |
|--|----------------------------------|---------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 30 mg in 20 mL | |
| DO XYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DO XYLAMINE - UNII:95QB77JKPL) | DOXYLAMINE SUCCINATE | 12.5 mg in 20 mL | |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| ANHYDRO US CITRIC ACID (UNII: XF417D3PSL) | | |
| BENZOIC ACID (UNII: 8 SKN0 B0 MIM) | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | |
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | |
| MENTHOL (UNII: L7T10EIP3A) | | |
| POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A) | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | |
| WATER (UNII: 059QF0KO0R) | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | |
| SORBITOL (UNII: 506T60A25R) | | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | |
| XANTHAN GUM (UNII: TTV12P4NEE) | | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|--|
| Color | RED | Score | |
| Shape | | Size | |
| Flavor | FRUIT | Imprint Code | |
| Contains | | | |

| Packaging | | | | |
|--------------------|---|-----------------------------|---------------------------|--|
| # Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 NDC:11673-719-34 | 1 in 1 CARTON | 09/26/2018 | | |
| 1 | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product | | | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part341 | 09/26/2018 | | |
| | | | | |

Labeler - Target Corporation (006961700)

Revised: 12/2019 Target Corporation