NAVI HAIR SOLUTIONS WOMENS HAIR REGROWTH TREATMENT- minoxodil 2% solution United Distribution of MD, LLC

Navi Hair Solutions Women's Hair Regrowth Treatment

Minoxidil 2% w/v

Hair regrowth treatment

USE

Use to regrow hair on the top of the scalp

For external use only.

Flamable: Keep away from fire of flame.

Do not use if:

Your amount of hair loss is different than shown on the side of this carton, because this product may not work for you

You have no family history of hair loss

Your hair loss is sudden and/or patchy

Your hair loss is associated with childbirth

You do not know the reason for your hair loss

You are under 18 years of age. Do not use on babies or children

Your scalp is red, inflamed, infected, irritated, or painful

You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have expereinced changes in hair color and/or texture
- It takes time to re-grow hair. You may need to use this product for at least 4 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs
- You do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area Using more or more ofthen will not improve results

Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

See hair loss pictures on the side of this carton

Before use, read all information on carton and enclosed leaflet

Keep the carton. It contains important information

In clincial studies of mostly white women aged 18-45 years with moderate degrees of hair loss, the following responses to Minoxidil Topical Solution 2% was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal hair regrowth). This compares with the 7% of women reporting moderate hair regrowth after using a placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).

Store at controlled room temperature 20 o to 25 o C (68 o to 77 oF)

Alcohol, Propylene Glycol, Purified Water

Questions or comments? 1-800-924-0978 customerservice@navihair.com

Visit our website at www.navihair.com



Hair Regrowth Treatment

2% Minoxidil Topical Solution, USP Hair Regrowth Treatment

Drug Facts Active Ingredient Minoxidil 2% w/v.... Purpose .Hair Regrowth Treatment Use to regrow hair on the scalp

For extremal use only from fire or fierce.

Do not use if: "your amount of hair loss is different than that shown on the side of this carbon, because this product may not work for you"you have no family history of hair loss "your hair loss is audden another patchy "your hair loss is associated with childbeth" you do not know the reason for your hair loss is associated with childbeth "you do not know the reason for your hair loss is associated with childbeth "you do not know the reason for your hair loss "you associated with childbeth "you do not know the reason for your hair loss "you used to the property of the production on the scale had not not be productions on the scale."

sk a doctor before use if you have heart disease.

Ask a occur better use if you have heart disease. When using this product "do not appy on other parts of the body -avoid sontact with the eyes. In case of accidental contact, risse the eyes with large amounts of cool tap water -some people have experienced changes in heir color and/or testure "it takes time to regrow hair. You may need to use this product for all least 4 months before you see results "the amount of hair regrowth is different for each person. This product will not work for all women.

- Stop use and ask doctor if -chect pain, rapid heartbeat, faininess, or dizziness occurs -sudden, unsephaned weight gain occurs -year hands or feet swell -scap installor or retires occurs -scap installor or retires occurs -year the local see that regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swellowed, get medical help or contact a Polson Control Center right away.

Directions Apply one mi. with dropper 2 times a day dractly onto the scalp in the hair loss area - using more or more often will not improve results -continued use is recessary to increase and keep your hair regrowth, or hair loss will begin again.

Other information - see hair isss pictures on side of this corton - before use, read all information on catton and entitised leaflet - keep the carbon it contains important information - in ofisical studies of meetly white women aged 18 – 65 years with the moderate degrees of hair less, the following response to 2% minosidil topical solution was reported: 19% of weren reported moderate hair regrowth after using 2% minosidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate regrowth after using placeto, the liquid without minosidil in it, for 8 months (7% had moderate regrowth; 35% had minimal regrowth). This compares with 7% of women regoriths and the regrowth of the regrowth, 35% had minimal regrowth (35% had minimal regrowth).

Inactive Ingredients: Alcohol, Propylene Glycol, Purified Water

Questions or comments? 1-809-924-0978 oustomerservice@navihair.com Visit our website at www.navihair.com





NDC XXXXXX-XXX-XX



Hair Regrowth Treatment

2% Minoxidil Topical Solution, USP

This Package Contains:



One 60 ml, (2 fl ex) Bottle of Warner's Heir Regrewth Treatment

(One Month Supply) With Child resistant dropping applicator formation leafled with complete direction on how to use and obtain best results. (Read enclosed leaflet before use)

Made in USA Distributed By: United Distribution of MD LLC 1746 E. Jopps Road Parkville, MD 21234

HAIR SOLUTIONS

Women's Hair Regrowth Treatment




2% Minoxidil Topical Solution, USP

Topical Unscented Clinically Proven To Help regrow hair

Reactivates hair follicles to stimulate regrowth

One Month Supply One 60 mL (2 fl. oz) Bottle



For Best Results:

NAVI HAIR SOLUTIONS WOMENS HAIR REGROWTH TREATMENT

minoxodil 2% solution

Product Information

HUMAN OTC DRUG NDC:82524-001 **Product Type** Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1) MINOXIDIL 2 g in 100 mL

Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0KO0R)

ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:82524-001- 01	1 in 1 BOX	01/21/2022			
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing I	arketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA078176	01/21/2022			

Labeler - United Distribution of MD, LLC (030345600)

Revised: 1/2022 United Distribution of MD, LLC