

OPTIDYNE 500- iodine teat dip concentrate solution

Tetradyne LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

OPTIDYNE 500

USE DIRECTIONS:

Do not use in concentrated form. Must dilute prior to use.

Dilution:

To obtain a 1% Iodine, 5% emollient solution, add one (1) gallon of **OPTIDYNE 500** to four (4) gallons of water and mix thoroughly.

To obtain a 0.50% iodine, 2.5% emollient solution, add one (1) gallon of **OPTIDYNE 500** to nine (9) gallons of water and mix thoroughly.

APPLICATION:

Recommended for both pre and post dipping applications.

For pre-dipping with .5% iodine solution: Make sure udder and teats are visibly clean of any soil. forestrip each quarter and dip with diluted **OPTIDYNE 500** solution. Wipe teat with towel and then attach milking unit.

For post-dipping: Dip entire teat in diluted **OPTIDYNE 500**. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with diluted **OPTIDYNE 500** solution. Do not return unused product to original container.□

WARNING: CONTAINS IODINE SOLUTION.

Avoid contamination of food. Avoid contact with eyes. Not for internal use.

NOT FOR HUMAN USE.

KEEP OUT OF REACH OF CHILDREN!

OBSERVE LABEL DIRECTIONS

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

□**EXTERNAL:**□ In case of contact, remove soiled clothing. Wash with cold water.

GET MEDICAL ATTENTION IMMEDIATELY.

PROTECT FROM FREEZING

IF FROZEN; SHAKE VIGOROUSLY AFTER THAWING.

OPTIDYNE 500

IODINE TEAT DIP CONCENTRATE□

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient.....5.00% Available Iodine (provides 50,000 ppm titratable iodine)

Contains an emollient system

Lot#:

Exp. Date:

Net contents:

Manufactured For:

Tetradyne LLC
PO Box 17003
Reno, NV 86511

OPTIDYNE 500

IODINE TEAT DIP CONCENTRATE

USE DIRECTIONS:

Do not use in concentrated form. Must dilute prior to use.

DILUTIONS:

To obtain a 1% iodine, 5% emollient solution, add one (1) gallon of OPTIDYNE 500 to four (4) gallons of water and mix thoroughly.

To obtain a 0.50% iodine, 2.5% emollient solution, add one (1) gallon of OPTIDYNE 500 to nine (9) gallons of water and mix thoroughly.

APPLICATION:

Recommended for both pre and post dipping applications.

For pre-dipping with .5% iodine solution: Make sure udder and teats are visibly clean of any soil. Forestrip each quarter and dip with diluted OPTIDYNE 500 solution. Wipe teat with towel and then attach milking unit.

For post-dipping: Dip entire teat in diluted OPTIDYNE 500. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with diluted OPTIDYNE 500 solution. Do not return unused product to original container.

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient . . . 5.0% Available Iodine
(Provides 50,000 ppm titratable iodine)

Contains an emollient system

Lot #: _____

Exp. Date: _____

Net Contents: _____

Manufactured For:
Tetradyne LLC
PO Box 17003
Reno, NV 89511



OBSERVE LABEL DIRECTIONS

WARNING: CONTAINS IODINE SOLUTION.

NOT FOR HUMAN USE
Avoid contamination of food. Avoid contact with eyes. Not for internal use.
KEEP OUT OF REACH OF CHILDREN!

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

EXTERNAL: In case of contact, remove soiled clothing. Wash skin with cold water.

GET MEDICAL ATTENTION IMMEDIATELY.

PROTECT FROM FREEZING
IF FROZEN: SHAKE
VIGOROUSLY AFTER THAWING

OPTIDYNE 500

iodine teat dip concentrate solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:66399-711
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	57.21 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-711-01	3.78 L in 1 JUG		
2	NDC:66399-711-02	18.9 L in 1 PAIL		
3	NDC:66399-711-03	56.7 L in 1 DRUM		
4	NDC:66399-711-04	113.4 L in 1 DRUM		
5	NDC:66399-711-05	207.9 L in 1 DRUM		
6	NDC:66399-711-06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-711-07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/10/2001	

Labeler - Tetrydyne LLC (130969293)

Revised: 3/2014

Tetrydyne LLC