

COTZ SILKY FOAM - TINTED- titanium dioxide, zinc oxide aerosol, foam
Fallien Cosmeceuticals, LTD

Drug Facts

Active Ingredients:

Titanium Dioxide 3%

Zinc Oxide 10%

Purpose:

Sunscreen

Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs.

When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Shake well before using.
- Use caution during 1st application to reduce splatter.
- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
 - Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Bismuth Oxychloride, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cellulose Gum, Ceteareth-20, Cetearyl Alcohol, Citric Acid, Disodium EDTA, Glycereth-26, Glycerin, Glyceryl Stearate, Iron Oxides, Isododecane, Isohexadecane, Methyl Methacrylate Crosspolymer, Mica, Microcrystalline Cellulose, Octyldodecyl Ecruate, Octyldodecyl Neopentanoate, Poly C10-30 Alkyl Acrylate, Polyhydroxystearic Acid, Polysorbate 80, Trans-1,3,3,3-Tetrafluoropropene, Triacontanyl PVP, Triethoxycaprylylsilane, Water

Other Information:

- Protect this product from excessive heat and direct sun
- May stain some fabrics
- Store between 68° to 104°F (20° to 40° C)
- DO not store at temperature above 120° F

Manufactured Exclusively For:

CoTZ[®] Skincare

Norristown, PA 19403

www.cotzskincare.com

Principal Display Panel - Carton Label

CoTZ[®]

the HEALTHIER SUNSCREEN[®]

**Silky
Foam**

Tinted

**SPF
30**

Vanishing Zinc Oxide
MINERAL SUNSCREEN

BODY

Broad Spectrum SPF 30

Water Resistant (40 Minutes)

Net Wt. 3.5 oz/100 g

CōTZ
the HEALTHIER
SUNSCREEN®

DRUG FACTS

Active Ingredients:
Titanium Dioxide 3%
Zinc Oxide 10%

Purpose:
Sunscreen
Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Shake well before using.
- Use caution during first application to reduce splatter.
- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Bismuth Oxichloride, Butyloctyl Salicylate, C₁₂₋₁₅ Alkyl Benzoate, Capryldihydroxamic Acid, Caprylyl Glycol, Cellulose Gum, Ceteareth-20, Cetearyl Alcohol, Citric Acid, Disodium EDTA, Glycereth-26, Glycerin, Glyceryl Stearate, Iron Oxides, Isododecane, Isohexadecane, Methyl Methacrylate Crosspolymer, Mica, Microcrystalline Cellulose, Octyldodecyl Erucate, Octyldodecyl Neopentanoate, Poly C10-30 Alkyl Acrylate, Polyhydroxystearic Acid, Polysorbate 80, Trans-1,3,3,3-Tetrafluoropropene, Triacetyl PVP, Triethoxycaprylsilane, Water

Other Information:

- Protect this product from excessive heat and direct sun
- Store between 68° to 104° F (20° to 40° C)
- Do not store at temperature above 120° F
- May stain some fabrics

Manufactured Exclusively For:
CōTZ® Skincare
Norristown, PA 19403

CōTZ® The Healthier Sunscreen works by reflecting harmful UVA-UVB rays before they can penetrate the skin.



MINERAL SUNSCREEN

100% FREE OF:

Chemical Sunscreens,
Oils, Preservatives,
Fragrances, Parabens,
Gluten, Phthalates

CōTZ® Silky Foam SPF 30 is a virtually weightless tinted mineral sunscreen in a silky soft, easy to apply foam that blends translucent on skin. Gentle Zinc Oxide and Titanium Dioxide reflect away harmful UVA-UVB rays.

- Sheer, lightly tinted
- Moisturizing
- Non-comedogenic
- Helps prevent signs of aging

Also available in non-tinted formula.

PATENTED

Covered by one or more of the following patents: 8,795,696 | 8,911,754
9,561,159 | 10,154,946 | 10,576,026
10,588,832 | 11,077,030



**Silky
Foam**

Tinted

SPF
30

**Weightless
MINERAL SUNSCREEN**



REEF FRIENDLY



WATER RESISTANT



NO ANIMAL TESTING



PRESERVATIVE FREE



GLUTEN FREE

9

BODY

Broad Spectrum SPF 30
Water Resistant (40 Minutes)
Net Wt. 3.5 oz/100 g



3 58892 43001 7

Principal Display Panel - Can Label

CoTZ®

the HEALTHIER SUNSCREEN®

**Silky
Foam**

Tinted

**SPF
30**

**Foaming
MINERAL SUNSCREEN**

BODY

Broad Spectrum SPF 30

Water Resistant (40 Minutes)

Net Wt. 3.5 oz/100 g



**Silky
Foam**

Tinted

**SPF
30**

**Weightless
MINERAL SUNSCREEN**

Body

Broad Spectrum SPF 30
Water Resistant (40 minutes)
Net Wt. 3.5 oz/100 g

DRUG FACTS

Active Ingredients:
Titanium Dioxide 3%
Zinc Oxide 10%

Purpose
Sunscreen
Sunscreen

Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Shake well before using.
- Use caution during first application to reduce splatter.
- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other Information:

- Protect this product from excessive heat and direct sun.
- May stain some fabrics.
- Store between 68° to 104° F (20° to 40° C)
- Do not store at temperature above 120° F

PATENTED

Covered by one or more of the following patents:
8,795,696 | 8,911,754 | 9,561,159 | 10,154,946
10,576,026 | 10,588,832 | 11,077,030

Manufactured Exclusively For:

COTZ® Skincare
Norristown, PA 19403
www.cotzskincare.com



COTZ SILKY FOAM - TINTED

titanium dioxide, zinc oxide aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-430
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	30 mg in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	100 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
BEHENYL ACRYLATE POLYMER (UNII: D64PM5UT4U)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERETH-26 (UNII: NNE56F2N14)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
ISODODECANE (UNII: A8289P68Y2)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
MICA (UNII: V8A1AW0880)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
OCTYLDODECYL ERUCATE (UNII: D4N66T98C2)	
1,3,3,3-TETRAFLUOROPROPENE, (1E)- (UNII: 5I2481UOO8)	
TRICONTANYL POVIDONE (UNII: N0SS3Q238D)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58892-430-01	1 in 1 CARTON	05/16/2019	
1		100 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/29/2016	

Labeler - Fallien Cosmeceuticals, LTD (958388357)

Establishment

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	ANALYSIS(58892-430)

Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc. (FMI)		793406000	MANUFACTURE(58892-430) , PACK(58892-430)

Establishment

Name	Address	ID/FEI	Business Operations
Keystone Industriess		014769301	MANUFACTURE(58892-430)

Revised: 1/2025

Fallien Cosmeceuticals, LTD