

WINCO- polyethylene glycol 3350 powder, for solution
WINCO FOODS

Winco Polyethylene Glycol 3350 Drug fact
Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation /irregularity
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert

Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor of pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating or cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact

a Poison Control Center right away.

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- **adults and children 17 years of age and older:**
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
 - do not combine with starch-based thickeners used for difficulty swallowing
 - ensure that the powder is fully dissolved before drinking
 - do not drink if there are any clumps
 - do not use no more than 7 days
- **children 16 years of age or under:** ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

none

Questions or comments?

1-866-467-2748

TAMPER-EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP, PRINTED WITH "SEALED FOR YOUR PROTECTION" IS MISSING, OPEN OR BROKEN

PRINCIPAL DISPLAY PANEL

***Compare to the active ingredient in MiraLAX®**

NDC 67091-447-08

Polyethylene Glycol 3350,

Powder for Solution,

Osmotic Laxative

- Relieves Occasional Constipation/Irregularity
- Softens Stool

UNFLAVORED POWDER
 14 ONCE-DAILY DOSES
 NET WT 8.3 OZ (238 g)

- Dissolves in Any Beverage


DISTRIBUTED BY: WINCO FOODS, LLC
BOISE, ID, 83704

*This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of MiraLAX®



BACK 2

BACK 3



WINCO

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-447
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	white (Colorless upon dissolution)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-447-08	238 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/21/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA202071	08/21/2023	

Labeler - WINCO FOODS (056098817)

Revised: 4/2025

WINCO FOODS