

**WINCO- polyethylene glycol 3350 powder, for solution**  
**WINCO FOODS**

-----  
**Winco Polyethylene Glycol 3350 Drug fact**

***Drug Facts***

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation /irregularity
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert**

Do not use if you are allergic to polyethylene glycol

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor of pharmacist before use if you are** taking a prescription drug

When using this product you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating or cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of the reach of children.** In case of overdose, get medical help or contact

a Poison Control Center right away.

## Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- **adults and children 17 years of age and older:**
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficulty swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use no more than 7 days
- **children 16 years of age or under:** ask a doctor

## Other information

- store at 20°-25°C (68°-77°F)

## Inactive ingredients

none

## Questions or comments?

**1-866-467-2748**

TAMPER-EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP, PRINTED WITH "SEALED FOR YOUR PROTECTION" IS MISSING, OPEN OR BROKEN

## PRINCIPAL DISPLAY PANEL

**\*Compare to the active ingredient in MiraLAX®**

NDC 67091-447-08

**Polyethylene Glycol 3350,**

**Powder for Solution,**

**Osmotic Laxative**

- Relieves Occasional Constipation/Irregularity
- Softens Stool

UNFLAVORED POWDER  
14 ONCE-DAILY DOSES

NET WT 8.3 OZ (238 g)

- Dissolves in Any Beverage

**DISTRIBUTED BY: WINCO FOODS, LLC**

**BOISE, ID, 83704**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of MiraLAX®



**WINCO**

polyethylene glycol 3350 powder, for solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-447
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

**Product Characteristics**

<b>Color</b>	white (Colorless upon dissolution)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-447-08	238 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/21/2023	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA022015	08/21/2023	

**Labeler** - WINCO FOODS (056098817)

Revised: 12/2023

WINCO FOODS