


MIPASTE ONE PERIO- mipaste one perio paste, dentifrice
GC America Inc.



Active ingredient
 Stannous fluoride
 0.454% w/w
 (0.13% w/v fluoride ion)

Inactive ingredients
 Water, Glycerol, Silicon dioxide,
 RECALDENT® (CPP-ACP) Casein

Phosphopeptide-Amorphous
Calcium Phosphate, Sorbitol,
CMC-Na, Propylene glycol,
Sodium lauryl sulfate, Sodium
citrate, Flavoring, Titanium dioxide,
Xylitol, Sodium saccharin, Ethyl
p-hydroxybenzoate, Propyl
p-hydroxybenzoate,
Butyl p-hydroxybenzoate

- Keep out of reach of children
- Stop use and ask a dentist if gingivitis, bleeding, or redness persists for more than 2 weeks, or if you have painful or swollen gums, pus from the gum line, loose teeth, or increasing spacing between the teeth. These may be signs of periodontitis, a serious form of gum disease.
- When using this product for sensitivity, do not use longer than 4 weeks unless recommended by a dentist.
- If more than the recommended amount of paste used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water and seek medical advice.

For adults and children 12 years of age or older, apply a small, pea-size amount of MI Paste ONE Perio to your toothbrush. For best results, brush for 2 minutes, expectorate and do not rinse; do not eat or drink for 30 minutes after brushing. Use twice daily. Replace cap after use. For children under 12 years of age, consult a dentist or physician.

Uses

- Helps prevent gingivitis
- Helps interfere with harmful effects of plaque associated

with gingivitis

- Aids in the prevention of cavities
- Builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact


- Keep out of reach of children

Purposes

Anti-gingivitis

Anti-cavity

Anti-sensitivity



MIPASTE ONE PERIO

mipaste one perio paste, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61596-300
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STANNOUS FLUORIDE (UNII: 3FTR44B32Q) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.454 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CALCIUM PHOSPHATE, UNSPECIFIED FORM (UNII: 97Z1W3NDX)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
ETHYLPARABEN (UNII: 14255EXE39)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
XYLITOL (UNII: VCQ006KQ1E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-300-10	10 in 1 BOX	02/01/2022	
1	NDC:61596-300-41	1 in 1 BOTTLE, UNIT-DOSE		
1	NDC:61596-300-40	42 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/01/2022	

Labeler - GC America Inc. (005473608)

Establishment

Name	Address	ID/FEI	Business Operations
GC America Inc.		005473608	manufacture(61596-300)

Revised: 1/2024

GC America Inc.