


**MIPASTE ONE PERIO- mipaste one perio paste, dentifrice**  
**GC America Inc.**

**MIPaste One Perio**



Active ingredient  
 Stannous fluoride  
 0.454% w/w  
 (0.13% w/v fluoride ion)

Inactive ingredients  
 Water, Glycerol, Silicon dioxide,

RECALDENT® (CPP-ACP) Casein  
Phosphopeptide-Amorphous  
Calcium Phosphate, Sorbitol,  
CMC-Na, Propylene glycol,  
Sodium lauryl sulfate, Sodium  
citrate, Flavoring, Titanium dioxide,  
Xylitol, Sodium saccharin, Ethyl  
p-hydroxybenzoate, Propyl  
p-hydroxybenzoate,  
Butyl p-hydroxybenzoate

- Keep out of reach of children
- Stop use and ask a dentist if gingivitis, bleeding, or redness persists for more than 2 weeks, or if you have painful or swollen gums, pus from the gum line, loose teeth, or increasing spacing between the teeth. These may be signs of periodontitis, a serious form of gum disease.
- When using this product for sensitivity, do not use longer than 4 weeks unless recommended by a dentist.
- If more than the recommended amount of paste used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away. Do not use on patients with a milk protein or hydroxybenzoates allergy. In case of allergic reaction, stop use, rinse mouth with water and seek medical advice.

For adults and children 12 years of age or older, apply a small, pea-size amount of MI Paste ONE Perio to your toothbrush. For best results, brush for 2 minutes, expectorate and do not rinse; do not eat or drink for 30 minutes after brushing. Use twice daily. Replace cap after use. For children under 12 years of age, consult a dentist or physician.

#### Uses

- Helps prevent gingivitis
- Helps interfere with harmful

effects of plaque associated with gingivitis

- Aids in the prevention of cavities
- Builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact


- Keep out of reach of children

Purposes

Anti-gingivitis

Anti-cavity

Anti-sensitivity



# MIPASTE ONE PERIO

mipaste one perio paste, dentifrice

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61596-300
<b>Route of Administration</b>	DENTAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>STANNOUS FLUORIDE</b> (UNII: 3FTR44B32Q) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.454 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CALCIUM PHOSPHATE, UNSPECIFIED FORM</b> (UNII: 97Z1W3NDX)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>ETHYLPARABEN</b> (UNII: 14255EXE39)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61596-300-10	10 in 1 BOX	02/01/2022	
1	NDC:61596-300-41	1 in 1 BOTTLE, UNIT-DOSE		
1	NDC:61596-300-	42 g in 1 TUBE; Type 0: Not a Combination		

40	Product		
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/01/2022	

**Labeler** - GC America Inc. (005473608)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
GC America Inc.		005473608	manufacture(61596-300)

Revised: 12/2025

GC America Inc.