

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled Hy-Vee

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

| | |
|---------------------------------------|-------------------------|
| adults and children 12 years and over | take 1-3 softgels daily |
| children 2 to under 12 years of age | take 1 softgel daily |
| children under 2 years | ask a doctor |

Other information

- **each softgel contains:**sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

ammonium hydroxide, anhydrous citric acid, D&C red #33, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

*Compare to the Active Ingredient of Colace® Regular Strength Stool Softener

Stool Softener

Docusate sodium, 100 mg

Stool softener laxative

- Gentle
- Dependable
- Stimulant-Free

SOFTGELS

†This product is not manufactured or distributed by Antlantis Consumer Healthcare Inc., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: HY-VEE, INC.

WEST DES MOINES, IA 50266

Product Label

HyVee *Compare to the Active Ingredient of Colace® Regular Strength Stool Softener

NDC 42507-104-10

Stool Softener

Docusate Sodium, 100 mg
Stool Softener Laxative



Actual Size
100
SOFTGELS

- Gentle
- Dependable
- Stimulant-Free

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts
Active ingredient (in each softgel) Purpose
Docusate sodium 100 mg.....Stool softener laxative

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 12 to 72 hours

Warnings
Do not use if you are presently taking mineral oil, unless told to do so by a doctor.
Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that lasts over 2 weeks

Drug Facts (continued under label)
Visit here for more information: <http://hyvee.info/MCXgNU>
DISTRIBUTED BY HY-VEE, INC.
WEST DES MOINES, IA 50266
PLVA0825
SATISFACTION GUARANTEED
CALL 1-800-289-8343
www.hy-vee.com

PLD-A705A
LB010555
Lot No.: 0 75450 82553 4
Exp. Date:

PEEL HERE →

Drug Facts (continued)

Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.

| | |
|---------------------------------------|-------------------------|
| adults and children 12 years and over | take 1-3 softgels daily |
| children 2 to under 12 years of age | take 1 softgel daily |
| children under 2 years | ask a doctor |

Other information
■ each softgel contains: sodium 5 mg
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients ammonium hydroxide, anhydrous citric acid, D&C Red #33, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Colace® Regular Strength Stool Softener.

HY-VEE Stool Softener

| STOOL SOFTENER LAXATIVE | | | |
|---|----------------|--------------------|---------------|
| docusate sodium capsule, liquid filled | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:42507-104 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | | Basis of Strength | Strength |
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | | DOCUSATE SODIUM | 100 mg |
| Inactive Ingredients | | | |
| Ingredient Name | | | Strength |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | | | |

| |
|--|
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) |
| FD&C RED NO. 40 (UNII: WZB9127XOA) |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) |
| GELATIN (UNII: 2G86QN327L) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A) |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) |
| WATER (UNII: 059QF0K00R) |
| SORBITAN (UNII: 6O92ICV9RU) |
| SORBITOL (UNII: 506T60A25R) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| AMMONIA (UNII: 5138Q19F1X) |
| ISOPROPYL ALCOHOL (UNII: ND2M416302) |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) |
| MINERAL OIL (UNII: T5L8T28FGP) |
| BUTYL ALCOHOL (UNII: 8PJ61P6TS3) |
| ALCOHOL (UNII: 3K9958V90M) |
| POTASSIUM HYDROXIDE (UNII: WZH3C48M4T) |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) |

Product Characteristics

| | | | |
|-----------------|------------|---------------------|----------|
| Color | red, white | Score | no score |
| Shape | OVAL | Size | 12mm |
| Flavor | | Imprint Code | PC18 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:42507-104-10 | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 12/01/2025 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007 | 10/17/2025 | |

Labeler - Hy-Vee (006925671)