

**CVS NIGHTTIME CHILDRENS COLD AND COUGH MULTI-SYMPATOM RELIEF-
chlorpheniramine maleate and dextromethorphan hydrobromide solution
CVS PHARMACY**

CVS Nighttime Children's Cold & Cough Relief

Drug Facts

<i>Active ingredients (in each 15 mL)</i>	<i>Purpose</i>
Chlorpheniramine maleate 2 mg	Antihistamine
Dextromethorphan HBr 15 mg	Cough suppressant

Uses

temporarily relieves cold symptoms:

- cough due to minor throat & bronchial irritation
- sneezing
- runny nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, & tranquilizers may increase drowsiness

Stop use and ask a doctor if

- cough persists more than 1 week, tends to recur or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- take only as directed
- do not exceed 4 doses per 24 hrs.
- only use the dose cup provided

adults & children 12 yrs & over	30 mL every 6 hrs.
children 6 to under 12 yrs	15 mL every 6 hrs.
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information

- **each 15 mL contains:** potassium 5 mg, sodium 5 mg
- sugar free
- aspirin free
- store at room temperature

Inactive ingredients

anhydrous citric acid, FD&C Red No. 40, flavor, potassium citrate, potassium sorbate, propylene glycol, purified water, sodium benzoate, sorbitol, sucrose

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label

Compare to the active ingredients in Children's Vicks Nyquil™ Cold & Cough*

NDC 51316-752-08

Nighttime

Childrens

Cold & Cough

Chlorpheniramine maleate 2 mg,

Dextromethorphan HBr 15 mg

- **Sneezing**
- **Runny Nose**
- **Cough**

No Added Alcohol, Acetaminophen Free

Berry Flavor

Naturally and Artificially Flavored

8 FL OZ (236 ml)

DISTRIBUTED BY:

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken.

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Children's Vicks[®] Nyquil[™] Cold & Cough.

6.75 in

3.25 in

TAMPER EVIDENT: DO NOT USE IF PRINTED SHRINK BAND IS MISSING OR BROKEN.

Drug Facts

Active ingredients (in each 15 mL)	Purpose
Chlorpheniramine maleate 2 mg	Antihistamine
Dextromethorphan HBr 15 mg	Cough suppressant

Uses temporarily relieves cold symptoms:

- cough due to minor throat & bronchial irritation
- sneezing
- runny nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Children's Vicks® NyQuil™ Cold & Cough.

CVS Health.

Compare to the active ingredients in Children's Vicks® NyQuil™ Cold & Cough*

NDC 51316-752-08

Children's Nighttime

CHLORPHENIRAMINE MALEATE
Antihistamine

DEXTROMETHORPHAN HBr
Cough suppressant

Relieves:
Sneezing, Runny nose & Cough

COLD & COUGH

Berry Flavor
Naturally & Artificially Flavored

No added alcohol
Acetaminophen free

8 FL OZ (236 mL)

Drug Facts (continued)

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- cough persists more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Disposal: Recycle Empty & Reusable Containers

PLASTIC BOTTLE

PLASTIC CUP

100% money back guaranteed. CVS.com/returnpolicy

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2023 CVS/pharmacy CVS.com™ 1-800-SHOP CVS V-12431

752BE08CVSLR

#545761

LOT: UNVARNISHED AREA

EXR:

0 50428 54 100 5

READ ENTIRE LABEL INCLUDING DIRECTIONS & PRODUCT INFORMATION **PEEL BACK HERE** ▶

Drug Facts (continued)

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 6 hrs
children 6 to under 12 yrs	15 mL every 6 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor
children under 4 yrs	do not use

Other information

- each 15 mL contains: potassium 5 mg, sodium 5 mg
- sugar free
- aspirin free
- store at room temperature

Inactive ingredients anhydrous citric acid, FD&C Red No. 40, flavor, potassium citrate, potassium sorbate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments? 1-866-467-2748

CVS NIGHTTIME CHILDRENS COLD AND COUGH MULTI-SYMPOM RELIEF

chlorpheniramine maleate and dextromethorphan hydrobromide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-752
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 15 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-752-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/20/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	02/20/2023	

Labeler - CVS PHARMACY (062312574)